

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	23,152	10.0	0.32	(9.4 - 10.6)		3,129,108	(2,923,500 - 3,334,716)
U.S. Total**	25-34	42,036	8.3	0.22	(7.9 - 8.8)		3,501,897	(3,311,510 - 3,692,283)
U.S. Total**	35-44	52,509	8.5	0.21	(8.0 - 8.9)		3,365,076	(3,193,492 - 3,536,659)
U.S. Total**	45-54	74,149	9.3	0.19	(8.9 - 9.7)		3,941,837	(3,776,118 - 4,107,556)
U.S. Total**	55-64	99,916	9.7	0.19	(9.3 - 10.1)		3,811,534	(3,657,099 - 3,965,968)
U.S. Total**	65+	155,586	8.3	0.14	(8.0 - 8.6)		3,862,589	(3,726,699 - 3,998,479)
AL	18-24	433	11.7	1.96	(7.9 - 15.6)		55,845	(36,158 - 75,531)
AL	25-34	751	8.7	1.25	(6.3 - 11.2)		53,450	(37,871 - 69,029)
AL	35-44	884	8.4	1.11	(6.2 - 10.6)		49,831	(36,546 - 63,115)
AL	45-54	1,392	10.2	0.95	(8.4 - 12.1)		65,256	(53,034 - 77,478)
AL	55-64	1,959	10.6	0.87	(8.9 - 12.3)		65,561	(54,589 - 76,532)
AL	65+	3,086	8.2	0.62	(7.0 - 9.5)		61,068	(51,760 - 70,376)
AK	18-24	243	6.1	1.82	(2.5 - 9.7)		4,734	(1,867 - 7,601)
AK	25-34	548	8.3	1.54	(5.3 - 11.3)		9,078	(5,620 - 12,536)
AK	35-44	636	8.2	1.25	(5.8 - 10.7)		7,573	(5,272 - 9,874)
AK	45-54	860	5.8	0.98	(3.9 - 7.7)		5,713	(3,788 - 7,638)
AK	55-64	1,028	11.1	1.58	(8.0 - 14.2)		10,599	(7,424 - 13,773)
AK	65+	985	8.3	1.21	(5.9 - 10.7)		6,100	(4,280 - 7,921)
AZ	18-24	480	10.2	1.59	(7.1 - 13.3)		66,903	(45,406 - 88,400)
AZ	25-34	920	9.1	1.30	(6.5 - 11.6)		80,740	(56,964 - 104,516)
AZ	35-44	1,446	11.1	1.13	(8.9 - 13.3)		91,893	(72,570 - 111,216)
AZ	45-54	2,104	9.4	0.81	(7.8 - 11.0)		76,530	(63,114 - 89,947)
AZ	55-64	3,069	9.8	0.69	(8.4 - 11.1)		74,668	(63,939 - 85,397)
AZ	65+	6,483	8.6	0.48	(7.7 - 9.6)		89,321	(79,356 - 99,286)
AR	18-24	169	7.5	2.22	(3.1 - 11.8)		20,641	(8,110 - 33,172)
AR	25-34	359	5.8	1.37	(3.1 - 8.5)		22,712	(11,884 - 33,540)
AR	35-44	430	8.8	1.84	(5.2 - 12.4)		31,368	(17,823 - 44,914)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
AR	45-54	700	11.9	1.66	(8.6 - 15.1)		44,630	(31,546 - 57,715)
AR	55-64	1,118	11.1	1.28	(8.6 - 13.6)		40,536	(30,833 - 50,238)
AR	65+	2,357	8.0	0.76	(6.5 - 9.5)		36,926	(29,805 - 44,047)
CA	18-24	802	8.9	1.30	(6.4 - 11.5)		350,045	(245,041 - 455,049)
CA	25-34	1,289	5.5	0.72	(4.1 - 6.9)		304,741	(225,315 - 384,168)
CA	35-44	1,249	6.2	0.83	(4.5 - 7.8)		313,010	(227,834 - 398,186)
CA	45-54	1,479	8.7	0.84	(7.0 - 10.3)		436,145	(351,235 - 521,056)
CA	55-64	1,619	9.4	0.99	(7.5 - 11.4)		417,458	(326,817 - 508,099)
CA	65+	2,210	8.5	0.79	(6.9 - 10.0)		419,498	(340,375 - 498,620)
CO	18-24	648	10.4	1.44	(7.6 - 13.3)		53,471	(38,091 - 68,850)
CO	25-34	1,256	7.9	0.84	(6.3 - 9.6)		60,614	(47,549 - 73,679)
CO	35-44	1,758	7.3	0.67	(6.0 - 8.6)		52,539	(42,922 - 62,157)
CO	45-54	2,212	7.8	0.67	(6.5 - 9.1)		54,858	(45,298 - 64,418)
CO	55-64	2,990	9.5	0.65	(8.3 - 10.8)		62,780	(53,992 - 71,568)
CO	65+	4,254	7.9	0.51	(6.9 - 8.9)		54,225	(47,175 - 61,274)
CT	18-24	342	9.4	2.04	(5.4 - 13.4)		32,858	(18,091 - 47,626)
CT	25-34	637	9.7	1.41	(7.0 - 12.5)		41,037	(28,840 - 53,234)
CT	35-44	907	9.9	1.21	(7.6 - 12.3)		42,860	(32,177 - 53,543)
CT	45-54	1,462	8.5	0.91	(6.7 - 10.3)		44,708	(34,993 - 54,423)
CT	55-64	1,769	10.0	0.90	(8.3 - 11.8)		47,119	(38,553 - 55,686)
CT	65+	2,620	7.7	0.71	(6.3 - 9.1)		43,428	(35,302 - 51,553)
DE	18-24	175	9.5	2.61	(4.3 - 14.7)		8,677	(3,746 - 13,608)
DE	25-34	361	7.5	1.39	(4.7 - 10.2)		8,902	(5,608 - 12,195)
DE	35-44	423	8.0	1.43	(5.1 - 10.8)		8,751	(5,589 - 11,912)
DE	45-54	721	9.1	1.37	(6.4 - 11.8)		11,457	(7,923 - 14,991)
DE	55-64	978	9.5	1.18	(7.2 - 11.9)		11,489	(8,585 - 14,393)
DE	65+	1,552	8.8	0.92	(7.0 - 10.6)		13,426	(10,591 - 16,261)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
DC	18-24	123	18.1	4.07	(10.1 - 26.2)		13,074	(6,613 - 19,535)
DC	25-34	346	11.4	2.12	(7.2 - 15.6)		16,590	(10,189 - 22,991)
DC	35-44	438	9.9	2.18	(5.6 - 14.1)		8,923	(4,815 - 13,031)
DC	45-54	642	12.9	2.04	(8.9 - 16.9)		10,014	(6,636 - 13,391)
DC	55-64	867	11.5	1.67	(8.3 - 14.8)		7,835	(5,475 - 10,196)
DC	65+	1,528	7.2	0.78	(5.6 - 8.7)		5,789	(4,543 - 7,035)
FL	18-24	445	7.1	1.29	(4.6 - 9.7)		127,139	(80,666 - 173,613)
FL	25-34	772	8.6	1.23	(6.2 - 11.0)		212,404	(150,289 - 274,519)
FL	35-44	872	7.1	1.00	(5.1 - 9.0)		166,326	(118,719 - 213,934)
FL	45-54	1,380	9.9	1.04	(7.8 - 11.9)		264,596	(206,716 - 322,476)
FL	55-64	1,945	9.5	0.89	(7.8 - 11.3)		245,312	(197,997 - 292,628)
FL	65+	4,217	6.5	0.46	(5.6 - 7.4)		244,396	(209,839 - 278,952)
GA	18-24	325	9.9	1.78	(6.4 - 13.4)		101,274	(63,756 - 138,793)
GA	25-34	548	6.6	1.15	(4.3 - 8.9)		88,540	(57,346 - 119,733)
GA	35-44	725	7.7	1.20	(5.3 - 10.1)		102,839	(70,152 - 135,526)
GA	45-54	1,067	7.8	1.03	(5.8 - 9.9)		108,133	(79,293 - 136,972)
GA	55-64	1,383	9.5	0.98	(7.5 - 11.4)		109,362	(86,183 - 132,541)
GA	65+	2,178	8.8	0.79	(7.2 - 10.3)		110,270	(89,943 - 130,596)
HI	18-24	540	8.9	1.43	(6.1 - 11.7)		11,653	(7,865 - 15,441)
HI	25-34	898	9.3	1.30	(6.8 - 11.9)		18,600	(13,334 - 23,865)
HI	35-44	847	10.2	1.30	(7.6 - 12.7)		17,348	(12,838 - 21,857)
HI	45-54	1,111	9.6	1.22	(7.2 - 12.0)		16,855	(12,488 - 21,222)
HI	55-64	1,576	8.1	0.89	(6.3 - 9.8)		14,835	(11,521 - 18,149)
HI	65+	2,111	9.6	0.93	(7.8 - 11.5)		21,617	(17,324 - 25,910)
ID	18-24	311	8.1	1.59	(4.9 - 11.2)		13,314	(8,061 - 18,567)
ID	25-34	546	9.0	1.68	(5.6 - 12.3)		18,410	(11,304 - 25,516)
ID	35-44	630	9.9	1.57	(6.8 - 13.0)		19,623	(13,229 - 26,016)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
ID	45-54	802	7.1	1.10	(5.0 - 9.3)		13,696	(9,462 - 17,931)
ID	55-64	1,192	9.2	1.06	(7.1 - 11.3)		17,962	(13,759 - 22,165)
ID	65+	1,926	8.7	0.88	(7.0 - 10.4)		20,093	(15,950 - 24,237)
IL	18-24	342	10.0	1.97	(6.1 - 13.9)		127,093	(75,353 - 178,832)
IL	25-34	505	8.1	1.49	(5.2 - 11.0)		140,179	(87,385 - 192,972)
IL	35-44	619	9.0	1.31	(6.4 - 11.6)		151,190	(106,508 - 195,871)
IL	45-54	897	10.4	1.17	(8.1 - 12.7)		181,430	(139,771 - 223,088)
IL	55-64	1,019	9.2	1.21	(6.9 - 11.6)		148,202	(108,378 - 188,027)
IL	65+	1,636	8.4	0.82	(6.7 - 10.0)		150,428	(120,841 - 180,016)
IN	18-24	561	12.6	1.56	(9.5 - 15.6)		84,656	(62,678 - 106,633)
IN	25-34	869	10.2	1.19	(7.9 - 12.6)		83,630	(63,506 - 103,753)
IN	35-44	1,265	11.3	1.06	(9.2 - 13.4)		91,933	(74,111 - 109,754)
IN	45-54	1,879	10.9	0.85	(9.3 - 12.6)		94,749	(79,681 - 109,817)
IN	55-64	2,597	10.1	0.72	(8.7 - 11.5)		82,546	(70,444 - 94,647)
IN	65+	4,134	9.8	0.60	(8.6 - 11.0)		93,240	(81,455 - 105,026)
IA	18-24	384	9.8	1.74	(6.4 - 13.2)		31,580	(19,988 - 43,171)
IA	25-34	683	11.6	1.49	(8.7 - 14.6)		44,228	(32,365 - 56,092)
IA	35-44	905	6.2	0.92	(4.4 - 8.1)		22,501	(15,782 - 29,219)
IA	45-54	1,311	8.7	1.00	(6.8 - 10.7)		34,251	(26,175 - 42,327)
IA	55-64	1,791	8.9	0.80	(7.3 - 10.4)		35,439	(28,881 - 41,998)
IA	65+	2,931	6.6	0.55	(5.5 - 7.6)		32,765	(27,254 - 38,275)
KS	18-24	867	10.2	1.12	(8.0 - 12.4)		30,901	(23,908 - 37,895)
KS	25-34	1,441	8.2	0.77	(6.7 - 9.8)		30,683	(24,864 - 36,503)
KS	35-44	1,611	7.9	0.69	(6.5 - 9.2)		27,210	(22,396 - 32,024)
KS	45-54	2,200	9.6	0.71	(8.2 - 11.0)		34,504	(29,255 - 39,754)
KS	55-64	3,030	8.6	0.57	(7.5 - 9.8)		30,816	(26,684 - 34,947)
KS	65+	4,381	8.1	0.47	(7.2 - 9.1)		33,979	(29,986 - 37,971)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
KY	18-24	429	12.5	2.06	(8.4 - 16.6)		53,151	(34,678 - 71,625)
KY	25-34	793	10.4	1.53	(7.4 - 13.4)		57,752	(40,148 - 75,356)
KY	35-44	1,209	12.5	1.47	(9.6 - 15.4)		69,206	(52,057 - 86,354)
KY	45-54	1,946	12.7	1.20	(10.3 - 15.0)		75,849	(60,681 - 91,016)
KY	55-64	2,709	13.8	1.00	(11.9 - 15.8)		77,949	(66,181 - 89,717)
KY	65+	3,910	10.2	0.73	(8.7 - 11.6)		67,420	(57,536 - 77,303)
LA	18-24	418	9.2	1.53	(6.2 - 12.2)		42,618	(28,212 - 57,024)
LA	25-34	747	6.5	1.00	(4.6 - 8.5)		42,356	(29,226 - 55,486)
LA	35-44	775	7.2	1.11	(5.0 - 9.4)		40,421	(27,744 - 53,097)
LA	45-54	1,195	7.8	0.94	(6.0 - 9.7)		46,626	(35,219 - 58,034)
LA	55-64	1,476	8.7	0.84	(7.1 - 10.4)		50,191	(40,404 - 59,979)
LA	65+	2,074	7.3	0.69	(6.0 - 8.7)		47,167	(38,214 - 56,120)
ME	18-24	366	11.1	1.95	(7.3 - 15.0)		13,165	(8,380 - 17,949)
ME	25-34	662	14.1	1.70	(10.8 - 17.5)		20,547	(15,310 - 25,784)
ME	35-44	898	12.9	1.35	(10.2 - 15.5)		19,654	(15,373 - 23,936)
ME	45-54	1,552	12.4	1.03	(10.4 - 14.4)		24,003	(19,891 - 28,115)
ME	55-64	2,191	10.8	0.84	(9.2 - 12.5)		22,024	(18,500 - 25,548)
ME	65+	3,332	9.4	0.65	(8.2 - 10.7)		22,772	(19,545 - 25,999)
MD	18-24	350	14.2	2.34	(9.6 - 18.8)		79,672	(51,894 - 107,450)
MD	25-34	752	8.8	1.43	(6.0 - 11.6)		69,681	(46,389 - 92,974)
MD	35-44	1,436	8.5	1.04	(6.4 - 10.5)		64,534	(48,527 - 80,542)
MD	45-54	2,221	6.6	0.70	(5.2 - 8.0)		57,158	(45,017 - 69,300)
MD	55-64	2,894	8.2	0.86	(6.6 - 9.9)		61,868	(48,654 - 75,082)
MD	65+	4,647	6.7	0.58	(5.6 - 7.8)		55,685	(46,086 - 65,284)
MA	18-24	671	13.8	1.73	(10.4 - 17.2)		96,113	(70,494 - 121,733)
MA	25-34	1,273	12.9	1.24	(10.4 - 15.3)		112,758	(89,996 - 135,519)
MA	35-44	1,611	11.2	1.00	(9.2 - 13.2)		92,032	(75,193 - 108,871)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MA	45-54	2,551	12.7	0.94	(10.9 - 14.6)		120,616	(102,104 - 139,128)
MA	55-64	3,461	12.7	0.84	(11.0 - 14.3)		107,991	(93,060 - 122,923)
MA	65+	5,605	9.8	0.65	(8.5 - 11.1)		101,196	(87,331 - 115,061)
MI	18-24	551	10.3	1.40	(7.5 - 13.1)		103,709	(74,740 - 132,678)
MI	25-34	710	13.3	1.49	(10.4 - 16.3)		157,528	(120,584 - 194,472)
MI	35-44	833	9.7	1.17	(7.4 - 12.0)		112,804	(85,002 - 140,606)
MI	45-54	1,383	11.3	1.03	(9.3 - 13.3)		152,047	(123,201 - 180,892)
MI	55-64	1,956	12.7	0.96	(10.8 - 14.6)		168,934	(141,934 - 195,934)
MI	65+	2,868	8.2	0.59	(7.1 - 9.4)		126,815	(108,433 - 145,197)
MN	18-24	1,043	10.5	1.17	(8.2 - 12.8)		54,788	(42,147 - 67,430)
MN	25-34	1,935	7.8	0.72	(6.4 - 9.2)		56,054	(45,482 - 66,625)
MN	35-44	2,171	8.8	0.67	(7.5 - 10.2)		59,195	(50,110 - 68,280)
MN	45-54	2,939	8.9	0.64	(7.6 - 10.1)		64,605	(55,100 - 74,111)
MN	55-64	3,546	7.9	0.52	(6.9 - 9.0)		55,579	(48,235 - 62,923)
MN	65+	4,498	7.5	0.48	(6.5 - 8.4)		58,963	(51,266 - 66,660)
MS	18-24	200	4.2	1.40	(1.4 - 7.0)		12,999	(4,291 - 21,707)
MS	25-34	346	8.5	2.03	(4.5 - 12.5)		32,675	(16,489 - 48,862)
MS	35-44	458	8.3	1.51	(5.4 - 11.3)		30,521	(19,284 - 41,758)
MS	45-54	658	9.5	1.36	(6.8 - 12.2)		36,291	(25,668 - 46,915)
MS	55-64	935	7.4	0.99	(5.4 - 9.3)		26,882	(19,618 - 34,145)
MS	65+	1,552	6.2	0.74	(4.8 - 7.7)		26,588	(20,269 - 32,908)
MO	18-24	332	7.7	1.53	(4.7 - 10.7)		45,709	(27,470 - 63,948)
MO	25-34	536	11.9	1.71	(8.5 - 15.2)		91,156	(64,075 - 118,236)
MO	35-44	713	9.9	1.51	(6.9 - 12.8)		71,691	(49,002 - 94,380)
MO	45-54	1,034	10.2	1.31	(7.6 - 12.7)		80,616	(59,006 - 102,226)
MO	55-64	1,596	10.5	1.11	(8.4 - 12.7)		81,681	(63,839 - 99,524)
MO	65+	2,751	8.4	0.73	(6.9 - 9.8)		78,171	(64,441 - 91,902)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MT	18-24	348	13.2	2.14	(9.0 - 17.4)		13,189	(8,706 - 17,672)
MT	25-34	623	8.3	1.38	(5.6 - 11.0)		10,542	(6,974 - 14,109)
MT	35-44	728	11.8	1.57	(8.7 - 14.9)		13,717	(9,927 - 17,507)
MT	45-54	1,098	8.8	1.08	(6.6 - 10.9)		11,225	(8,412 - 14,038)
MT	55-64	1,794	8.5	0.93	(6.7 - 10.4)		12,784	(9,938 - 15,630)
MT	65+	2,800	8.7	0.71	(7.3 - 10.0)		14,919	(12,461 - 17,376)
NE	18-24	1,225	8.2	1.01	(6.2 - 10.1)		15,382	(11,538 - 19,227)
NE	25-34	2,211	8.4	0.90	(6.6 - 10.1)		20,463	(15,960 - 24,965)
NE	35-44	2,616	8.0	0.80	(6.4 - 9.5)		17,883	(14,239 - 21,527)
NE	45-54	3,466	6.6	0.59	(5.4 - 7.7)		15,377	(12,594 - 18,159)
NE	55-64	4,790	8.4	0.62	(7.2 - 9.7)		19,527	(16,607 - 22,447)
NE	65+	7,805	7.1	0.42	(6.3 - 7.9)		19,494	(17,172 - 21,816)
NV	18-24	198	7.3	2.01	(3.4 - 11.3)		18,642	(8,452 - 28,833)
NV	25-34	377	6.4	1.60	(3.3 - 9.5)		24,964	(12,423 - 37,504)
NV	35-44	469	6.0	1.30	(3.5 - 8.6)		22,489	(12,850 - 32,129)
NV	45-54	610	10.8	1.99	(6.9 - 14.8)		40,241	(24,808 - 55,673)
NV	55-64	737	9.5	1.85	(5.9 - 13.1)		31,746	(18,973 - 44,519)
NV	65+	1,279	8.5	1.07	(6.4 - 10.6)		33,627	(25,091 - 42,162)
NH	18-24	218	9.9	2.34	(5.3 - 14.5)		12,682	(6,541 - 18,824)
NH	25-34	467	11.2	1.55	(8.2 - 14.3)		16,635	(12,022 - 21,248)
NH	35-44	665	11.2	1.37	(8.5 - 13.8)		17,352	(13,012 - 21,693)
NH	45-54	1,095	10.5	1.11	(8.3 - 12.6)		21,461	(16,837 - 26,085)
NH	55-64	1,402	9.6	1.00	(7.7 - 11.6)		18,530	(14,587 - 22,474)
NH	65+	2,198	9.3	0.83	(7.7 - 10.9)		19,653	(16,105 - 23,200)
NJ	18-24	592	8.3	1.30	(5.8 - 10.9)		67,210	(45,992 - 88,429)
NJ	25-34	1,223	8.4	1.01	(6.5 - 10.4)		92,466	(69,952 - 114,981)
NJ	35-44	1,661	8.0	0.84	(6.3 - 9.6)		90,518	(71,367 - 109,669)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
NJ	45-54	2,483	7.4	0.70	(6.0 - 8.7)		96,005	(77,536 - 114,473)
NJ	55-64	2,846	8.9	0.94	(7.1 - 10.8)		100,967	(79,059 - 122,874)
NJ	65+	3,928	8.6	0.72	(7.2 - 10.0)		114,618	(95,009 - 134,227)
NM	18-24	480	11.5	1.78	(8.0 - 15.0)		23,151	(15,730 - 30,572)
NM	25-34	819	10.3	1.51	(7.4 - 13.3)		28,524	(19,890 - 37,158)
NM	35-44	1,015	11.1	1.50	(8.2 - 14.1)		26,965	(19,360 - 34,571)
NM	45-54	1,472	9.1	0.91	(7.3 - 10.9)		23,177	(18,495 - 27,859)
NM	55-64	2,058	9.2	0.89	(7.5 - 11.0)		24,622	(19,776 - 29,468)
NM	65+	2,935	8.9	0.73	(7.4 - 10.3)		27,713	(23,133 - 32,294)
NY	18-24	400	13.1	2.05	(9.1 - 17.1)		252,023	(168,555 - 335,490)
NY	25-34	771	11.5	1.35	(8.9 - 14.2)		315,770	(238,688 - 392,852)
NY	35-44	851	10.4	1.34	(7.7 - 13.0)		254,861	(186,176 - 323,546)
NY	45-54	1,194	10.0	1.04	(7.9 - 12.0)		269,879	(212,094 - 327,664)
NY	55-64	1,420	10.3	1.00	(8.3 - 12.2)		248,974	(199,252 - 298,695)
NY	65+	2,067	9.8	0.92	(8.0 - 11.6)		287,899	(231,523 - 344,276)
NC	18-24	443	8.3	1.59	(5.1 - 11.4)		81,296	(49,070 - 113,523)
NC	25-34	822	6.3	1.02	(4.3 - 8.3)		79,956	(53,536 - 106,376)
NC	35-44	949	7.4	0.99	(5.4 - 9.3)		94,241	(68,465 - 120,016)
NC	45-54	1,095	7.7	0.89	(6.0 - 9.5)		101,625	(77,727 - 125,523)
NC	55-64	1,510	9.9	0.88	(8.2 - 11.6)		119,660	(97,956 - 141,364)
NC	65+	2,321	7.5	0.64	(6.2 - 8.7)		110,300	(91,334 - 129,266)
ND	18-24	343	6.7	1.54	(3.7 - 9.8)		5,906	(3,198 - 8,613)
ND	25-34	660	10.4	1.75	(7.0 - 13.8)		10,897	(7,085 - 14,710)
ND	35-44	845	10.4	1.45	(7.5 - 13.2)		8,756	(6,245 - 11,267)
ND	45-54	1,205	6.6	0.96	(4.8 - 8.5)		6,040	(4,278 - 7,803)
ND	55-64	1,851	8.6	0.94	(6.8 - 10.4)		8,093	(6,284 - 9,902)
ND	65+	2,761	9.3	0.88	(7.5 - 11.0)		10,442	(8,395 - 12,488)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OH	18-24	444	10.3	1.68	(7.0 - 13.6)		115,242	(76,773 - 153,712)
OH	25-34	801	12.0	1.59	(8.9 - 15.2)		170,123	(122,952 - 217,294)
OH	35-44	1,149	11.2	1.23	(8.8 - 13.6)		154,031	(119,271 - 188,792)
OH	45-54	1,776	11.3	1.11	(9.2 - 13.5)		176,676	(140,804 - 212,548)
OH	55-64	2,608	10.7	0.91	(8.9 - 12.4)		163,690	(134,982 - 192,398)
OH	65+	3,956	9.7	0.72	(8.3 - 11.1)		176,683	(149,813 - 203,553)
OK	18-24	440	9.2	1.47	(6.3 - 12.0)		35,843	(24,153 - 47,533)
OK	25-34	831	10.0	1.20	(7.7 - 12.4)		52,258	(39,369 - 65,146)
OK	35-44	977	9.9	1.12	(7.7 - 12.1)		46,693	(35,876 - 57,510)
OK	45-54	1,268	10.7	0.95	(8.8 - 12.5)		51,177	(41,769 - 60,585)
OK	55-64	1,810	10.0	0.81	(8.4 - 11.6)		46,826	(39,087 - 54,564)
OK	65+	2,999	8.9	0.59	(7.7 - 10.0)		50,869	(44,082 - 57,655)
OR	18-24	280	12.3	2.23	(7.9 - 16.7)		45,418	(28,352 - 62,483)
OR	25-34	462	9.9	1.64	(6.7 - 13.1)		51,772	(34,054 - 69,491)
OR	35-44	513	11.4	1.66	(8.2 - 14.7)		57,033	(39,760 - 74,306)
OR	45-54	731	11.3	1.65	(8.1 - 14.6)		56,019	(38,794 - 73,244)
OR	55-64	1,140	8.8	0.93	(7.0 - 10.6)		47,595	(37,477 - 57,713)
OR	65+	1,999	8.4	0.75	(6.9 - 9.9)		52,885	(43,354 - 62,416)
PA	18-24	490	13.4	1.73	(10.0 - 16.8)		169,331	(124,569 - 214,093)
PA	25-34	882	8.7	1.13	(6.5 - 10.9)		135,005	(99,030 - 170,979)
PA	35-44	1,189	11.0	1.09	(8.8 - 13.1)		162,319	(129,260 - 195,377)
PA	45-54	1,775	10.9	0.91	(9.1 - 12.7)		190,868	(158,252 - 223,484)
PA	55-64	2,453	9.3	0.70	(7.9 - 10.7)		157,817	(133,668 - 181,967)
PA	65+	3,972	7.3	0.49	(6.3 - 8.2)		157,684	(136,267 - 179,101)
RI	18-24	225	9.3	2.08	(5.3 - 13.4)		10,501	(5,723 - 15,279)
RI	25-34	442	9.9	1.76	(6.4 - 13.4)		13,191	(8,311 - 18,071)
RI	35-44	714	11.8	1.44	(8.9 - 14.6)		14,586	(10,883 - 18,289)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
RI	45-54	1,144	12.0	1.13	(9.7 - 14.2)		17,451	(14,045 - 20,856)
RI	55-64	1,602	10.8	0.92	(9.0 - 12.6)		15,032	(12,409 - 17,655)
RI	65+	2,165	10.7	0.89	(9.0 - 12.5)		18,028	(14,946 - 21,111)
SC	18-24	557	9.0	1.64	(5.8 - 12.3)		42,969	(26,735 - 59,204)
SC	25-34	1,011	7.8	1.08	(5.7 - 9.9)		48,432	(34,827 - 62,036)
SC	35-44	1,172	8.3	0.90	(6.5 - 10.0)		48,315	(37,632 - 58,997)
SC	45-54	1,729	9.4	0.86	(7.7 - 11.1)		58,903	(47,779 - 70,027)
SC	55-64	2,409	8.1	0.68	(6.7 - 9.4)		49,752	(41,259 - 58,245)
SC	65+	3,949	7.8	0.54	(6.8 - 8.9)		59,626	(51,345 - 67,907)
SD	18-24	402	10.3	2.38	(5.6 - 15.0)		8,945	(4,666 - 13,224)
SD	25-34	822	6.7	1.29	(4.2 - 9.3)		7,413	(4,553 - 10,273)
SD	35-44	857	6.8	1.22	(4.4 - 9.2)		6,587	(4,218 - 8,956)
SD	45-54	1,164	8.2	1.43	(5.4 - 11.0)		8,600	(5,513 - 11,686)
SD	55-64	1,522	5.7	0.89	(3.9 - 7.4)		6,205	(4,266 - 8,145)
SD	65+	2,508	7.8	0.85	(6.1 - 9.5)		10,305	(8,067 - 12,542)
TN	18-24	204	12.9	2.61	(7.8 - 18.1)		80,257	(46,397 - 114,116)
TN	25-34	402	6.9	1.44	(4.1 - 9.8)		58,563	(33,865 - 83,261)
TN	35-44	476	7.0	1.31	(4.4 - 9.5)		57,499	(35,935 - 79,063)
TN	45-54	809	7.9	1.09	(5.7 - 10.0)		68,582	(49,517 - 87,647)
TN	55-64	1,151	10.1	1.12	(7.9 - 12.3)		83,447	(64,581 - 102,313)
TN	65+	1,993	9.5	0.86	(7.8 - 11.2)		94,457	(76,857 - 112,056)
TX	18-24	936	7.5	1.07	(5.4 - 9.6)		205,218	(145,711 - 264,724)
TX	25-34	1,672	4.9	0.67	(3.6 - 6.2)		184,448	(134,515 - 234,381)
TX	35-44	1,921	5.8	0.69	(4.4 - 7.1)		204,539	(155,881 - 253,197)
TX	45-54	2,381	6.5	0.66	(5.2 - 7.8)		220,439	(175,552 - 265,326)
TX	55-64	2,970	8.4	0.81	(6.8 - 9.9)		244,106	(196,323 - 291,889)
TX	65+	5,267	7.5	0.64	(6.2 - 8.7)		233,304	(193,101 - 273,507)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
UT	18-24	1,262	9.2	0.86	(7.5 - 10.9)		30,995	(25,113 - 36,878)
UT	25-34	2,264	8.5	0.66	(7.2 - 9.7)		37,649	(31,690 - 43,608)
UT	35-44	2,698	8.2	0.59	(7.1 - 9.4)		30,865	(26,381 - 35,349)
UT	45-54	2,370	9.2	0.68	(7.8 - 10.5)		28,281	(24,017 - 32,545)
UT	55-64	2,614	8.7	0.67	(7.4 - 10.0)		23,740	(19,994 - 27,486)
UT	65+	3,566	8.7	0.60	(7.5 - 9.9)		25,962	(22,298 - 29,627)
VT	18-24	337	11.3	1.82	(7.7 - 14.9)		7,496	(5,003 - 9,989)
VT	25-34	631	14.9	1.57	(11.8 - 17.9)		10,238	(7,957 - 12,519)
VT	35-44	809	10.9	1.19	(8.5 - 13.2)		7,628	(5,911 - 9,346)
VT	45-54	1,244	11.7	1.11	(9.5 - 13.8)		10,419	(8,357 - 12,481)
VT	55-64	1,525	10.1	0.84	(8.5 - 11.8)		9,722	(8,075 - 11,370)
VT	65+	1,799	10.2	0.86	(8.5 - 11.9)		10,768	(8,909 - 12,627)
VA	18-24	419	9.6	1.57	(6.5 - 12.7)		80,921	(53,844 - 107,999)
VA	25-34	932	7.3	0.98	(5.4 - 9.2)		81,912	(59,821 - 104,003)
VA	35-44	1,212	8.0	1.04	(6.0 - 10.1)		86,540	(63,476 - 109,604)
VA	45-54	1,748	8.4	0.82	(6.8 - 10.0)		97,565	(78,265 - 116,866)
VA	55-64	2,129	9.3	0.78	(7.8 - 10.8)		96,794	(80,371 - 113,217)
VA	65+	2,867	9.2	0.74	(7.8 - 10.7)		107,396	(89,761 - 125,032)
WA	18-24	497	11.4	1.67	(8.1 - 14.7)		75,225	(52,277 - 98,173)
WA	25-34	855	7.4	1.03	(5.4 - 9.4)		72,084	(51,879 - 92,288)
WA	35-44	1,128	8.2	1.03	(6.2 - 10.2)		74,012	(55,023 - 93,002)
WA	45-54	1,557	10.0	0.96	(8.1 - 11.8)		91,886	(73,676 - 110,096)
WA	55-64	2,224	9.6	0.76	(8.1 - 11.1)		86,240	(72,424 - 100,057)
WA	65+	3,588	9.7	0.62	(8.5 - 10.9)		96,850	(84,344 - 109,357)
WV	18-24	308	12.4	2.02	(8.4 - 16.4)		21,252	(14,035 - 28,468)
WV	25-34	561	9.3	1.30	(6.8 - 11.9)		19,848	(14,236 - 25,461)
WV	35-44	735	10.8	1.27	(8.4 - 13.3)		24,367	(18,502 - 30,233)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WV	45-54	1,043	13.1	1.22	(10.7 - 15.5)		32,644	(26,304 - 38,985)
WV	55-64	1,450	11.5	0.99	(9.5 - 13.4)		30,664	(25,190 - 36,138)
WV	65+	2,019	9.8	0.80	(8.2 - 11.4)		32,382	(26,976 - 37,788)
WI	18-24	421	12.5	2.10	(8.4 - 16.7)		70,228	(45,605 - 94,850)
WI	25-34	630	10.5	1.73	(7.1 - 13.9)		75,421	(49,455 - 101,386)
WI	35-44	827	10.5	1.42	(7.7 - 13.3)		72,437	(52,162 - 92,712)
WI	45-54	1,184	10.8	1.17	(8.5 - 13.1)		85,914	(66,856 - 104,972)
WI	55-64	1,630	10.8	1.13	(8.6 - 13.0)		82,820	(64,884 - 100,757)
WI	65+	2,257	7.8	0.74	(6.3 - 9.2)		68,302	(55,274 - 81,331)
WY	18-24	133	7.6	2.46	(2.7 - 12.5)		4,003	(1,346 - 6,660)
WY	25-34	382	9.8	1.90	(6.1 - 13.5)		8,281	(4,971 - 11,590)
WY	35-44	584	7.2	1.14	(4.9 - 9.4)		5,068	(3,476 - 6,659)
WY	45-54	810	8.4	1.26	(5.9 - 10.9)		6,045	(4,203 - 7,887)
WY	55-64	1,577	8.3	0.91	(6.5 - 10.1)		6,561	(5,101 - 8,021)
WY	65+	2,762	8.5	0.75	(7.0 - 9.9)		7,077	(5,793 - 8,362)
Territories	
GU	18-24	306	6.3	2.05	(2.2 - 10.3)		1,107	(367 - 1,847)
GU	25-34	507	5.2	1.64	(2.0 - 8.5)		1,098	(403 - 1,794)
GU	35-44	468	4.2	0.93	(2.4 - 6.1)		925	(533 - 1,318)
GU	45-54	507	5.0	1.12	(2.8 - 7.2)		1,001	(556 - 1,447)
GU	55-64	394	5.4	1.22	(3.0 - 7.8)		758	(418 - 1,097)
GU	65+	304	7.7	2.03	(3.7 - 11.7)		828	(382 - 1,275)
PR	18-24	454	10.2	1.56	(7.1 - 13.3)		38,262	(26,261 - 50,264)
PR	25-34	658	11.2	1.37	(8.5 - 13.9)		53,617	(40,211 - 67,024)
PR	35-44	757	11.1	1.32	(8.5 - 13.7)		52,550	(39,625 - 65,474)
PR	45-54	964	10.6	1.19	(8.3 - 13.0)		50,575	(38,898 - 62,252)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2014

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
PR	55-64	1,090	11.4	1.21	(9.0 - 13.8)	 	49,180	(38,335 - 60,025)
PR	65+	2,025	9.5	0.80	(7.9 - 11.1)	 	53,449	(44,330 - 62,569)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.