

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nchsed@cdc.gov, or call 301-458-4688

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIV. Diseases of the genitourinary system (N00-N98)

Arkansas

All races, both sexes.....	826	3	-	-	-	-	3	3	4	5	7	16
Male.....	347	3	-	-	-	-	1	1	2	2	4	9
Female.....	479	-	-	-	-	-	2	2	2	3	3	7
White, both sexes.....	658	-	-	-	-	-	3	1	1	3	5	8
Male.....	273	-	-	-	-	-	1	-	-	1	2	3
Female.....	385	-	-	-	-	-	2	1	1	2	3	5
Black, both sexes.....	165	3	-	-	-	-	-	2	3	2	2	8
Male.....	72	3	-	-	-	-	-	1	2	1	2	6
Female.....	93	-	-	-	-	-	-	1	1	1	-	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4,491	18	1	1	5	6	8	8	17	32	39	96
Male.....	2,030	10	1	-	2	3	4	4	11	18	22	49
Female.....	2,461	8	-	1	3	3	4	4	6	14	17	47
White, both sexes.....	3,638	13	1	1	2	5	8	7	12	19	18	66
Male.....	1,630	7	1	-	1	3	4	3	8	11	10	33
Female.....	2,008	6	-	1	1	2	4	4	4	8	8	33
Black, both sexes.....	445	5	-	-	2	1	-	-	4	7	15	24
Male.....	209	3	-	-	1	-	-	-	2	2	7	14
Female.....	236	2	-	-	1	1	-	-	2	5	8	10
American Indian 1/, both sexes.....	30	-	-	-	1	-	-	-	-	4	-	-
Male.....	15	-	-	-	-	-	-	-	-	4	-	-
Female.....	15	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	378	-	-	-	-	-	-	1	1	2	6	6
Male.....	176	-	-	-	-	-	-	1	1	1	5	2
Female.....	202	-	-	-	-	-	-	-	-	1	1	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIV. Diseases of the genitourinary system (N00-N98)

New Hampshire

All races, both sexes.....	241	1	-	-	-	-	-	-	-	-	-	1
Male.....	110	-	-	-	-	-	-	-	-	-	-	-
Female.....	131	1	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	237	1	-	-	-	-	-	-	-	-	-	1
Male.....	108	-	-	-	-	-	-	-	-	-	-	-
Female.....	129	1	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	2,075	6	-	-	2	-	3	2	6	11	20	31
Male.....	977	4	-	-	1	-	-	2	2	4	14	19
Female.....	1,098	2	-	-	1	-	3	-	4	7	6	12
White, both sexes.....	1,689	3	-	-	2	-	3	1	3	8	6	20
Male.....	791	2	-	-	1	-	-	1	2	4	5	14
Female.....	898	1	-	-	1	-	3	-	1	4	1	6
Black, both sexes.....	354	3	-	-	-	-	-	1	2	3	13	10
Male.....	171	2	-	-	-	-	-	1	-	-	8	5
Female.....	183	1	-	-	-	-	-	-	2	3	5	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	30	-	-	-	-	-	-	-	1	-	-	1
Male.....	14	-	-	-	-	-	-	-	-	-	-	-
Female.....	16	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIV. Diseases of the genitourinary system (N00-N98)

Oregon

All races, both sexes.....	542	-	-	-	2	-	-	-	3	3	5	2
Male.....	239	-	-	-	-	-	-	-	2	2	4	1
Female.....	303	-	-	-	2	-	-	-	1	1	1	1
White, both sexes.....	516	-	-	-	2	-	-	-	2	2	3	2
Male.....	221	-	-	-	-	-	-	-	1	1	2	1
Female.....	295	-	-	-	2	-	-	-	1	1	1	1
Black, both sexes.....	12	-	-	-	-	-	-	-	-	-	2	-
Male.....	9	-	-	-	-	-	-	-	-	-	2	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	1	-	-	-
Male.....	6	-	-	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	3,966	8	2	-	-	2	5	10	9	16	32	35
Male.....	1,790	3	1	-	-	1	4	4	4	13	22	18
Female.....	2,176	5	1	-	-	1	1	6	5	3	10	17
White, both sexes.....	3,452	5	2	-	-	2	4	7	7	8	20	23
Male.....	1,544	1	1	-	-	1	3	3	3	8	16	11
Female.....	1,908	4	1	-	-	1	1	4	4	-	4	12
Black, both sexes.....	494	3	-	-	-	-	1	2	1	8	12	12
Male.....	236	2	-	-	-	-	1	-	1	5	6	7
Female.....	258	1	-	-	-	-	-	2	-	3	6	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	-	-	1	1	-	-	-
Male.....	10	-	-	-	-	-	-	1	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Alaska

All races, both sexes.....	-	3	4	4	8	9	3	9	4	3	-	-
Male.....	-	-	2	1	7	4	1	4	1	-	-	-
Female.....	-	3	2	3	1	5	2	5	3	3	-	-
White, both sexes.....	-	2	2	3	5	6	1	5	2	3	-	-
Male.....	-	-	1	1	4	2	-	2	-	-	-	-
Female.....	-	2	1	2	1	4	1	3	2	3	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	2	-	2	4	2	-	-	-
Male.....	-	-	1	-	2	-	1	2	1	-	-	-
Female.....	-	-	1	1	-	-	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Arizona

All races, both sexes.....	18	39	44	58	64	125	160	169	106	27	3	-
Male.....	10	25	15	28	34	70	85	71	38	8	1	-
Female.....	8	14	29	30	30	55	75	98	68	19	2	-
White, both sexes.....	15	31	38	48	50	116	153	163	95	25	2	-
Male.....	9	20	13	25	28	66	83	68	34	8	1	-
Female.....	6	11	25	23	22	50	70	95	61	17	1	-
Black, both sexes.....	2	5	-	4	2	3	3	1	3	1	-	-
Male.....	-	3	-	3	1	1	2	-	1	-	-	-
Female.....	2	2	-	1	1	2	1	1	2	1	-	-
American Indian 1/, both sexes.....	1	3	5	6	12	4	3	4	7	1	1	-
Male.....	1	2	2	-	5	3	-	2	3	-	-	-
Female.....	-	1	3	6	7	1	3	2	4	1	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	2	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	2	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Arkansas

All races, both sexes.....	17	36	37	48	70	95	156	161	119	36	10	-
Male.....	7	21	23	24	41	38	70	59	31	9	2	-
Female.....	10	15	14	24	29	57	86	102	88	27	8	-
White, both sexes.....	11	21	25	42	50	75	138	137	100	31	7	-
Male.....	5	12	16	21	32	32	63	51	27	7	-	-
Female.....	6	9	9	21	18	43	75	86	73	24	7	-
Black, both sexes.....	6	15	12	5	19	20	18	24	18	5	3	-
Male.....	2	9	7	2	8	6	7	8	4	2	2	-
Female.....	4	6	5	3	11	14	11	16	14	3	1	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

California

All races, both sexes.....	126	188	214	265	372	575	828	796	607	233	56	-
Male.....	80	98	128	124	168	280	385	331	237	65	10	-
Female.....	46	90	86	141	204	295	443	465	370	168	46	-
White, both sexes.....	93	131	153	188	281	465	705	688	528	212	42	-
Male.....	59	68	90	85	131	226	328	288	208	59	7	-
Female.....	34	63	63	103	150	239	377	400	320	153	35	-
Black, both sexes.....	24	35	42	47	46	47	52	47	30	11	6	-
Male.....	15	20	25	23	16	24	30	14	7	3	3	-
Female.....	9	15	17	24	30	23	22	33	23	8	3	-
American Indian 1/, both sexes.....	1	2	4	4	1	5	3	4	-	-	1	-
Male.....	1	-	3	2	-	1	1	3	-	-	-	-
Female.....	-	2	1	2	1	4	2	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	8	20	15	26	44	58	68	57	49	10	7	-
Male.....	5	10	10	14	21	29	26	26	22	3	-	-
Female.....	3	10	5	12	23	29	42	31	27	7	7	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Colorado

All races, both sexes.....	12	14	28	44	61	87	129	135	99	34	10	-
Male.....	6	4	18	24	30	41	63	60	33	12	4	-
Female.....	6	10	10	20	31	46	66	75	66	22	6	-
White, both sexes.....	12	12	26	42	56	79	124	134	98	32	9	-
Male.....	6	3	17	23	27	38	61	60	33	11	4	-
Female.....	6	9	9	19	29	41	63	74	65	21	5	-
Black, both sexes.....	-	2	2	2	4	5	2	-	-	2	1	-
Male.....	-	1	1	1	2	1	-	-	-	1	-	-
Female.....	-	1	1	1	2	4	2	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	3	1	1	-	-	-
Male.....	-	-	-	-	1	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	1	-	-	-

Connecticut

All races, both sexes.....	14	14	21	44	52	100	155	187	147	51	8	-
Male.....	6	8	13	20	34	45	70	94	56	16	1	-
Female.....	8	6	8	24	18	55	85	93	91	35	7	-
White, both sexes.....	12	9	18	39	40	91	145	175	143	49	7	-
Male.....	5	5	10	16	28	41	65	90	53	15	-	-
Female.....	7	4	8	23	12	50	80	85	90	34	7	-
Black, both sexes.....	2	5	3	5	11	9	9	10	3	2	1	-
Male.....	1	3	3	4	6	4	4	3	3	1	1	-
Female.....	1	2	-	1	5	5	5	7	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	2	1	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Delaware

All races, both sexes.....	5	9	9	10	17	28	29	37	34	6	1	-
Male.....	1	6	6	3	10	12	12	13	13	4	-	-
Female.....	4	3	3	7	7	16	17	24	21	2	1	-
White, both sexes.....	3	5	6	6	14	20	24	32	28	4	-	-
Male.....	1	3	5	1	8	10	10	11	10	3	-	-
Female.....	2	2	1	5	6	10	14	21	18	1	-	-
Black, both sexes.....	2	4	3	4	3	7	5	5	5	2	1	-
Male.....	-	3	1	2	2	2	2	2	3	1	-	-
Female.....	2	1	2	2	1	5	3	3	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-

Dist. of Columbia

All races, both sexes.....	2	7	6	10	11	19	17	17	15	8	1	-
Male.....	2	3	1	5	3	9	7	3	2	4	-	-
Female.....	-	4	5	5	8	10	10	14	13	4	1	-
White, both sexes.....	-	-	1	-	3	-	1	2	4	2	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	1	-	2	-	1	2	3	2	-	-
Black, both sexes.....	2	7	5	10	8	19	15	14	11	6	1	-
Male.....	2	3	1	5	2	9	7	3	1	4	-	-
Female.....	-	4	4	5	6	10	8	11	10	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Florida

All races, both sexes.....	65	101	145	188	303	442	631	661	418	156	26	-
Male.....	40	58	83	98	158	210	343	331	197	52	9	-
Female.....	25	43	62	90	145	232	288	330	221	104	17	-
White, both sexes.....	48	73	93	129	249	371	565	606	376	138	23	-
Male.....	29	43	57	72	132	179	312	308	182	47	8	-
Female.....	19	30	36	57	117	192	253	298	194	91	15	-
Black, both sexes.....	17	28	48	59	51	69	61	51	39	17	3	-
Male.....	11	15	24	26	24	29	27	21	13	5	1	-
Female.....	6	13	24	33	27	40	34	30	26	12	2	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	1	1	1	-	-	-
Male.....	-	-	1	-	-	-	1	1	1	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	3	2	4	3	2	1	-	-
Male.....	-	-	1	-	2	2	3	1	1	-	-	-
Female.....	-	-	1	-	1	-	1	2	1	1	-	-

Georgia

All races, both sexes.....	69	113	152	151	212	256	352	288	202	68	13	-
Male.....	35	61	89	69	102	107	146	106	62	10	1	-
Female.....	34	52	63	82	110	149	206	182	140	58	12	-
White, both sexes.....	21	47	73	85	108	163	246	211	148	45	8	-
Male.....	14	31	43	45	57	76	99	81	50	8	-	-
Female.....	7	16	30	40	51	87	147	130	98	37	8	-
Black, both sexes.....	48	63	78	65	101	91	105	75	53	23	5	-
Male.....	21	30	46	23	44	31	47	24	12	2	1	-
Female.....	27	33	32	42	57	60	58	51	41	21	4	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	3	2	1	2	1	-	-	-
Male.....	-	-	1	1	1	-	-	1	-	-	-	-
Female.....	-	1	1	-	2	2	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Illinois

All races, both sexes.....	74	114	150	187	268	451	588	640	396	156	38	-
Male.....	45	63	90	97	129	201	265	271	137	55	13	-
Female.....	29	51	60	90	139	250	323	369	259	101	25	-
White, both sexes.....	36	68	96	141	186	362	494	583	351	142	33	-
Male.....	22	37	63	76	95	160	224	253	119	51	12	-
Female.....	14	31	33	65	91	202	270	330	232	91	21	-
Black, both sexes.....	36	44	49	43	80	81	87	52	39	12	4	-
Male.....	22	26	24	20	33	37	38	16	17	3	1	-
Female.....	14	18	25	23	47	44	49	36	22	9	3	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	5	3	2	8	7	5	6	2	1	-
Male.....	1	-	3	1	1	4	3	2	1	1	-	-
Female.....	1	-	2	2	1	4	4	3	5	1	1	-

Indiana

All races, both sexes.....	38	47	53	101	158	268	361	310	241	88	22	-
Male.....	25	27	33	46	80	124	175	117	70	19	6	-
Female.....	13	20	20	55	78	144	186	193	171	69	16	-
White, both sexes.....	30	35	49	80	136	238	324	287	231	83	19	-
Male.....	21	19	30	37	70	107	156	106	69	18	6	-
Female.....	9	16	19	43	66	131	168	181	162	65	13	-
Black, both sexes.....	8	12	4	19	22	27	37	21	10	5	3	-
Male.....	4	8	3	8	10	16	19	11	1	1	-	-
Female.....	4	4	1	11	12	11	18	10	9	4	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	3	-	1	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Iowa

All races, both sexes.....	5	7	11	18	29	59	90	142	85	36	13	-
Male.....	2	5	6	10	11	29	38	55	37	12	4	-
Female.....	3	2	5	8	18	30	52	87	48	24	9	-
White, both sexes.....	5	7	11	16	29	57	89	142	83	36	13	-
Male.....	2	5	6	10	11	29	37	55	36	12	4	-
Female.....	3	2	5	6	18	28	52	87	47	24	9	-
Black, both sexes.....	-	-	-	1	-	1	1	-	2	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	1	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	11	15	28	32	75	81	126	153	104	27	5	-
Male.....	5	8	15	19	40	47	50	57	42	4	1	-
Female.....	6	7	13	13	35	34	76	96	62	23	4	-
White, both sexes.....	6	14	23	29	67	71	115	143	103	27	4	-
Male.....	3	8	12	18	37	43	44	53	42	4	1	-
Female.....	3	6	11	11	30	28	71	90	61	23	3	-
Black, both sexes.....	5	-	4	2	4	7	10	7	1	-	1	-
Male.....	2	-	3	1	-	4	6	3	-	-	-	-
Female.....	3	-	1	1	4	3	4	4	1	-	1	-
American Indian 1/, both sexes.....	-	1	-	1	2	2	-	1	-	-	-	-
Male.....	-	-	-	-	2	-	-	1	-	-	-	-
Female.....	-	1	-	1	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	1	1	2	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Maine

All races, both sexes.....	6	8	13	17	28	49	75	75	49	20	3	-
Male.....	4	2	6	9	13	23	35	29	12	8	1	-
Female.....	2	6	7	8	15	26	40	46	37	12	2	-
White, both sexes.....	5	8	12	16	28	49	75	75	48	20	3	-
Male.....	3	2	6	8	13	23	35	29	12	8	1	-
Female.....	2	6	6	8	15	26	40	46	36	12	2	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	30	55	56	85	102	150	213	204	136	45	11	-
Male.....	20	33	33	51	46	66	93	76	43	14	2	-
Female.....	10	22	23	34	56	84	120	128	93	31	9	-
White, both sexes.....	15	30	28	42	55	95	155	152	106	36	7	-
Male.....	9	16	17	29	28	45	73	57	32	11	1	-
Female.....	6	14	11	13	27	50	82	95	74	25	6	-
Black, both sexes.....	13	25	27	43	45	53	54	46	28	9	3	-
Male.....	11	17	16	22	18	20	17	16	10	3	-	-
Female.....	2	8	11	21	27	33	37	30	18	6	3	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	2	2	4	6	2	-	1	-
Male.....	-	-	-	-	-	1	3	3	1	-	1	-
Female.....	1	-	1	-	2	1	1	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Massachusetts

All races, both sexes.....	25	40	63	79	161	265	337	453	300	116	20	-
Male.....	17	24	31	45	77	141	145	174	106	27	5	-
Female.....	8	16	32	34	84	124	192	279	194	89	15	-
White, both sexes.....	21	37	52	68	145	249	313	433	294	111	20	-
Male.....	14	21	27	40	69	131	138	167	102	25	5	-
Female.....	7	16	25	28	76	118	175	266	192	86	15	-
Black, both sexes.....	3	2	8	11	15	12	20	17	3	4	-	-
Male.....	2	2	3	5	8	9	6	4	1	1	-	-
Female.....	1	-	5	6	7	3	14	13	2	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	-	1	2	4	3	3	1	-	-
Male.....	1	1	1	-	-	1	1	3	3	1	-	-
Female.....	-	-	2	-	1	1	3	-	-	-	-	-

Michigan

All races, both sexes.....	59	77	111	122	184	354	471	428	284	91	16	-
Male.....	31	40	55	52	92	160	216	172	98	28	-	-
Female.....	28	37	56	70	92	194	255	256	186	63	16	-
White, both sexes.....	39	49	75	86	141	293	409	369	249	80	11	-
Male.....	22	24	38	36	73	135	187	146	89	26	-	-
Female.....	17	25	37	50	68	158	222	223	160	54	11	-
Black, both sexes.....	19	28	32	35	40	57	58	59	31	11	4	-
Male.....	8	16	15	16	19	23	28	26	6	2	-	-
Female.....	11	12	17	19	21	34	30	33	25	9	4	-
American Indian 1/, both sexes.....	1	-	2	-	2	3	2	-	2	-	1	-
Male.....	1	-	1	-	-	1	-	-	1	-	-	-
Female.....	-	-	1	-	2	2	2	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	1	1	2	-	2	-	-	-
Male.....	-	-	1	-	-	1	1	-	2	-	-	-
Female.....	-	-	1	1	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Nebraska

All races, both sexes.....	4	7	22	19	30	33	58	65	38	22	6	-
Male.....	2	6	9	10	17	19	25	33	16	7	2	-
Female.....	2	1	13	9	13	14	33	32	22	15	4	-
White, both sexes.....	1	5	20	16	25	33	56	62	38	21	6	-
Male.....	1	4	8	9	14	19	24	32	16	6	2	-
Female.....	-	1	12	7	11	14	32	30	22	15	4	-
Black, both sexes.....	2	2	2	3	3	-	2	3	-	1	-	-
Male.....	1	2	1	1	2	-	1	1	-	1	-	-
Female.....	1	-	1	2	1	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	19	19	26	45	70	83	91	95	40	11	2	-
Male.....	12	10	12	24	48	39	47	35	13	7	1	-
Female.....	7	9	14	21	22	44	44	60	27	4	1	-
White, both sexes.....	16	18	21	36	60	71	78	83	39	9	2	-
Male.....	12	9	10	21	41	33	43	33	13	6	1	-
Female.....	4	9	11	15	19	38	35	50	26	3	1	-
Black, both sexes.....	3	-	3	8	5	6	8	10	1	-	-	-
Male.....	-	-	2	2	4	3	3	2	-	-	-	-
Female.....	3	-	1	6	1	3	5	8	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	5	4	4	2	-	2	-	-
Male.....	-	1	-	1	3	2	1	-	-	1	-	-
Female.....	-	-	2	-	2	2	3	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIV. Diseases of the genitourinary system (N00-N98)

New Hampshire

All races, both sexes.....	3	6	9	14	16	30	44	56	41	18	2	-
Male.....	2	4	8	5	7	15	23	29	11	6	-	-
Female.....	1	2	1	9	9	15	21	27	30	12	2	-
White, both sexes.....	3	6	9	12	14	30	44	56	41	18	2	-
Male.....	2	4	8	4	6	15	23	29	11	6	-	-
Female.....	1	2	1	8	8	15	21	27	30	12	2	-
Black, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	49	59	81	116	180	308	407	415	268	100	11	-
Male.....	33	39	45	52	109	176	192	165	88	30	2	-
Female.....	16	20	36	64	71	132	215	250	180	70	9	-
White, both sexes.....	24	40	50	77	132	259	351	369	243	90	8	-
Male.....	20	28	32	36	75	149	163	149	81	28	1	-
Female.....	4	12	18	41	57	110	188	220	162	62	7	-
Black, both sexes.....	24	17	29	35	47	46	52	40	21	8	3	-
Male.....	13	9	12	13	33	25	26	15	7	1	1	-
Female.....	11	8	17	22	14	21	26	25	14	7	2	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	4	1	3	4	6	4	2	-	-
Male.....	-	2	1	3	1	2	3	1	-	1	-	-
Female.....	1	-	-	1	-	1	1	5	4	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIV. Diseases of the genitourinary system (N00-N98)

New Mexico

All races, both sexes.....	14	10	9	21	31	66	55	55	44	13	5	-
Male.....	5	5	2	9	17	35	24	28	16	6	2	-
Female.....	9	5	7	12	14	31	31	27	28	7	3	-
White, both sexes.....	12	9	8	17	28	60	47	53	39	11	4	-
Male.....	3	4	2	7	16	32	21	27	16	6	2	-
Female.....	9	5	6	10	12	28	26	26	23	5	2	-
Black, both sexes.....	-	-	-	-	-	-	4	1	-	1	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	1	-	-
American Indian 1/, both sexes.....	2	1	1	4	3	6	3	1	5	1	1	-
Male.....	2	1	-	2	1	3	-	1	-	-	-	-
Female.....	-	-	1	2	2	3	3	-	5	1	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	65	110	136	207	313	514	649	703	520	240	48	-
Male.....	39	61	85	104	142	247	290	277	188	59	7	-
Female.....	26	49	51	103	171	267	359	426	332	181	41	-
White, both sexes.....	48	80	99	156	244	431	565	633	469	214	39	-
Male.....	28	43	62	78	121	209	262	258	174	54	4	-
Female.....	20	37	37	78	123	222	303	375	295	160	35	-
Black, both sexes.....	17	29	32	41	58	76	70	56	42	22	8	-
Male.....	11	18	21	21	17	34	22	11	11	4	2	-
Female.....	6	11	11	20	41	42	48	45	31	18	6	-
American Indian 1/, both sexes.....	-	-	1	-	2	1	2	-	1	1	-	-
Male.....	-	-	-	-	-	1	1	-	1	-	-	-
Female.....	-	-	1	-	2	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	4	10	9	6	12	14	8	3	1	-
Male.....	-	-	2	5	4	3	5	8	2	1	1	-
Female.....	-	1	2	5	5	3	7	6	6	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIV. Diseases of the genitourinary system (N00-N98)

Ohio

All races, both sexes.....	51	109	115	157	257	396	566	538	335	126	25	-
Male.....	35	55	55	74	141	186	258	238	108	38	10	-
Female.....	16	54	60	83	116	210	308	300	227	88	15	-
White, both sexes.....	37	84	86	134	206	337	500	486	310	117	22	-
Male.....	27	42	44	63	116	155	233	217	101	36	9	-
Female.....	10	42	42	71	90	182	267	269	209	81	13	-
Black, both sexes.....	13	25	29	23	50	58	63	51	24	8	3	-
Male.....	7	13	11	11	24	30	25	21	6	2	1	-
Female.....	6	12	18	12	26	28	38	30	18	6	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	3	1	1	1	-	-
Male.....	1	-	-	-	1	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	3	1	-	1	-	-

Oklahoma

All races, both sexes.....	23	33	41	50	81	117	183	170	97	28	7	-
Male.....	13	18	21	21	45	54	87	82	32	7	1	-
Female.....	10	15	20	29	36	63	96	88	65	21	6	-
White, both sexes.....	18	23	32	37	64	100	166	150	82	27	6	-
Male.....	10	12	15	15	38	46	77	75	28	7	1	-
Female.....	8	11	17	22	26	54	89	75	54	20	5	-
Black, both sexes.....	4	7	4	6	11	6	7	13	7	1	1	-
Male.....	2	4	4	4	4	5	5	5	3	-	-	-
Female.....	2	3	-	2	7	1	2	8	4	1	1	-
American Indian 1/, both sexes.....	-	3	5	7	6	9	10	7	6	-	-	-
Male.....	-	2	2	2	3	2	5	2	1	-	-	-
Female.....	-	1	3	5	3	7	5	5	5	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	2	-	-	2	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Oregon

All races, both sexes.....	7	10	17	33	42	67	84	135	88	36	8	-
Male.....	2	6	9	14	22	34	42	53	32	13	3	-
Female.....	5	4	8	19	20	33	42	82	56	23	5	-
White, both sexes.....	7	10	14	30	40	64	83	128	88	33	8	-
Male.....	2	6	6	13	20	32	41	50	32	11	3	-
Female.....	5	4	8	17	20	32	42	78	56	22	5	-
Black, both sexes.....	-	-	2	1	2	1	-	3	-	1	-	-
Male.....	-	-	2	-	2	1	-	1	-	1	-	-
Female.....	-	-	-	1	-	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	1	-	1	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	2	1	3	-	1	-	-
Male.....	-	-	1	-	-	1	1	1	-	1	-	-
Female.....	-	-	-	1	-	1	-	2	-	-	-	-

Pennsylvania

All races, both sexes.....	84	126	146	217	340	630	781	810	529	153	31	-
Male.....	53	74	82	100	188	295	348	350	175	51	4	-
Female.....	31	52	64	117	152	335	433	460	354	102	27	-
White, both sexes.....	52	76	102	162	283	551	718	761	497	144	28	-
Male.....	32	38	53	81	163	257	325	328	169	48	3	-
Female.....	20	38	49	81	120	294	393	433	328	96	25	-
Black, both sexes.....	31	49	43	53	55	74	63	46	29	9	3	-
Male.....	20	36	29	18	24	35	23	20	5	3	1	-
Female.....	11	13	14	35	31	39	40	26	24	6	2	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	2	5	-	3	2	-	-	-
Male.....	1	-	-	1	1	3	-	2	1	-	-	-
Female.....	-	-	1	1	1	2	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Texas

All races, both sexes.....	118	163	225	254	392	563	712	613	440	190	29	-
Male.....	66	94	131	132	194	274	309	231	153	57	10	-
Female.....	52	69	94	122	198	289	403	382	287	133	19	-
White, both sexes.....	79	106	167	187	320	492	627	525	376	163	25	-
Male.....	44	60	100	102	162	241	283	206	134	49	10	-
Female.....	35	46	67	85	158	251	344	319	242	114	15	-
Black, both sexes.....	37	53	54	62	69	67	69	84	59	24	4	-
Male.....	21	31	30	26	32	32	18	24	16	6	-	-
Female.....	16	22	24	36	37	35	51	60	43	18	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	3	1	1	-	-	-
Male.....	-	-	-	-	-	-	2	-	1	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	4	5	3	3	13	3	4	3	-	-
Male.....	1	3	1	4	-	1	6	1	2	2	-	-
Female.....	1	1	3	1	3	2	7	2	2	1	-	-

Utah

All races, both sexes.....	2	13	7	8	38	43	51	47	46	10	1	-
Male.....	1	4	3	3	18	16	21	24	16	3	-	-
Female.....	1	9	4	5	20	27	30	23	30	7	1	-
White, both sexes.....	2	12	7	7	35	42	50	46	46	10	1	-
Male.....	1	3	3	2	16	16	21	24	16	3	-	-
Female.....	1	9	4	5	19	26	29	22	30	7	1	-
Black, both sexes.....	-	1	-	1	-	-	-	1	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Vermont

All races, both sexes.....	3	3	2	5	4	16	13	20	12	6	1	-
Male.....	1	2	1	1	4	5	7	8	1	1	-	-
Female.....	2	1	1	4	-	11	6	12	11	5	1	-
White, both sexes.....	3	3	2	5	4	16	13	20	12	6	1	-
Male.....	1	2	1	1	4	5	7	8	1	1	-	-
Female.....	2	1	1	4	-	11	6	12	11	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	34	70	87	132	170	224	312	332	237	94	10	-
Male.....	18	44	42	69	87	107	141	139	70	19	3	-
Female.....	16	26	45	63	83	117	171	193	167	75	7	-
White, both sexes.....	16	31	43	84	114	163	231	267	181	73	6	-
Male.....	10	19	20	43	65	80	108	116	55	15	1	-
Female.....	6	12	23	41	49	83	123	151	126	58	5	-
Black, both sexes.....	18	36	43	46	54	57	76	59	54	20	4	-
Male.....	8	22	22	26	21	25	31	21	15	4	2	-
Female.....	10	14	21	20	33	32	45	38	39	16	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	2	2	4	5	5	2	1	-	-
Male.....	-	3	-	-	1	2	2	2	-	-	-	-
Female.....	-	-	1	2	1	2	3	3	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of urinary system (N00-N39)

Arkansas

All races, both sexes.....	821	3	-	-	-	-	3	3	4	5	7	15
Male.....	344	3	-	-	-	-	1	1	2	2	4	9
Female.....	477	-	-	-	-	-	2	2	2	3	3	6
White, both sexes.....	654	-	-	-	-	-	3	1	1	3	5	8
Male.....	270	-	-	-	-	-	1	-	-	1	2	3
Female.....	384	-	-	-	-	-	2	1	1	2	3	5
Black, both sexes.....	164	3	-	-	-	-	-	2	3	2	2	7
Male.....	72	3	-	-	-	-	-	1	2	1	2	6
Female.....	92	-	-	-	-	-	-	1	1	1	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4,335	18	1	1	5	6	7	8	16	30	38	89
Male.....	1,913	10	1	-	2	3	4	4	11	18	22	48
Female.....	2,422	8	-	1	3	3	3	4	5	12	16	41
White, both sexes.....	3,501	13	1	1	2	5	7	7	11	17	18	61
Male.....	1,525	7	1	-	1	3	4	3	8	11	10	32
Female.....	1,976	6	-	1	1	2	3	4	3	6	8	29
Black, both sexes.....	438	5	-	-	2	1	-	-	4	7	15	22
Male.....	205	3	-	-	1	-	-	-	2	2	7	14
Female.....	233	2	-	-	1	1	-	-	2	5	8	8
American Indian 1/, both sexes.....	30	-	-	-	1	-	-	-	-	4	-	-
Male.....	15	-	-	-	-	-	-	-	-	4	-	-
Female.....	15	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	366	-	-	-	-	-	-	1	1	2	5	6
Male.....	168	-	-	-	-	-	-	1	1	1	5	2
Female.....	198	-	-	-	-	-	-	-	-	1	-	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of urinary system (N00-N39)												
New Hampshire												
All races, both sexes.....	236	-	-	-	-	-	-	-	-	-	-	1
Male.....	106	-	-	-	-	-	-	-	-	-	-	-
Female.....	130	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	232	-	-	-	-	-	-	-	-	-	-	1
Male.....	104	-	-	-	-	-	-	-	-	-	-	-
Female.....	128	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	2,046	6	-	-	2	-	3	2	6	10	20	31
Male.....	959	4	-	-	1	-	-	2	2	4	14	19
Female.....	1,087	2	-	-	1	-	3	-	4	6	6	12
White, both sexes.....	1,666	3	-	-	2	-	3	1	3	8	6	20
Male.....	775	2	-	-	1	-	-	1	2	4	5	14
Female.....	891	1	-	-	1	-	3	-	1	4	1	6
Black, both sexes.....	349	3	-	-	-	-	-	1	2	2	13	10
Male.....	170	2	-	-	-	-	-	1	-	-	8	5
Female.....	179	1	-	-	-	-	-	-	2	2	5	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	-	-	-	-	-	-	-	1	-	-	1
Male.....	13	-	-	-	-	-	-	-	-	-	-	-
Female.....	16	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of urinary system (N00-N39)

Oregon

All races, both sexes.....	519	-	-	-	2	-	-	-	3	3	4	2
Male.....	226	-	-	-	-	-	-	-	2	2	4	1
Female.....	293	-	-	-	2	-	-	-	1	1	-	1
White, both sexes.....	493	-	-	-	2	-	-	-	2	2	2	2
Male.....	208	-	-	-	-	-	-	-	1	1	2	1
Female.....	285	-	-	-	2	-	-	-	1	1	-	1
Black, both sexes.....	12	-	-	-	-	-	-	-	-	-	2	-
Male.....	9	-	-	-	-	-	-	-	-	-	2	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	1	-	-	-
Male.....	6	-	-	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	3,914	8	2	-	-	2	5	9	9	15	32	35
Male.....	1,757	3	1	-	-	1	4	4	4	13	22	18
Female.....	2,157	5	1	-	-	1	1	5	5	2	10	17
White, both sexes.....	3,404	5	2	-	-	2	4	6	7	8	20	23
Male.....	1,512	1	1	-	-	1	3	3	3	8	16	11
Female.....	1,892	4	1	-	-	1	1	3	4	-	4	12
Black, both sexes.....	490	3	-	-	-	-	1	2	1	7	12	12
Male.....	235	2	-	-	-	-	1	-	1	5	6	7
Female.....	255	1	-	-	-	-	-	2	-	2	6	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	-	-	1	1	-	-	-
Male.....	10	-	-	-	-	-	-	1	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of urinary system (N00-N39)

Alaska

All races, both sexes.....	-	3	4	4	8	9	3	9	4	3	-	-
Male.....	-	-	2	1	7	4	1	4	1	-	-	-
Female.....	-	3	2	3	1	5	2	5	3	3	-	-
White, both sexes.....	-	2	2	3	5	6	1	5	2	3	-	-
Male.....	-	-	1	1	4	2	-	2	-	-	-	-
Female.....	-	2	1	2	1	4	1	3	2	3	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	2	-	2	4	2	-	-	-
Male.....	-	-	1	-	2	-	1	2	1	-	-	-
Female.....	-	-	1	1	-	-	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Arizona

All races, both sexes.....	18	39	43	55	64	122	159	164	104	27	3	-
Male.....	10	25	15	26	34	68	84	68	37	8	1	-
Female.....	8	14	28	29	30	54	75	96	67	19	2	-
White, both sexes.....	15	31	37	45	50	113	152	159	93	25	2	-
Male.....	9	20	13	23	28	64	82	65	33	8	1	-
Female.....	6	11	24	22	22	49	70	94	60	17	1	-
Black, both sexes.....	2	5	-	4	2	3	3	1	3	1	-	-
Male.....	-	3	-	3	1	1	2	-	1	-	-	-
Female.....	2	2	-	1	1	2	1	1	2	1	-	-
American Indian 1/, both sexes.....	1	3	5	6	12	4	3	3	7	1	1	-
Male.....	1	2	2	-	5	3	-	2	3	-	-	-
Female.....	-	1	3	6	7	1	3	1	4	1	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	2	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	2	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of urinary system (N00-N39)

Arkansas

All races, both sexes.....	17	36	37	48	70	95	154	161	117	36	10	-
Male.....	7	21	23	24	41	38	68	59	30	9	2	-
Female.....	10	15	14	24	29	57	86	102	87	27	8	-
White, both sexes.....	11	21	25	42	50	75	136	137	98	31	7	-
Male.....	5	12	16	21	32	32	61	51	26	7	-	-
Female.....	6	9	9	21	18	43	75	86	72	24	7	-
Black, both sexes.....	6	15	12	5	19	20	18	24	18	5	3	-
Male.....	2	9	7	2	8	6	7	8	4	2	2	-
Female.....	4	6	5	3	11	14	11	16	14	3	1	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

California

All races, both sexes.....	124	180	210	252	361	560	795	769	585	226	54	-
Male.....	80	94	124	114	162	266	356	308	219	59	8	-
Female.....	44	86	86	138	199	294	439	461	366	167	46	-
White, both sexes.....	91	124	152	175	275	453	675	662	506	205	40	-
Male.....	59	64	89	75	127	215	302	266	190	53	5	-
Female.....	32	60	63	100	148	238	373	396	316	152	35	-
Black, both sexes.....	24	34	41	47	45	45	52	47	30	11	6	-
Male.....	15	20	24	23	15	22	30	14	7	3	3	-
Female.....	9	14	17	24	30	23	22	33	23	8	3	-
American Indian 1/, both sexes.....	1	2	4	4	1	5	3	4	-	-	1	-
Male.....	1	-	3	2	-	1	1	3	-	-	-	-
Female.....	-	2	1	2	1	4	2	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	8	20	13	26	40	57	65	56	49	10	7	-
Male.....	5	10	8	14	20	28	23	25	22	3	-	-
Female.....	3	10	5	12	20	29	42	31	27	7	7	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of urinary system (N00-N39)

Colorado

All races, both sexes.....	12	14	28	44	60	86	127	135	98	32	10	-
Male.....	6	4	18	24	30	40	63	60	32	11	4	-
Female.....	6	10	10	20	30	46	64	75	66	21	6	-
White, both sexes.....	12	12	26	42	55	78	122	134	97	30	9	-
Male.....	6	3	17	23	27	37	61	60	32	10	4	-
Female.....	6	9	9	19	28	41	61	74	65	20	5	-
Black, both sexes.....	-	2	2	2	4	5	2	-	-	2	1	-
Male.....	-	1	1	1	2	1	-	-	-	1	-	-
Female.....	-	1	1	1	2	4	2	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	3	1	1	-	-	-
Male.....	-	-	-	-	1	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	1	-	-	-

Connecticut

All races, both sexes.....	13	14	21	44	52	98	153	183	145	50	8	-
Male.....	6	8	13	20	34	44	68	90	56	15	1	-
Female.....	7	6	8	24	18	54	85	93	89	35	7	-
White, both sexes.....	11	9	18	39	40	89	143	171	141	48	7	-
Male.....	5	5	10	16	28	40	63	86	53	14	-	-
Female.....	6	4	8	23	12	49	80	85	88	34	7	-
Black, both sexes.....	2	5	3	5	11	9	9	10	3	2	1	-
Male.....	1	3	3	4	6	4	4	3	3	1	1	-
Female.....	1	2	-	1	5	5	5	7	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	2	1	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of urinary system (N00-N39)

Delaware

All races, both sexes.....	4	9	9	9	17	28	28	36	33	6	1	-
Male.....	1	6	6	3	10	12	12	12	13	4	-	-
Female.....	3	3	3	6	7	16	16	24	20	2	1	-
White, both sexes.....	3	5	6	5	14	20	23	31	27	4	-	-
Male.....	1	3	5	1	8	10	10	10	10	3	-	-
Female.....	2	2	1	4	6	10	13	21	17	1	-	-
Black, both sexes.....	1	4	3	4	3	7	5	5	5	2	1	-
Male.....	-	3	1	2	2	2	2	2	3	1	-	-
Female.....	1	1	2	2	1	5	3	3	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-

Dist. of Columbia

All races, both sexes.....	2	7	6	10	10	19	17	17	15	8	1	-
Male.....	2	3	1	5	3	9	7	3	2	4	-	-
Female.....	-	4	5	5	7	10	10	14	13	4	1	-
White, both sexes.....	-	-	1	-	2	-	1	2	4	2	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	1	-	1	-	1	2	3	2	-	-
Black, both sexes.....	2	7	5	10	8	19	15	14	11	6	1	-
Male.....	2	3	1	5	2	9	7	3	1	4	-	-
Female.....	-	4	4	5	6	10	8	11	10	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of urinary system (N00-N39)

Florida

All races, both sexes.....	64	96	142	185	294	435	626	650	414	155	26	-
Male.....	40	55	81	96	151	206	339	325	195	52	9	-
Female.....	24	41	61	89	143	229	287	325	219	103	17	-
White, both sexes.....	47	69	91	128	241	366	560	595	372	138	23	-
Male.....	29	40	56	71	126	177	308	302	180	47	8	-
Female.....	18	29	35	57	115	189	252	293	192	91	15	-
Black, both sexes.....	17	27	47	57	51	67	61	51	39	16	3	-
Male.....	11	15	23	25	24	27	27	21	13	5	1	-
Female.....	6	12	24	32	27	40	34	30	26	11	2	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	1	1	1	-	-	-
Male.....	-	-	1	-	-	-	1	1	1	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	2	2	4	3	2	1	-	-
Male.....	-	-	1	-	1	2	3	1	1	-	-	-
Female.....	-	-	1	-	1	-	1	2	1	1	-	-

Georgia

All races, both sexes.....	67	111	150	151	212	251	352	284	199	67	13	-
Male.....	35	60	88	69	102	105	146	104	60	9	1	-
Female.....	32	51	62	82	110	146	206	180	139	58	12	-
White, both sexes.....	21	46	72	85	108	159	246	207	146	44	8	-
Male.....	14	31	43	45	57	75	99	79	49	7	-	-
Female.....	7	15	29	40	51	84	147	128	97	37	8	-
Black, both sexes.....	46	62	77	65	101	90	105	75	52	23	5	-
Male.....	21	29	45	23	44	30	47	24	11	2	1	-
Female.....	25	33	32	42	57	60	58	51	41	21	4	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	3	2	1	2	1	-	-	-
Male.....	-	-	-	1	1	-	-	1	-	-	-	-
Female.....	-	1	1	-	2	2	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of urinary system (N00-N39)

Illinois

All races, both sexes.....	70	114	148	185	263	445	579	629	383	154	36	-
Male.....	44	63	89	96	126	197	260	261	128	53	12	-
Female.....	26	51	59	89	137	248	319	368	255	101	24	-
White, both sexes.....	33	68	94	139	182	357	487	574	339	141	31	-
Male.....	22	37	62	75	93	157	220	245	110	50	11	-
Female.....	11	31	32	64	89	200	267	329	229	91	20	-
Black, both sexes.....	35	44	49	43	79	80	86	50	38	11	4	-
Male.....	21	26	24	20	32	36	38	14	17	2	1	-
Female.....	14	18	25	23	47	44	48	36	21	9	3	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	5	3	2	8	6	5	6	2	1	-
Male.....	1	-	3	1	1	4	2	2	1	1	-	-
Female.....	1	-	2	2	1	4	4	3	5	1	1	-

Indiana

All races, both sexes.....	38	47	52	101	155	263	356	307	238	87	22	-
Male.....	25	27	32	46	78	122	170	114	67	19	6	-
Female.....	13	20	20	55	77	141	186	193	171	68	16	-
White, both sexes.....	30	35	49	80	134	234	320	284	228	82	19	-
Male.....	21	19	30	37	68	105	152	103	66	18	6	-
Female.....	9	16	19	43	66	129	168	181	162	64	13	-
Black, both sexes.....	8	12	3	19	21	26	36	21	10	5	3	-
Male.....	4	8	2	8	10	16	18	11	1	1	-	-
Female.....	4	4	1	11	11	10	18	10	9	4	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	3	-	1	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of urinary system (N00-N39)

Iowa

All races, both sexes.....	5	6	10	18	27	58	89	140	83	35	11	-
Male.....	2	5	6	10	10	29	38	53	37	12	3	-
Female.....	3	1	4	8	17	29	51	87	46	23	8	-
White, both sexes.....	5	6	10	16	27	56	88	140	81	35	11	-
Male.....	2	5	6	10	10	29	37	53	36	12	3	-
Female.....	3	1	4	6	17	27	51	87	45	23	8	-
Black, both sexes.....	-	-	-	1	-	1	1	-	2	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	1	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	11	15	27	31	73	79	124	151	102	27	5	-
Male.....	5	8	15	18	38	46	50	55	41	4	1	-
Female.....	6	7	12	13	35	33	74	96	61	23	4	-
White, both sexes.....	6	14	22	28	65	69	113	141	101	27	4	-
Male.....	3	8	12	17	35	42	44	51	41	4	1	-
Female.....	3	6	10	11	30	27	69	90	60	23	3	-
Black, both sexes.....	5	-	4	2	4	7	10	7	1	-	1	-
Male.....	2	-	3	1	-	4	6	3	-	-	-	-
Female.....	3	-	1	1	4	3	4	4	1	-	1	-
American Indian 1/, both sexes.....	-	1	-	1	2	2	-	1	-	-	-	-
Male.....	-	-	-	-	2	-	-	1	-	-	-	-
Female.....	-	1	-	1	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	1	1	2	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of urinary system (N00-N39)

Maine

All races, both sexes.....	6	8	13	16	28	48	74	75	48	20	3	-
Male.....	4	2	6	8	13	22	34	29	11	8	1	-
Female.....	2	6	7	8	15	26	40	46	37	12	2	-
White, both sexes.....	5	8	12	15	28	48	74	75	47	20	3	-
Male.....	3	2	6	7	13	22	34	29	11	8	1	-
Female.....	2	6	6	8	15	26	40	46	36	12	2	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	30	55	56	85	101	147	210	198	129	42	11	-
Male.....	20	33	33	51	46	65	91	71	41	12	2	-
Female.....	10	22	23	34	55	82	119	127	88	30	9	-
White, both sexes.....	15	30	28	42	54	94	153	148	102	34	7	-
Male.....	9	16	17	29	28	44	71	53	30	9	1	-
Female.....	6	14	11	13	26	50	82	95	72	25	6	-
Black, both sexes.....	13	25	27	43	45	51	53	44	25	8	3	-
Male.....	11	17	16	22	18	20	17	15	10	3	-	-
Female.....	2	8	11	21	27	31	36	29	15	5	3	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	2	2	4	6	2	-	1	-
Male.....	-	-	-	-	-	1	3	3	1	-	1	-
Female.....	1	-	1	-	2	1	1	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of urinary system (N00-N39)

Massachusetts

All races, both sexes.....	25	40	62	78	160	265	336	446	294	115	20	-
Male.....	17	24	31	45	77	141	145	170	103	26	5	-
Female.....	8	16	31	33	83	124	191	276	191	89	15	-
White, both sexes.....	21	37	51	67	144	249	312	426	288	110	20	-
Male.....	14	21	27	40	69	131	138	163	99	24	5	-
Female.....	7	16	24	27	75	118	174	263	189	86	15	-
Black, both sexes.....	3	2	8	11	15	12	20	17	3	4	-	-
Male.....	2	2	3	5	8	9	6	4	1	1	-	-
Female.....	1	-	5	6	7	3	14	13	2	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	-	1	2	4	3	3	1	-	-
Male.....	1	1	1	-	-	1	1	3	3	1	-	-
Female.....	-	-	2	-	1	1	3	-	-	-	-	-

Michigan

All races, both sexes.....	59	76	111	120	183	350	465	416	277	91	15	-
Male.....	31	39	55	52	92	156	211	163	93	28	-	-
Female.....	28	37	56	68	91	194	254	253	184	63	15	-
White, both sexes.....	39	48	75	85	140	289	404	358	243	80	10	-
Male.....	22	23	38	36	73	131	183	138	84	26	-	-
Female.....	17	25	37	49	67	158	221	220	159	54	10	-
Black, both sexes.....	19	28	32	34	40	57	57	58	30	11	4	-
Male.....	8	16	15	16	19	23	27	25	6	2	-	-
Female.....	11	12	17	18	21	34	30	33	24	9	4	-
American Indian 1/, both sexes.....	1	-	2	-	2	3	2	-	2	-	1	-
Male.....	1	-	1	-	-	1	-	-	1	-	-	-
Female.....	-	-	1	-	2	2	2	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	1	1	2	-	2	-	-	-
Male.....	-	-	1	-	-	1	1	-	2	-	-	-
Female.....	-	-	1	1	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of urinary system (N00-N39)

Nebraska

All races, both sexes.....	4	7	21	18	30	32	57	62	37	21	6	-
Male.....	2	6	9	10	17	19	24	30	15	6	2	-
Female.....	2	1	12	8	13	13	33	32	22	15	4	-
White, both sexes.....	1	5	19	15	25	32	55	59	37	20	6	-
Male.....	1	4	8	9	14	19	23	29	15	5	2	-
Female.....	-	1	11	6	11	13	32	30	22	15	4	-
Black, both sexes.....	2	2	2	3	3	-	2	3	-	1	-	-
Male.....	1	2	1	1	2	-	1	1	-	1	-	-
Female.....	1	-	1	2	1	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	18	19	26	45	70	81	90	94	40	10	2	-
Male.....	11	10	12	24	48	38	47	34	13	7	1	-
Female.....	7	9	14	21	22	43	43	60	27	3	1	-
White, both sexes.....	15	18	21	36	60	70	77	82	39	8	2	-
Male.....	11	9	10	21	41	32	43	32	13	6	1	-
Female.....	4	9	11	15	19	38	34	50	26	2	1	-
Black, both sexes.....	3	-	3	8	5	5	8	10	1	-	-	-
Male.....	-	-	2	2	4	3	3	2	-	-	-	-
Female.....	3	-	1	6	1	2	5	8	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	5	4	4	2	-	2	-	-
Male.....	-	1	-	1	3	2	1	-	-	1	-	-
Female.....	-	-	2	-	2	2	3	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of urinary system (N00-N39)

New Hampshire

All races, both sexes.....	3	6	9	14	16	29	44	54	40	18	2	-
Male.....	2	4	8	5	7	14	23	27	10	6	-	-
Female.....	1	2	1	9	9	15	21	27	30	12	2	-
White, both sexes.....	3	6	9	12	14	29	44	54	40	18	2	-
Male.....	2	4	8	4	6	14	23	27	10	6	-	-
Female.....	1	2	1	8	8	15	21	27	30	12	2	-
Black, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	49	59	79	114	179	304	402	407	264	98	11	-
Male.....	33	39	44	51	108	173	189	159	87	28	2	-
Female.....	16	20	35	63	71	131	213	248	177	70	9	-
White, both sexes.....	24	40	50	75	131	256	347	361	239	89	8	-
Male.....	20	28	32	35	74	146	160	143	80	27	1	-
Female.....	4	12	18	40	57	110	187	218	159	62	7	-
Black, both sexes.....	24	17	27	35	47	45	51	40	21	8	3	-
Male.....	13	9	11	13	33	25	26	15	7	1	1	-
Female.....	11	8	16	22	14	20	25	25	14	7	2	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	4	1	3	4	6	4	1	-	-
Male.....	-	2	1	3	1	2	3	1	-	-	-	-
Female.....	1	-	-	1	-	1	1	5	4	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of urinary system (N00-N39)												
New Mexico												
All races, both sexes.....	14	8	7	21	31	64	55	54	43	13	5	-
Male.....	5	4	1	9	17	33	24	27	15	6	2	-
Female.....	9	4	6	12	14	31	31	27	28	7	3	-
White, both sexes.....	12	7	6	17	28	58	47	52	38	11	4	-
Male.....	3	3	1	7	16	30	21	26	15	6	2	-
Female.....	9	4	5	10	12	28	26	26	23	5	2	-
Black, both sexes.....	-	-	-	-	-	-	4	1	-	1	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	1	-	-
American Indian 1/, both sexes.....	2	1	1	4	3	6	3	1	5	1	1	-
Male.....	2	1	-	2	1	3	-	1	-	-	-	-
Female.....	-	-	1	2	2	3	3	-	5	1	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	62	110	134	200	306	508	634	687	510	237	45	-
Male.....	37	61	84	98	136	244	280	266	182	57	4	-
Female.....	25	49	50	102	170	264	354	421	328	180	41	-
White, both sexes.....	45	80	97	149	240	427	550	618	460	211	37	-
Male.....	26	43	61	72	117	207	252	248	169	52	2	-
Female.....	19	37	36	77	123	220	298	370	291	159	35	-
Black, both sexes.....	17	29	32	41	55	74	70	56	41	22	7	-
Male.....	11	18	21	21	15	33	22	11	10	4	1	-
Female.....	6	11	11	20	40	41	48	45	31	18	6	-
American Indian 1/, both sexes.....	-	-	1	-	2	1	2	-	1	1	-	-
Male.....	-	-	-	-	-	1	1	-	1	-	-	-
Female.....	-	-	1	-	2	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	4	10	9	6	12	13	8	3	1	-
Male.....	-	-	2	5	4	3	5	7	2	1	1	-
Female.....	-	1	2	5	5	3	7	6	6	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of urinary system (N00-N39)

Ohio

All races, both sexes.....	50	106	115	154	252	390	550	518	323	124	24	-
Male.....	34	55	55	73	138	183	246	221	101	36	9	-
Female.....	16	51	60	81	114	207	304	297	222	88	15	-
White, both sexes.....	37	82	86	131	202	331	485	468	299	115	21	-
Male.....	27	42	44	62	114	152	222	202	94	34	8	-
Female.....	10	40	42	69	88	179	263	266	205	81	13	-
Black, both sexes.....	12	24	29	23	49	58	62	49	23	8	3	-
Male.....	6	13	11	11	23	30	24	19	6	2	1	-
Female.....	6	11	18	12	26	28	38	30	17	6	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	3	1	1	1	-	-
Male.....	1	-	-	-	1	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	3	1	-	1	-	-

Oklahoma

All races, both sexes.....	23	32	41	49	80	112	179	166	97	28	7	-
Male.....	13	17	21	20	44	50	84	79	32	7	1	-
Female.....	10	15	20	29	36	62	95	87	65	21	6	-
White, both sexes.....	18	23	32	36	63	96	162	147	82	27	6	-
Male.....	10	12	15	14	37	43	74	73	28	7	1	-
Female.....	8	11	17	22	26	53	88	74	54	20	5	-
Black, both sexes.....	4	7	4	6	11	5	7	13	7	1	1	-
Male.....	2	4	4	4	4	4	5	5	3	-	-	-
Female.....	2	3	-	2	7	1	2	8	4	1	1	-
American Indian 1/, both sexes.....	-	2	5	7	6	9	10	6	6	-	-	-
Male.....	-	1	2	2	3	2	5	1	1	-	-	-
Female.....	-	1	3	5	3	7	5	5	5	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	2	-	-	2	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of urinary system (N00-N39)

Oregon

All races, both sexes.....	6	9	15	32	42	65	77	131	86	35	7	-
Male.....	2	5	9	13	22	33	37	52	30	12	2	-
Female.....	4	4	6	19	20	32	40	79	56	23	5	-
White, both sexes.....	6	9	12	29	40	62	76	124	86	32	7	-
Male.....	2	5	6	12	20	31	36	49	30	10	2	-
Female.....	4	4	6	17	20	31	40	75	56	22	5	-
Black, both sexes.....	-	-	2	1	2	1	-	3	-	1	-	-
Male.....	-	-	2	-	2	1	-	1	-	1	-	-
Female.....	-	-	-	1	-	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	1	-	1	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	2	1	3	-	1	-	-
Male.....	-	-	1	-	-	1	1	1	-	1	-	-
Female.....	-	-	-	1	-	1	-	2	-	-	-	-

Pennsylvania

All races, both sexes.....	84	123	146	214	337	621	775	793	522	152	30	-
Male.....	53	72	82	99	186	287	344	338	171	51	4	-
Female.....	31	51	64	115	151	334	431	455	351	101	26	-
White, both sexes.....	52	73	102	160	280	543	712	745	490	143	27	-
Male.....	32	36	53	80	161	249	321	317	165	48	3	-
Female.....	20	37	49	80	119	294	391	428	325	95	24	-
Black, both sexes.....	31	49	43	52	55	73	63	45	29	9	3	-
Male.....	20	36	29	18	24	35	23	19	5	3	1	-
Female.....	11	13	14	34	31	38	40	26	24	6	2	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	2	5	-	3	2	-	-	-
Male.....	1	-	-	1	1	3	-	2	1	-	-	-
Female.....	-	-	1	1	1	2	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of urinary system (N00-N39)

Texas

All races, both sexes.....	114	159	222	250	388	560	702	605	437	188	28	-
Male.....	62	92	128	131	192	271	303	227	150	55	9	-
Female.....	52	67	94	119	196	289	399	378	287	133	19	-
White, both sexes.....	75	102	165	184	318	490	619	519	373	162	24	-
Male.....	40	58	98	101	162	239	278	202	131	48	9	-
Female.....	35	44	67	83	156	251	341	317	242	114	15	-
Black, both sexes.....	37	53	53	61	67	66	68	83	59	23	4	-
Male.....	21	31	29	26	30	31	18	24	16	5	-	-
Female.....	16	22	24	35	37	35	50	59	43	18	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	3	1	1	-	-	-
Male.....	-	-	-	-	-	-	2	-	1	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	4	5	3	3	12	2	4	3	-	-
Male.....	1	3	1	4	-	1	5	1	2	2	-	-
Female.....	1	1	3	1	3	2	7	1	2	1	-	-

Utah

All races, both sexes.....	2	12	7	8	37	42	49	47	45	10	1	-
Male.....	1	4	3	3	17	15	19	24	15	3	-	-
Female.....	1	8	4	5	20	27	30	23	30	7	1	-
White, both sexes.....	2	11	7	7	34	41	48	46	45	10	1	-
Male.....	1	3	3	2	15	15	19	24	15	3	-	-
Female.....	1	8	4	5	19	26	29	22	30	7	1	-
Black, both sexes.....	-	1	-	1	-	-	-	1	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of urinary system (N00-N39)

Vermont

All races, both sexes.....	3	3	2	4	3	16	12	20	12	5	1	-
Male.....	1	2	1	-	3	5	6	8	1	-	-	-
Female.....	2	1	1	4	-	11	6	12	11	5	1	-
White, both sexes.....	3	3	2	4	3	16	12	20	12	5	1	-
Male.....	1	2	1	-	3	5	6	8	1	-	-	-
Female.....	2	1	1	4	-	11	6	12	11	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	34	70	87	130	168	222	305	328	234	94	10	-
Male.....	18	44	42	68	85	107	136	135	68	19	3	-
Female.....	16	26	45	62	83	115	169	193	166	75	7	-
White, both sexes.....	16	31	43	83	112	161	225	263	178	73	6	-
Male.....	10	19	20	43	63	80	104	112	53	15	1	-
Female.....	6	12	23	40	49	81	121	151	125	58	5	-
Black, both sexes.....	18	36	43	45	54	57	75	59	54	20	4	-
Male.....	8	22	22	25	21	25	30	21	15	4	2	-
Female.....	10	14	21	20	33	32	45	38	39	16	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	2	2	4	5	5	2	1	-	-
Male.....	-	3	-	-	1	2	2	2	-	-	-	-
Female.....	-	-	1	2	1	2	3	3	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Glomerular and renal tubulo-interstitial diseases (N00-N15)

Arkansas

All races, both sexes.....	-	3	2	1	2	4	5	5	4	1	-	-
Male.....	-	1	-	-	2	1	2	3	2	1	-	-
Female.....	-	2	2	1	-	3	3	2	2	-	-	-
White, both sexes.....	-	3	2	1	2	4	4	4	4	1	-	-
Male.....	-	1	-	-	2	1	2	3	2	1	-	-
Female.....	-	2	2	1	-	3	2	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	11	9	11	21	14	33	52	44	43	10	3	-
Male.....	9	4	6	11	9	19	21	18	14	2	-	-
Female.....	2	5	5	10	5	14	31	26	29	8	3	-
White, both sexes.....	6	7	8	14	13	29	44	39	39	8	3	-
Male.....	5	3	4	7	8	17	17	16	13	1	-	-
Female.....	1	4	4	7	5	12	27	23	26	7	3	-
Black, both sexes.....	4	2	2	3	1	3	3	2	1	2	-	-
Male.....	3	1	2	1	1	2	3	2	-	1	-	-
Female.....	1	1	-	2	-	1	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	3	-	-	5	3	3	-	-	-
Male.....	1	-	-	2	-	-	1	-	1	-	-	-
Female.....	-	-	1	1	-	-	4	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Glomerular and renal tubulo-interstitial diseases (N00-N15)

Delaware

All races, both sexes.....	1	-	1	1	1	1	-	-	3	-	-	-
Male.....	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	1	1	1	-	-	2	-	-	-
White, both sexes.....	-	-	-	1	1	-	-	-	3	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	1	-	-	-	2	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	1	-	1	-	-	-	-	2	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	1	-	-	-	-	2	-	-	1	-
White, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Glomerular diseases (N00-N07)

Arkansas

All races, both sexes.....	-	1	1	1	1	3	2	4	1	-	-	-
Male.....	-	-	-	-	1	1	1	2	1	-	-	-
Female.....	-	1	1	1	-	2	1	2	-	-	-	-
White, both sexes.....	-	1	1	1	1	3	1	3	1	-	-	-
Male.....	-	-	-	-	1	1	1	2	1	-	-	-
Female.....	-	1	1	1	-	2	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	5	5	11	8	16	19	15	13	2	1	-
Male.....	6	3	3	8	4	8	7	9	7	1	-	-
Female.....	-	2	2	3	4	8	12	6	6	1	1	-
White, both sexes.....	3	3	5	6	8	16	16	14	12	-	1	-
Male.....	3	2	3	5	4	8	6	8	7	-	-	-
Female.....	-	1	2	1	4	8	10	6	5	-	1	-
Black, both sexes.....	2	2	-	3	-	-	1	1	1	2	-	-
Male.....	2	1	-	1	-	-	1	1	-	1	-	-
Female.....	-	1	-	2	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	2	-	-	2	-	-	-	-	-
Male.....	1	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Glomerular diseases (N00-N07)												
Delaware												
All races, both sexes.....	1	-	1	-	-	1	-	-	2	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	2	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	1	-	1	-	-	-	-	2	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	1	-	-	-	-	2	-	-	-	-
White, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nephrotic syndrome (N04)

Arkansas

All races, both sexes.....	-	1	1	-	1	2	-	2	1	-	-	-
Male.....	-	-	-	-	1	1	-	1	1	-	-	-
Female.....	-	1	1	-	-	1	-	1	-	-	-	-
White, both sexes.....	-	1	1	-	1	2	-	2	1	-	-	-
Male.....	-	-	-	-	1	1	-	1	1	-	-	-
Female.....	-	1	1	-	-	1	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	1	1	-	-	2	2	-	1	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	2	-	1	-	-	-
White, both sexes.....	-	1	1	-	-	2	1	-	1	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Nephrotic syndrome (N04)

Delaware

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified glomerular diseases (N02-N03,N05-N07)

Arkansas

All races, both sexes.....	-	-	-	1	-	1	2	2	-	-	-	-
Male.....	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	1	-	1	1	1	-	-	-	-
White, both sexes.....	-	-	-	1	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	5	4	4	11	8	13	17	15	12	2	1	-
Male.....	5	3	2	8	4	6	7	9	7	1	-	-
Female.....	-	1	2	3	4	7	10	6	5	1	1	-
White, both sexes.....	2	2	4	6	8	13	15	14	11	-	1	-
Male.....	2	2	2	5	4	6	6	8	7	-	-	-
Female.....	-	-	2	1	4	7	9	6	4	-	1	-
Black, both sexes.....	2	2	-	3	-	-	1	1	1	2	-	-
Male.....	2	1	-	1	-	-	1	1	-	1	-	-
Female.....	-	1	-	2	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	2	-	-	1	-	-	-	-	-
Male.....	1	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Renal tubulo-interstitial diseases (N10-N15)

Arkansas

All races, both sexes.....	-	2	1	-	1	1	3	1	3	1	-	-
Male.....	-	1	-	-	1	-	1	1	1	1	-	-
Female.....	-	1	1	-	-	1	2	-	2	-	-	-
White, both sexes.....	-	2	1	-	1	1	3	1	3	1	-	-
Male.....	-	1	-	-	1	-	1	1	1	1	-	-
Female.....	-	1	1	-	-	1	2	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	5	4	6	10	6	17	33	29	30	8	2	-
Male.....	3	1	3	3	5	11	14	9	7	1	-	-
Female.....	2	3	3	7	1	6	19	20	23	7	2	-
White, both sexes.....	3	4	3	8	5	13	28	25	27	8	2	-
Male.....	2	1	1	2	4	9	11	8	6	1	-	-
Female.....	1	3	2	6	1	4	17	17	21	7	2	-
Black, both sexes.....	2	-	2	-	1	3	2	1	-	-	-	-
Male.....	1	-	2	-	1	2	2	1	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	3	3	3	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	1	1	-	-	2	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Renal failure (N17-N19)												
Arkansas												
All races, both sexes.....	610	3	-	-	-	-	2	2	3	4	5	12
Male.....	275	3	-	-	-	-	1	1	1	2	3	7
Female.....	335	-	-	-	-	-	1	1	2	2	2	5
White, both sexes.....	468	-	-	-	-	-	2	-	1	2	4	6
Male.....	211	-	-	-	-	-	1	-	-	1	2	2
Female.....	257	-	-	-	-	-	1	-	1	1	2	4
Black, both sexes.....	140	3	-	-	-	-	-	2	2	2	1	6
Male.....	63	3	-	-	-	-	-	1	1	1	1	5
Female.....	77	-	-	-	-	-	-	1	1	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	2,359	15	-	-	2	5	3	2	13	19	26	68
Male.....	1,253	8	-	-	1	3	2	1	10	12	16	40
Female.....	1,106	7	-	-	1	2	1	1	3	7	10	28
White, both sexes.....	1,782	11	-	-	-	4	3	2	8	6	11	43
Male.....	968	6	-	-	-	3	2	1	7	5	7	26
Female.....	814	5	-	-	-	1	1	1	1	1	4	17
Black, both sexes.....	316	4	-	-	2	1	-	-	4	7	12	20
Male.....	148	2	-	-	1	-	-	-	2	2	6	12
Female.....	168	2	-	-	1	1	-	-	2	5	6	8
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	-	-	4	-	-
Male.....	11	-	-	-	-	-	-	-	-	4	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	240	-	-	-	-	-	-	-	1	2	3	5
Male.....	126	-	-	-	-	-	-	-	1	1	3	2
Female.....	114	-	-	-	-	-	-	-	-	1	-	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Renal failure (N17-N19)												
New Hampshire												
All races, both sexes.....	173	-	-	-	-	-	-	-	-	-	-	1
Male.....	83	-	-	-	-	-	-	-	-	-	-	-
Female.....	90	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	169	-	-	-	-	-	-	-	-	-	-	1
Male.....	81	-	-	-	-	-	-	-	-	-	-	-
Female.....	88	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	1,577	5	-	-	2	-	1	2	6	10	15	22
Male.....	798	4	-	-	1	-	-	2	2	4	10	14
Female.....	779	1	-	-	1	-	1	-	4	6	5	8
White, both sexes.....	1,263	2	-	-	2	-	1	1	3	8	2	15
Male.....	641	2	-	-	1	-	-	1	2	4	2	10
Female.....	622	-	-	-	1	-	1	-	1	4	-	5
Black, both sexes.....	294	3	-	-	-	-	-	1	2	2	12	7
Male.....	148	2	-	-	-	-	-	1	-	-	7	4
Female.....	146	1	-	-	-	-	-	-	2	2	5	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	-	-	-	1	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Renal failure (N17-N19)

Alaska

All races, both sexes.....	-	2	3	4	8	5	1	4	3	2	-	-
Male.....	-	-	1	1	7	2	-	2	-	-	-	-
Female.....	-	2	2	3	1	3	1	2	3	2	-	-
White, both sexes.....	-	1	2	3	5	3	1	4	2	2	-	-
Male.....	-	-	1	1	4	1	-	2	-	-	-	-
Female.....	-	1	1	2	1	2	1	2	2	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	2	-	-	-	1	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Arizona

All races, both sexes.....	11	35	31	45	47	86	112	102	59	15	-	-
Male.....	5	23	8	22	27	50	63	51	23	5	-	-
Female.....	6	12	23	23	20	36	49	51	36	10	-	-
White, both sexes.....	9	27	28	38	37	80	108	98	50	14	-	-
Male.....	4	18	7	20	22	48	62	48	19	5	-	-
Female.....	5	9	21	18	15	32	46	50	31	9	-	-
Black, both sexes.....	1	5	-	3	-	3	1	1	2	1	-	-
Male.....	-	3	-	2	-	1	1	-	1	-	-	-
Female.....	1	2	-	1	-	2	-	1	1	1	-	-
American Indian 1/, both sexes.....	1	3	3	4	10	2	3	2	6	-	-	-
Male.....	1	2	1	-	5	1	-	2	3	-	-	-
Female.....	-	1	2	4	5	1	3	-	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Renal failure (N17-N19)

Arkansas

All races, both sexes.....	14	30	33	36	58	74	112	109	82	22	9	-
Male.....	7	17	21	18	36	29	49	47	24	7	2	-
Female.....	7	13	12	18	22	45	63	62	58	15	7	-
White, both sexes.....	8	15	22	31	39	56	98	94	66	18	6	-
Male.....	5	8	15	16	27	25	43	41	20	5	-	-
Female.....	3	7	7	15	12	31	55	53	46	13	6	-
Black, both sexes.....	6	15	11	5	18	18	14	15	15	4	3	-
Male.....	2	9	6	2	8	4	6	6	4	2	2	-
Female.....	4	6	5	3	10	14	8	9	11	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

California

All races, both sexes.....	85	145	154	183	237	310	405	357	234	79	17	-
Male.....	60	77	93	86	121	163	219	188	113	35	5	-
Female.....	25	68	61	97	116	147	186	169	121	44	12	-
White, both sexes.....	62	98	105	124	171	241	326	293	191	69	14	-
Male.....	45	52	63	58	93	129	181	159	96	31	4	-
Female.....	17	46	42	66	78	112	145	134	95	38	10	-
Black, both sexes.....	18	27	37	38	36	29	32	28	14	6	1	-
Male.....	11	16	22	18	11	16	16	7	4	1	1	-
Female.....	7	11	15	20	25	13	16	21	10	5	-	-
American Indian 1/, both sexes.....	-	2	4	3	1	2	3	2	-	-	-	-
Male.....	-	-	3	1	-	-	1	2	-	-	-	-
Female.....	-	2	1	2	1	2	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	18	8	18	29	38	44	34	29	4	2	-
Male.....	4	9	5	9	17	18	21	20	13	3	-	-
Female.....	1	9	3	9	12	20	23	14	16	1	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Renal failure (N17-N19)

Colorado

All races, both sexes.....	10	12	21	37	45	63	90	80	54	24	6	-
Male.....	6	4	14	19	21	31	49	43	19	8	-	-
Female.....	4	8	7	18	24	32	41	37	35	16	6	-
White, both sexes.....	10	11	19	35	41	56	85	79	53	22	5	-
Male.....	6	3	13	18	18	29	47	43	19	7	-	-
Female.....	4	8	6	17	23	27	38	36	34	15	5	-
Black, both sexes.....	-	1	2	2	3	5	2	-	-	2	1	-
Male.....	-	1	1	1	2	1	-	-	-	1	-	-
Female.....	-	-	1	1	1	4	2	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	3	1	1	-	-	-
Male.....	-	-	-	-	1	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	1	-	-	-

Connecticut

All races, both sexes.....	8	12	14	32	36	72	110	125	99	33	7	-
Male.....	4	6	9	16	26	32	51	71	42	12	1	-
Female.....	4	6	5	16	10	40	59	54	57	21	6	-
White, both sexes.....	7	8	12	27	29	66	102	116	95	31	6	-
Male.....	3	4	7	12	23	30	46	70	39	11	-	-
Female.....	4	4	5	15	6	36	56	46	56	20	6	-
Black, both sexes.....	1	4	2	5	7	6	7	8	3	2	1	-
Male.....	1	2	2	4	3	2	4	1	3	1	1	-
Female.....	-	2	-	1	4	4	3	7	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Renal failure (N17-N19)

Delaware

All races, both sexes.....	3	6	5	8	12	20	17	23	16	5	1	-
Male.....	1	4	4	3	8	9	9	7	7	4	-	-
Female.....	2	2	1	5	4	11	8	16	9	1	1	-
White, both sexes.....	3	2	4	4	9	15	13	20	14	3	-	-
Male.....	1	1	4	1	6	8	7	7	5	3	-	-
Female.....	2	1	-	3	3	7	6	13	9	-	-	-
Black, both sexes.....	-	4	1	4	3	5	4	3	2	2	1	-
Male.....	-	3	-	2	2	1	2	-	2	1	-	-
Female.....	-	1	1	2	1	4	2	3	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	-	5	4	9	6	9	12	7	3	3	-	-
Male.....	-	3	1	4	1	5	6	2	-	3	-	-
Female.....	-	2	3	5	5	4	6	5	3	-	-	-
White, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	5	4	9	5	9	10	7	3	3	-	-
Male.....	-	3	1	4	-	5	6	2	-	3	-	-
Female.....	-	2	3	5	5	4	4	5	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Renal failure (N17-N19)

Florida

All races, both sexes.....	57	76	114	142	218	327	434	457	282	108	15	-
Male.....	36	43	66	74	109	165	255	259	134	39	7	-
Female.....	21	33	48	68	109	162	179	198	148	69	8	-
White, both sexes.....	41	52	74	95	178	273	384	415	256	95	14	-
Male.....	26	30	47	55	91	143	232	239	123	36	7	-
Female.....	15	22	27	40	87	130	152	176	133	59	7	-
Black, both sexes.....	16	24	39	47	38	52	47	39	24	12	1	-
Male.....	10	13	19	19	17	20	21	18	9	3	-	-
Female.....	6	11	20	28	21	32	26	21	15	9	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	2	3	2	1	1	-	-
Male.....	-	-	-	-	1	2	2	1	1	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	1	-	-

Georgia

All races, both sexes.....	53	99	131	130	165	195	250	192	128	35	7	-
Male.....	30	55	79	61	82	89	115	87	44	6	1	-
Female.....	23	44	52	69	83	106	135	105	84	29	6	-
White, both sexes.....	15	37	61	71	81	115	166	134	92	19	4	-
Male.....	10	27	38	39	44	62	77	66	36	5	-	-
Female.....	5	10	23	32	37	53	89	68	56	14	4	-
Black, both sexes.....	38	59	69	58	83	78	83	56	36	16	3	-
Male.....	20	28	41	21	38	27	38	20	8	1	1	-
Female.....	18	31	28	37	45	51	45	36	28	15	2	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	2	1	2	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	1	1	-	1	2	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Renal failure (N17-N19)

Illinois

All races, both sexes.....	56	94	121	148	210	346	441	439	264	110	23	-
Male.....	37	53	71	79	99	158	199	206	102	45	8	-
Female.....	19	41	50	69	111	188	242	233	162	65	15	-
White, both sexes.....	25	56	72	107	143	271	363	395	233	99	19	-
Male.....	18	32	48	60	75	122	168	191	88	43	7	-
Female.....	7	24	24	47	68	149	195	204	145	56	12	-
Black, both sexes.....	29	36	47	38	65	69	72	41	25	9	3	-
Male.....	18	21	22	18	23	33	29	13	13	1	1	-
Female.....	11	15	25	20	42	36	43	28	12	8	2	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	3	2	6	6	3	6	2	1	-
Male.....	1	-	1	1	1	3	2	2	1	1	-	-
Female.....	1	-	1	2	1	3	4	1	5	1	1	-

Indiana

All races, both sexes.....	29	38	44	89	119	201	259	217	158	51	13	-
Male.....	19	21	28	41	60	96	131	90	46	11	1	-
Female.....	10	17	16	48	59	105	128	127	112	40	12	-
White, both sexes.....	24	26	42	69	101	177	230	197	150	47	11	-
Male.....	17	13	27	32	51	83	115	80	45	10	1	-
Female.....	7	13	15	37	50	94	115	117	105	37	10	-
Black, both sexes.....	5	12	2	18	18	21	29	18	8	4	2	-
Male.....	2	8	1	8	9	12	16	10	1	1	-	-
Female.....	3	4	1	10	9	9	13	8	7	3	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	3	-	1	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Renal failure (N17-N19)

Iowa

All races, both sexes.....	3	4	6	9	12	24	50	66	35	14	6	-
Male.....	2	3	5	7	3	12	22	30	20	4	2	-
Female.....	1	1	1	2	9	12	28	36	15	10	4	-
White, both sexes.....	3	4	6	8	12	22	49	66	33	14	6	-
Male.....	2	3	5	7	3	12	21	30	19	4	2	-
Female.....	1	1	1	1	9	10	28	36	14	10	4	-
Black, both sexes.....	-	-	-	-	-	1	1	-	2	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	10	12	19	27	63	66	96	102	75	19	4	-
Male.....	5	6	13	17	33	40	43	36	33	2	1	-
Female.....	5	6	6	10	30	26	53	66	42	17	3	-
White, both sexes.....	5	11	14	24	56	58	88	93	74	19	3	-
Male.....	3	6	10	16	30	36	39	33	33	2	1	-
Female.....	2	5	4	8	26	22	49	60	41	17	2	-
Black, both sexes.....	5	-	4	2	3	5	7	7	1	-	1	-
Male.....	2	-	3	1	-	4	4	3	-	-	-	-
Female.....	3	-	1	1	3	1	3	4	1	-	1	-
American Indian 1/, both sexes.....	-	1	-	1	2	2	-	-	-	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	1	1	2	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Renal failure (N17-N19)

Maine

All races, both sexes.....	4	7	8	14	22	32	53	51	31	14	3	-
Male.....	2	2	3	6	11	16	26	24	7	6	1	-
Female.....	2	5	5	8	11	16	27	27	24	8	2	-
White, both sexes.....	4	7	7	13	22	32	53	51	31	14	3	-
Male.....	2	2	3	5	11	16	26	24	7	6	1	-
Female.....	2	5	4	8	11	16	27	27	24	8	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	19	45	44	72	70	98	133	113	62	22	4	-
Male.....	14	29	27	41	36	48	68	41	27	7	1	-
Female.....	5	16	17	31	34	50	65	72	35	15	3	-
White, both sexes.....	7	22	24	35	34	61	95	84	47	17	3	-
Male.....	5	14	14	24	24	34	54	32	21	4	1	-
Female.....	2	8	10	11	10	27	41	52	26	13	2	-
Black, both sexes.....	10	23	20	37	35	35	34	25	13	5	1	-
Male.....	9	15	13	17	12	13	11	7	5	3	-	-
Female.....	1	8	7	20	23	22	23	18	8	2	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	2	4	4	2	-	-	-
Male.....	-	-	-	-	-	1	3	2	1	-	-	-
Female.....	1	-	-	-	1	1	1	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Renal failure (N17-N19)

Massachusetts

All races, both sexes.....	17	33	48	65	130	201	261	308	206	75	8	-
Male.....	14	20	25	41	63	110	118	132	87	16	3	-
Female.....	3	13	23	24	67	91	143	176	119	59	5	-
White, both sexes.....	13	30	38	56	116	186	239	290	200	71	8	-
Male.....	11	17	21	37	56	100	111	126	83	14	3	-
Female.....	2	13	17	19	60	86	128	164	117	57	5	-
Black, both sexes.....	3	2	7	9	13	11	18	15	3	3	-	-
Male.....	2	2	3	4	7	9	6	3	1	1	-	-
Female.....	1	-	4	5	6	2	12	12	2	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	-	1	2	4	3	3	1	-	-
Male.....	1	1	1	-	-	1	1	3	3	1	-	-
Female.....	-	-	2	-	1	1	3	-	-	-	-	-

Michigan

All races, both sexes.....	47	60	90	103	144	262	337	269	179	62	10	-
Male.....	24	32	46	46	77	130	166	122	66	22	-	-
Female.....	23	28	44	57	67	132	171	147	113	40	10	-
White, both sexes.....	28	39	60	71	108	216	291	226	154	54	7	-
Male.....	15	18	33	32	61	107	147	101	58	21	-	-
Female.....	13	21	27	39	47	109	144	125	96	33	7	-
Black, both sexes.....	18	21	27	31	33	42	44	43	22	8	2	-
Male.....	8	14	12	14	16	21	18	21	5	1	-	-
Female.....	10	7	15	17	17	21	26	22	17	7	2	-
American Indian 1/, both sexes.....	1	-	1	-	2	3	1	-	1	-	1	-
Male.....	1	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	1	-	2	2	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	1	1	1	-	2	-	-	-
Male.....	-	-	1	-	-	1	1	-	2	-	-	-
Female.....	-	-	1	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Renal failure (N17-N19)

Nebraska

All races, both sexes.....	4	7	18	15	27	23	45	50	27	13	5	-
Male.....	2	6	8	7	15	15	21	28	14	5	2	-
Female.....	2	1	10	8	12	8	24	22	13	8	3	-
White, both sexes.....	1	5	16	12	22	23	43	47	27	12	5	-
Male.....	1	4	7	6	12	15	20	27	14	4	2	-
Female.....	-	1	9	6	10	8	23	20	13	8	3	-
Black, both sexes.....	2	2	2	3	3	-	2	3	-	1	-	-
Male.....	1	2	1	1	2	-	1	1	-	1	-	-
Female.....	1	-	1	2	1	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	15	15	24	41	59	68	74	68	34	7	-	-
Male.....	10	9	12	23	44	33	43	25	10	5	-	-
Female.....	5	6	12	18	15	35	31	43	24	2	-	-
White, both sexes.....	13	15	19	32	49	58	63	57	33	5	-	-
Male.....	10	9	10	20	37	28	39	24	10	4	-	-
Female.....	3	6	9	12	12	30	24	33	23	1	-	-
Black, both sexes.....	2	-	3	8	5	4	6	9	1	-	-	-
Male.....	-	-	2	2	4	2	3	1	-	-	-	-
Female.....	2	-	1	6	1	2	3	8	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	5	4	4	2	-	2	-	-
Male.....	-	-	-	1	3	2	1	-	-	1	-	-
Female.....	-	-	2	-	2	2	3	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Renal failure (N17-N19)												
New Hampshire												
All races, both sexes.....	2	4	7	10	14	26	31	38	29	10	1	-
Male.....	1	2	7	5	7	13	16	20	8	4	-	-
Female.....	1	2	-	5	7	13	15	18	21	6	1	-
White, both sexes.....	2	4	7	8	12	26	31	38	29	10	1	-
Male.....	1	2	7	4	6	13	16	20	8	4	-	-
Female.....	1	2	-	4	6	13	15	18	21	6	1	-
Black, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	42	47	71	95	154	247	307	293	187	62	9	-
Male.....	29	33	40	44	98	154	155	122	63	21	2	-
Female.....	13	14	31	51	56	93	152	171	124	41	7	-
White, both sexes.....	21	29	42	62	111	210	263	255	174	56	6	-
Male.....	17	22	28	32	67	132	132	109	59	20	1	-
Female.....	4	7	14	30	44	78	131	146	115	36	5	-
Black, both sexes.....	20	16	27	31	43	35	41	34	12	5	3	-
Male.....	12	9	11	11	31	20	21	13	4	1	1	-
Female.....	8	7	16	20	12	15	20	21	8	4	2	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	2	-	2	3	4	1	1	-	-
Male.....	-	2	1	1	-	2	2	-	-	-	-	-
Female.....	1	-	-	1	-	-	1	4	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Renal failure (N17-N19)

New Mexico

All races, both sexes.....	9	7	7	16	25	46	39	33	22	8	3	-
Male.....	3	4	1	7	12	30	18	21	9	3	2	-
Female.....	6	3	6	9	13	16	21	12	13	5	1	-
White, both sexes.....	8	6	6	14	22	42	31	32	20	6	3	-
Male.....	2	3	1	7	11	28	15	21	9	3	2	-
Female.....	6	3	5	7	11	14	16	11	11	3	1	-
Black, both sexes.....	-	-	-	-	-	-	4	1	-	1	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	1	-	-
American Indian 1/, both sexes.....	1	1	1	2	3	4	3	-	2	1	-	-
Male.....	1	1	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	1	2	2	2	3	-	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	50	84	100	149	215	351	409	425	277	128	22	-
Male.....	32	47	62	76	100	179	200	184	118	32	1	-
Female.....	18	37	38	73	115	172	209	241	159	96	21	-
White, both sexes.....	36	64	72	112	167	299	360	386	257	115	20	-
Male.....	23	34	46	58	85	153	180	171	110	30	1	-
Female.....	13	30	26	54	82	146	180	215	147	85	19	-
Black, both sexes.....	14	19	23	28	40	49	37	29	17	11	2	-
Male.....	9	13	14	14	11	24	15	7	6	1	-	-
Female.....	5	6	9	14	29	25	22	22	11	10	2	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	4	9	7	3	11	10	2	2	-	-
Male.....	-	-	2	4	4	2	5	6	1	1	-	-
Female.....	-	1	2	5	3	1	6	4	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Renal failure (N17-N19)

Ohio

All races, both sexes.....	41	79	90	117	191	296	373	314	195	59	13	-
Male.....	30	44	43	59	110	145	175	140	74	24	5	-
Female.....	11	35	47	58	81	151	198	174	121	35	8	-
White, both sexes.....	31	58	64	97	147	250	325	280	180	53	11	-
Male.....	24	33	33	49	89	121	157	127	69	22	4	-
Female.....	7	25	31	48	58	129	168	153	111	31	7	-
Black, both sexes.....	10	21	26	20	43	45	46	33	14	5	2	-
Male.....	6	11	10	10	20	23	18	13	4	2	1	-
Female.....	4	10	16	10	23	22	28	20	10	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	2	1	1	1	-	-
Male.....	-	-	-	-	1	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	1	-	-

Oklahoma

All races, both sexes.....	15	24	34	43	57	72	110	98	51	15	4	-
Male.....	8	12	19	17	31	34	63	45	19	5	1	-
Female.....	7	12	15	26	26	38	47	53	32	10	3	-
White, both sexes.....	12	16	25	30	47	59	96	86	42	14	4	-
Male.....	6	8	13	11	26	28	54	40	17	5	1	-
Female.....	6	8	12	19	21	31	42	46	25	9	3	-
Black, both sexes.....	3	6	4	6	8	3	7	9	3	1	-	-
Male.....	2	3	4	4	3	3	5	4	1	-	-	-
Female.....	1	3	-	2	5	-	2	5	2	1	-	-
American Indian 1/, both sexes.....	-	2	5	7	2	8	7	3	6	-	-	-
Male.....	-	1	2	2	2	2	4	1	1	-	-	-
Female.....	-	1	3	5	-	6	3	2	5	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Renal failure (N17-N19)

Oregon

All races, both sexes.....	4	5	13	20	27	32	50	65	33	21	1	-
Male.....	2	4	8	9	13	17	28	31	12	8	1	-
Female.....	2	1	5	11	14	15	22	34	21	13	-	-
White, both sexes.....	4	5	10	17	26	30	49	58	33	19	1	-
Male.....	2	4	5	8	12	16	27	28	12	6	1	-
Female.....	2	1	5	9	14	14	22	30	21	13	-	-
Black, both sexes.....	-	-	2	1	1	1	-	3	-	1	-	-
Male.....	-	-	2	-	1	1	-	1	-	1	-	-
Female.....	-	-	-	1	-	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	1	1	3	-	1	-	-
Male.....	-	-	1	-	-	-	1	1	-	1	-	-
Female.....	-	-	-	1	-	1	-	2	-	-	-	-

Pennsylvania

All races, both sexes.....	73	101	116	189	290	501	610	595	372	100	19	-
Male.....	47	62	70	90	161	239	288	275	136	36	4	-
Female.....	26	39	46	99	129	262	322	320	236	64	15	-
White, both sexes.....	44	57	76	141	239	432	564	563	348	95	16	-
Male.....	28	32	45	73	137	205	271	260	130	35	3	-
Female.....	16	25	31	68	102	227	293	303	218	60	13	-
Black, both sexes.....	28	43	39	46	49	64	46	29	21	5	3	-
Male.....	18	30	25	16	23	31	17	13	5	1	1	-
Female.....	10	13	14	30	26	33	29	16	16	4	2	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	2	5	-	3	2	-	-	-
Male.....	1	-	-	1	1	3	-	2	1	-	-	-
Female.....	-	-	1	1	1	2	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Renal failure (N17-N19)

Vermont

All races, both sexes.....	2	2	1	3	3	10	7	15	2	2	-	-
Male.....	-	1	1	-	3	4	5	5	-	-	-	-
Female.....	2	1	-	3	-	6	2	10	2	2	-	-
White, both sexes.....	2	2	1	3	3	10	7	15	2	2	-	-
Male.....	-	1	1	-	3	4	5	5	-	-	-	-
Female.....	2	1	-	3	-	6	2	10	2	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	32	61	80	96	130	158	214	224	142	53	7	-
Male.....	18	36	41	54	70	82	104	106	48	15	3	-
Female.....	14	25	39	42	60	76	110	118	94	38	4	-
White, both sexes.....	15	27	38	57	82	109	149	175	104	41	3	-
Male.....	10	16	19	32	51	60	77	89	36	12	1	-
Female.....	5	11	19	25	31	49	72	86	68	29	2	-
Black, both sexes.....	17	32	41	37	46	45	61	44	36	12	4	-
Male.....	8	18	22	22	18	20	25	15	12	3	2	-
Female.....	9	14	19	15	28	25	36	29	24	9	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	2	2	4	4	5	2	-	-	-
Male.....	-	2	-	-	1	2	2	2	-	-	-	-
Female.....	-	-	1	2	1	2	2	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Urolithiasis (N20-N23)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	5	1	2	5	3	1	7	6	6	2	-	-
Male.....	1	1	1	2	-	-	5	2	2	1	-	-
Female.....	4	-	1	3	3	1	2	4	4	1	-	-
White, both sexes.....	3	1	1	3	1	1	6	6	6	2	-	-
Male.....	-	1	1	1	-	-	4	2	2	1	-	-
Female.....	3	-	-	2	1	1	2	4	4	1	-	-
Black, both sexes.....	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Urinary tract infection, site not specified (N39.0)

Oregon

All races, both sexes.....	178	-	-	-	-	-	-	-	-	1	-	-
Male.....	57	-	-	-	-	-	-	-	-	1	-	-
Female.....	121	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	174	-	-	-	-	-	-	-	-	-	-	-
Male.....	54	-	-	-	-	-	-	-	-	-	-	-
Female.....	120	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	689	-	-	-	-	-	1	1	1	1	2	1
Male.....	219	-	-	-	-	-	1	1	-	1	-	-
Female.....	470	-	-	-	-	-	-	-	1	-	2	1
White, both sexes.....	625	-	-	-	-	-	-	1	-	1	2	1
Male.....	197	-	-	-	-	-	-	1	-	1	-	-
Female.....	428	-	-	-	-	-	-	-	-	-	2	1
Black, both sexes.....	63	-	-	-	-	-	1	-	-	-	-	-
Male.....	22	-	-	-	-	-	1	-	-	-	-	-
Female.....	41	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Urinary tract infection, site not specified (N39.0)

Alaska

All races, both sexes.....	-	-	1	-	-	1	2	5	1	1	-	-
Male.....	-	-	1	-	-	1	1	2	1	-	-	-
Female.....	-	-	-	-	-	1	1	3	-	1	-	-
White, both sexes.....	-	-	-	-	-	1	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	2	4	1	-	-	-
Male.....	-	-	1	-	-	-	1	2	1	-	-	-
Female.....	-	-	-	-	-	-	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	7	1	7	7	10	28	33	46	40	11	3	-
Male.....	5	1	4	4	2	13	13	10	11	3	1	-
Female.....	2	-	3	3	8	15	20	36	29	8	2	-
White, both sexes.....	6	1	4	4	7	25	31	45	38	10	2	-
Male.....	5	1	3	3	1	11	12	10	11	3	1	-
Female.....	1	-	1	1	6	14	19	35	27	7	1	-
Black, both sexes.....	1	-	-	1	1	-	1	-	1	-	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	2	2	2	2	-	1	1	1	1	-
Male.....	-	-	1	-	-	2	-	-	-	-	-	-
Female.....	-	-	1	2	2	-	-	1	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Urinary tract infection, site not specified (N39.0)

Arkansas

All races, both sexes.....	2	2	2	8	9	14	33	43	30	13	1	-
Male.....	-	2	2	4	2	6	14	8	4	1	-	-
Female.....	2	-	-	4	7	8	19	35	26	12	1	-
White, both sexes.....	2	2	1	7	8	12	30	36	27	12	1	-
Male.....	-	2	1	3	2	4	13	6	4	1	-	-
Female.....	2	-	-	4	6	8	17	30	23	11	1	-
Black, both sexes.....	-	-	1	-	1	2	3	7	3	1	-	-
Male.....	-	-	1	-	-	2	1	2	-	-	-	-
Female.....	-	-	-	-	1	-	2	5	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	19	22	37	40	101	202	312	349	293	131	32	-
Male.....	8	10	19	13	30	75	104	93	84	19	3	-
Female.....	11	12	18	27	71	127	208	256	209	112	29	-
White, both sexes.....	16	17	32	32	85	171	285	312	262	123	21	-
Male.....	7	7	16	8	24	62	95	82	74	18	1	-
Female.....	9	10	16	24	61	109	190	230	188	105	20	-
Black, both sexes.....	2	3	2	5	7	11	14	17	15	3	5	-
Male.....	1	2	-	3	3	3	8	5	3	1	2	-
Female.....	1	1	2	2	4	8	6	12	12	2	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	2	-	-	1	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	2	3	3	9	18	13	18	16	5	5	-
Male.....	-	1	3	2	3	9	1	5	7	-	-	-
Female.....	1	1	-	1	6	9	12	13	9	5	5	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Urinary tract infection, site not specified (N39.0)

Colorado

All races, both sexes.....	1	1	3	4	12	18	31	44	39	8	4	-
Male.....	-	-	-	3	8	9	11	12	11	3	4	-
Female.....	1	1	3	1	4	9	20	32	28	5	-	-
White, both sexes.....	1	1	3	4	11	17	31	44	39	8	4	-
Male.....	-	-	-	3	8	8	11	12	11	3	4	-
Female.....	1	1	3	1	3	9	20	32	28	5	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	-	-	5	7	15	20	30	49	44	15	1	-
Male.....	-	-	3	1	7	9	12	16	13	3	-	-
Female.....	-	-	2	6	8	11	18	33	31	12	1	-
White, both sexes.....	-	-	4	7	11	19	29	46	44	15	1	-
Male.....	-	-	2	1	5	9	12	13	13	3	-	-
Female.....	-	-	2	6	6	10	17	33	31	12	1	-
Black, both sexes.....	-	-	1	-	3	1	1	2	-	-	-	-
Male.....	-	-	1	-	2	-	-	2	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Urinary tract infection, site not specified (N39.0)

Florida

All races, both sexes.....	4	11	17	32	55	85	143	160	109	41	11	-
Male.....	2	8	8	16	30	28	57	49	49	10	2	-
Female.....	2	3	9	16	25	57	86	111	60	31	9	-
White, both sexes.....	3	9	9	24	46	73	131	148	94	37	9	-
Male.....	1	7	4	11	25	24	51	47	45	8	1	-
Female.....	2	2	5	13	21	49	80	101	49	29	8	-
Black, both sexes.....	1	2	6	8	9	12	11	11	14	4	2	-
Male.....	1	1	3	5	5	4	5	2	4	2	1	-
Female.....	-	1	3	3	4	8	6	9	10	2	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	1	-	-	-

Georgia

All races, both sexes.....	5	7	14	16	33	46	91	77	64	30	5	-
Male.....	1	3	7	5	11	13	26	13	14	2	-	-
Female.....	4	4	7	11	22	33	65	64	50	28	5	-
White, both sexes.....	2	5	8	10	20	37	70	63	48	23	3	-
Male.....	1	3	4	3	7	10	17	10	11	1	-	-
Female.....	1	2	4	7	13	27	53	53	37	22	3	-
Black, both sexes.....	3	2	6	6	12	9	21	14	15	7	2	-
Male.....	-	-	3	2	4	3	9	3	3	1	-	-
Female.....	3	2	3	4	8	6	12	11	12	6	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Urinary tract infection, site not specified (N39.0)

Maine

All races, both sexes.....	1	1	3	-	3	14	18	20	15	6	-	-
Male.....	1	-	2	-	-	5	6	2	4	2	-	-
Female.....	-	1	1	-	3	9	12	18	11	4	-	-
White, both sexes.....	1	1	3	-	3	14	18	20	14	6	-	-
Male.....	1	-	2	-	-	5	6	2	4	2	-	-
Female.....	-	1	1	-	3	9	12	18	10	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	6	9	8	9	27	41	68	73	56	20	6	-
Male.....	4	4	3	7	7	14	19	26	11	5	1	-
Female.....	2	5	5	2	20	27	49	47	45	15	5	-
White, both sexes.....	4	7	4	4	17	28	51	53	44	17	4	-
Male.....	2	2	3	3	2	8	13	17	6	5	-	-
Female.....	2	5	1	1	15	20	38	36	38	12	4	-
Black, both sexes.....	2	2	3	5	9	13	17	18	12	3	1	-
Male.....	2	2	-	4	5	6	6	8	5	-	-	-
Female.....	-	-	3	1	4	7	11	10	7	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	2	-	-	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	-	-	1	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Urinary tract infection, site not specified (N39.0)

Massachusetts

All races, both sexes.....	4	4	9	11	26	50	58	125	84	37	11	-
Male.....	2	2	3	3	10	24	21	34	13	8	2	-
Female.....	2	2	6	8	16	26	37	91	71	29	9	-
White, both sexes.....	4	4	8	10	24	50	56	123	84	36	11	-
Male.....	2	2	3	2	9	24	21	33	13	8	2	-
Female.....	2	2	5	8	15	26	35	90	71	28	9	-
Black, both sexes.....	-	-	1	1	2	-	2	2	-	1	-	-
Male.....	-	-	-	1	1	-	-	1	-	-	-	-
Female.....	-	-	1	-	1	-	2	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	5	7	15	12	32	68	110	129	81	27	3	-
Male.....	2	3	7	3	11	16	40	33	20	6	-	-
Female.....	3	4	8	9	21	52	70	96	61	21	3	-
White, both sexes.....	5	3	10	9	28	57	97	117	74	25	1	-
Male.....	2	1	4	1	9	16	33	31	19	5	-	-
Female.....	3	2	6	8	19	41	64	86	55	20	1	-
Black, both sexes.....	-	4	4	3	4	11	11	12	6	2	2	-
Male.....	-	2	2	2	2	-	7	2	1	1	-	-
Female.....	-	2	2	1	2	11	4	10	5	1	2	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Urinary tract infection, site not specified (N39.0)

New Hampshire

All races, both sexes.....	-	1	2	4	1	2	10	13	10	8	1	-
Male.....	-	1	1	-	-	1	4	4	1	2	-	-
Female.....	-	-	1	4	1	1	6	9	9	6	1	-
White, both sexes.....	-	1	2	4	1	2	10	13	10	8	1	-
Male.....	-	1	1	-	-	1	4	4	1	2	-	-
Female.....	-	-	1	4	1	1	6	9	9	6	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	2	7	7	14	18	38	78	97	69	31	2	-
Male.....	1	3	3	6	8	12	22	29	21	7	-	-
Female.....	1	4	4	8	10	26	56	68	48	24	2	-
White, both sexes.....	1	7	7	9	14	30	70	92	57	28	2	-
Male.....	1	3	3	2	5	8	19	27	18	7	-	-
Female.....	-	4	4	7	9	22	51	65	39	21	2	-
Black, both sexes.....	1	-	-	3	3	7	7	4	9	3	-	-
Male.....	-	-	-	2	2	4	2	2	3	-	-	-
Female.....	1	-	-	1	1	3	5	2	6	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	1	1	1	3	-	-	-
Male.....	-	-	-	2	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Urinary tract infection, site not specified (N39.0)

New Mexico

All races, both sexes.....	1	1	-	2	4	14	10	16	19	5	2	-
Male.....	-	-	-	-	3	3	2	4	6	3	-	-
Female.....	1	1	-	2	1	11	8	12	13	2	2	-
White, both sexes.....	1	1	-	2	4	12	10	16	17	5	1	-
Male.....	-	-	-	-	3	2	2	4	6	3	-	-
Female.....	1	1	-	2	1	10	8	12	11	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	-	2	-	1	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	8	15	21	38	72	136	193	224	205	97	22	-
Male.....	4	8	12	15	26	54	64	62	56	21	3	-
Female.....	4	7	9	23	46	82	129	162	149	76	19	-
White, both sexes.....	5	8	17	29	56	109	159	199	175	84	16	-
Male.....	2	4	9	11	22	45	57	58	51	18	1	-
Female.....	3	4	8	18	34	64	102	141	124	66	15	-
Black, both sexes.....	3	7	4	9	13	23	32	22	24	11	5	-
Male.....	2	4	3	4	4	7	6	3	4	3	1	-
Female.....	1	3	1	5	9	16	26	19	20	8	4	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	-	-	1	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	3	1	3	6	1	1	-
Male.....	-	-	-	-	-	1	-	1	1	-	1	-
Female.....	-	-	-	-	2	2	1	2	5	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Urinary tract infection, site not specified (N39.0)

Ohio

All races, both sexes.....	6	12	15	30	49	67	151	165	113	59	10	-
Male.....	3	2	5	11	25	25	60	61	24	10	3	-
Female.....	3	10	10	19	24	42	91	104	89	49	7	-
White, both sexes.....	3	11	13	27	44	59	134	152	105	56	9	-
Male.....	2	2	4	10	22	21	54	56	22	10	3	-
Female.....	1	9	9	17	22	38	80	96	83	46	6	-
Black, both sexes.....	2	1	2	3	5	8	16	13	8	3	1	-
Male.....	-	-	1	1	3	4	6	5	2	-	-	-
Female.....	2	1	1	2	2	4	10	8	6	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Oklahoma

All races, both sexes.....	6	4	5	4	17	31	55	57	45	13	3	-
Male.....	3	2	1	1	9	13	15	25	12	2	-	-
Female.....	3	2	4	3	8	18	40	32	33	11	3	-
White, both sexes.....	4	4	5	4	12	29	53	50	39	13	2	-
Male.....	2	2	1	1	7	12	14	24	10	2	-	-
Female.....	2	2	4	3	5	17	39	26	29	11	2	-
Black, both sexes.....	1	-	-	-	1	2	-	4	4	-	1	-
Male.....	-	-	-	-	1	1	-	1	2	-	-	-
Female.....	1	-	-	-	-	1	-	3	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	4	-	2	3	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	3	-	1	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	2	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Urinary tract infection, site not specified (N39.0)

Texas

All races, both sexes.....	14	22	20	38	63	136	216	194	161	73	11	-
Male.....	5	8	9	19	27	42	71	51	34	17	2	-
Female.....	9	14	11	19	36	94	145	143	127	56	9	-
White, both sexes.....	12	17	15	28	51	125	195	174	143	67	11	-
Male.....	4	5	7	15	22	36	67	47	32	17	2	-
Female.....	8	12	8	13	29	89	128	127	111	50	9	-
Black, both sexes.....	2	5	4	10	12	11	17	19	17	6	-	-
Male.....	1	3	1	4	5	6	3	4	2	-	-	-
Female.....	1	2	3	6	7	5	14	15	15	6	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	4	-	1	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	3	-	1	-	-	-

Utah

All races, both sexes.....	1	2	3	3	7	14	18	13	18	3	-	-
Male.....	1	1	2	1	3	6	5	8	4	1	-	-
Female.....	-	1	1	2	4	8	13	5	14	2	-	-
White, both sexes.....	1	2	3	3	6	13	17	13	18	3	-	-
Male.....	1	1	2	1	3	6	5	8	4	1	-	-
Female.....	-	1	1	2	3	7	12	5	14	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Urinary tract infection, site not specified (N39.0)

Vermont

All races, both sexes.....	-	-	1	-	-	3	5	5	8	3	1	-
Male.....	-	-	-	-	-	1	1	3	1	-	-	-
Female.....	-	-	1	-	-	3	4	2	7	3	1	-
White, both sexes.....	-	-	1	-	-	3	5	5	8	3	1	-
Male.....	-	-	-	-	-	1	1	3	1	-	-	-
Female.....	-	-	1	-	-	3	4	2	7	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	2	5	6	29	26	55	75	96	83	36	3	-
Male.....	-	5	1	11	9	22	24	25	14	3	-	-
Female.....	2	-	5	18	17	33	51	71	69	33	3	-
White, both sexes.....	1	3	5	21	20	44	63	83	66	29	3	-
Male.....	-	3	1	8	7	17	20	21	12	2	-	-
Female.....	1	-	4	13	13	27	43	62	54	27	3	-
Black, both sexes.....	1	2	1	8	6	11	11	12	17	6	-	-
Male.....	-	2	-	3	2	5	4	4	2	1	-	-
Female.....	1	-	1	5	4	6	7	8	15	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of urinary system (N28-N36,N39.1-N39.9)

Arkansas

All races, both sexes.....	1	1	-	3	1	3	3	4	1	-	-	-
Male.....	-	1	-	2	1	2	2	1	-	-	-	-
Female.....	1	-	-	1	-	1	1	3	1	-	-	-
White, both sexes.....	1	1	-	3	1	3	3	3	1	-	-	-
Male.....	-	1	-	2	1	2	2	1	-	-	-	-
Female.....	1	-	-	1	-	1	1	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4	3	6	3	5	13	19	12	9	4	2	-
Male.....	2	2	5	2	2	8	7	7	6	2	-	-
Female.....	2	1	1	1	3	5	12	5	3	2	2	-
White, both sexes.....	4	1	6	2	4	10	14	11	8	3	2	-
Male.....	2	1	5	1	2	6	5	7	5	2	-	-
Female.....	2	-	1	1	2	4	9	4	3	1	2	-
Black, both sexes.....	-	2	-	-	-	2	2	-	-	-	-	-
Male.....	-	1	-	-	-	1	2	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	3	1	1	1	-	-
Male.....	-	-	-	1	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	3	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of female genital organs (N70-N98)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2	3	-	3	5	1	4	3	4	1	-	-
Male.....
Female.....	2	3	-	3	5	1	4	3	4	1	-	-
White, both sexes.....	2	3	-	3	2	1	4	3	4	1	-	-
Male.....
Female.....	2	3	-	3	2	1	4	3	4	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	3	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	3	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Noninflammatory disorders of female genital tract (N80-N98)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	2	-	2	5	1	1	3	3	1	-	-
Male.....
Female.....	-	2	-	2	5	1	1	3	3	1	-	-
White, both sexes.....	-	2	-	2	2	1	1	3	3	1	-	-
Male.....
Female.....	-	2	-	2	2	1	1	3	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	3	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	3	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XV. Pregnancy, childbirth and the puerperium (000-099)

Arkansas

All races, both sexes.....	9	-	-	1	3	3	1	1	-
Male.....
Female.....	9	-	-	1	3	3	1	1	-
White, both sexes.....	8	-	-	1	3	3	1	-	-
Male.....
Female.....	8	-	-	1	3	3	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-
Male.....
Female.....	1	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	119	-	6	18	23	30	17	14	8
Male.....
Female.....	119	-	6	18	23	30	17	14	8
White, both sexes.....	83	-	6	17	12	22	10	9	4
Male.....
Female.....	83	-	6	17	12	22	10	9	4
Black, both sexes.....	24	-	-	1	8	6	3	4	2
Male.....
Female.....	24	-	-	1	8	6	3	4	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	3	2	3	1	2
Male.....
Female.....	11	-	-	-	3	2	3	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XV. Pregnancy, childbirth and the puerperium (000-099)

Maine

All races, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	19	-	2	3	3	3	7	1	-
Male.....
Female.....	19	-	2	3	3	3	7	1	-
White, both sexes.....	5	-	1	-	1	-	2	1	-
Male.....
Female.....	5	-	1	-	1	-	2	1	-
Black, both sexes.....	13	-	1	3	2	2	5	-	-
Male.....
Female.....	13	-	1	3	2	2	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XV. Pregnancy, childbirth and the puerperium (000-099)

Massachusetts

All races, both sexes.....	6	-	-	1	-	-	4	1	-
Male.....
Female.....	6	-	-	1	-	-	4	1	-
White, both sexes.....	3	-	-	-	-	-	3	-	-
Male.....
Female.....	3	-	-	-	-	-	3	-	-
Black, both sexes.....	3	-	-	1	-	-	1	1	-
Male.....
Female.....	3	-	-	1	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	52	-	2	10	6	10	6	4	7
Male.....
Female.....	52	-	2	10	6	10	6	4	7
White, both sexes.....	28	-	1	4	4	7	4	1	4
Male.....
Female.....	28	-	1	4	4	7	4	1	4
Black, both sexes.....	22	-	1	6	1	3	2	3	3
Male.....
Female.....	22	-	1	6	1	3	2	3	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-
Male.....
Female.....	2	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XV. Pregnancy, childbirth and the puerperium (000-099)

Nebraska

All races, both sexes.....	3	-	-	-	1	2	-	-	-
Male.....
Female.....	3	-	-	-	1	2	-	-	-
White, both sexes.....	2	-	-	-	-	2	-	-	-
Male.....
Female.....	2	-	-	-	-	2	-	-	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	4	-	-	1	-	1	1	1	-
Male.....
Female.....	4	-	-	1	-	1	1	1	-
White, both sexes.....	3	-	-	1	-	1	-	1	-
Male.....
Female.....	3	-	-	1	-	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XV. Pregnancy, childbirth and the puerperium (000-099)

New Hampshire

All races, both sexes.....	3	-	-	2	-	1	-	-	-
Male.....
Female.....	3	-	-	2	-	1	-	-	-
White, both sexes.....	3	-	-	2	-	1	-	-	-
Male.....
Female.....	3	-	-	2	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	23	-	1	3	4	5	2	4	2
Male.....
Female.....	23	-	1	3	4	5	2	4	2
White, both sexes.....	12	-	1	1	-	3	1	3	1
Male.....
Female.....	12	-	1	1	-	3	1	3	1
Black, both sexes.....	10	-	-	2	3	2	1	1	1
Male.....
Female.....	10	-	-	2	3	2	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XV. Pregnancy, childbirth and the puerperium (000-099)

New Mexico

All races, both sexes.....	4	-	-	1	2	-	1	-	-
Male.....
Female.....	4	-	-	1	2	-	1	-	-
White, both sexes.....	3	-	-	1	2	-	-	-	-
Male.....
Female.....	3	-	-	1	2	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	55	-	2	7	9	15	13	7	1
Male.....
Female.....	55	-	2	7	9	15	13	7	1
White, both sexes.....	23	-	-	2	2	11	3	3	1
Male.....
Female.....	23	-	-	2	2	11	3	3	1
Black, both sexes.....	30	-	2	5	7	4	9	3	-
Male.....
Female.....	30	-	2	5	7	4	9	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	1	-
Male.....
Female.....	2	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XV. Pregnancy, childbirth and the puerperium (000-099)

Texas

All races, both sexes.....	70	-	6	14	14	16	9	8	2
Male.....
Female.....	70	-	6	14	14	16	9	8	2
White, both sexes.....	50	-	3	7	10	13	7	8	1
Male.....
Female.....	50	-	3	7	10	13	7	8	1
Black, both sexes.....	19	-	3	7	3	3	2	-	1
Male.....
Female.....	19	-	3	7	3	3	2	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-

Utah

All races, both sexes.....	7	-	-	1	1	2	-	3	-
Male.....
Female.....	7	-	-	1	1	2	-	3	-
White, both sexes.....	5	-	-	-	1	1	-	3	-
Male.....
Female.....	5	-	-	-	1	1	-	3	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-
Male.....
Female.....	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Spontaneous abortion (003)

South Dakota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for South Dakota categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Tennessee

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Tennessee categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other direct obstetric deaths (O10-O92)

Arkansas

All races, both sexes.....	7	-	-	1	2	2	1	1	-
Male.....
Female.....	7	-	-	1	2	2	1	1	-
White, both sexes.....	6	-	-	1	2	2	1	-	-
Male.....
Female.....	6	-	-	1	2	2	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-
Male.....
Female.....	1	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	46	-	4	4	11	10	7	7	3
Male.....
Female.....	46	-	4	4	11	10	7	7	3
White, both sexes.....	31	-	4	4	6	7	5	4	1
Male.....
Female.....	31	-	4	4	6	7	5	4	1
Black, both sexes.....	11	-	-	-	4	2	1	3	1
Male.....
Female.....	11	-	-	-	4	2	1	3	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	1	1	-	1
Male.....
Female.....	4	-	-	-	1	1	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other direct obstetric deaths (O10-O92)

Massachusetts

All races, both sexes.....	5	-	-	1	-	-	3	1	-
Male.....
Female.....	5	-	-	1	-	-	3	1	-
White, both sexes.....	2	-	-	-	-	-	2	-	-
Male.....
Female.....	2	-	-	-	-	-	2	-	-
Black, both sexes.....	3	-	-	1	-	-	1	1	-
Male.....
Female.....	3	-	-	1	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	23	-	-	4	3	3	4	3	4
Male.....
Female.....	23	-	-	4	3	3	4	3	4
White, both sexes.....	10	-	-	-	1	3	3	-	2
Male.....
Female.....	10	-	-	-	1	3	3	-	2
Black, both sexes.....	12	-	-	4	1	-	1	3	2
Male.....
Female.....	12	-	-	4	1	-	1	3	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other direct obstetric deaths (O10-O92)

Nebraska

All races, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	4	-	-	1	-	1	1	1	-
Male.....
Female.....	4	-	-	1	-	1	1	1	-
White, both sexes.....	3	-	-	1	-	1	-	1	-
Male.....
Female.....	3	-	-	1	-	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other direct obstetric deaths (O10-O92)

New Mexico

All races, both sexes.....	2	-	-	-	1	-	1	-	-
Male.....
Female.....	2	-	-	-	1	-	1	-	-
White, both sexes.....	1	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	28	-	1	3	7	7	8	2	-
Male.....
Female.....	28	-	1	3	7	7	8	2	-
White, both sexes.....	9	-	-	1	2	3	2	1	-
Male.....
Female.....	9	-	-	1	2	3	2	1	-
Black, both sexes.....	18	-	1	2	5	4	5	1	-
Male.....
Female.....	18	-	1	2	5	4	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)

Arkansas

All races, both sexes.....	1	-	-	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	-	1	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	5	-	1	-	1	1	1	1	-
Male.....
Female.....	5	-	1	-	1	1	1	1	-
White, both sexes.....	4	-	1	-	1	1	-	1	-
Male.....
Female.....	4	-	1	-	1	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)

Nebraska

All races, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	1	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Complications predominantly related to the puerperium (085-092)

Arkansas

All races, both sexes.....	2	-	-	-	1	-	-	1	-
Male.....
Female.....	2	-	-	-	1	-	-	1	-
White, both sexes.....	1	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-
Male.....
Female.....	1	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	-	-	1	1	2	1	1	-
Male.....
Female.....	6	-	-	1	1	2	1	1	-
White, both sexes.....	4	-	-	1	-	2	1	-	-
Male.....
Female.....	4	-	-	1	-	2	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-
Male.....
Female.....	1	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Complications predominantly related to the puerperium (085-092)

Massachusetts

All races, both sexes.....	2	-	-	1	-	-	-	1	-
Male.....
Female.....	2	-	-	1	-	-	-	1	-
White, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	1	-	-	-	1	-
Male.....
Female.....	2	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	4	-	-	-	1	1	2	-	-
Male.....
Female.....	4	-	-	-	1	1	2	-	-
White, both sexes.....	3	-	-	-	-	1	2	-	-
Male.....
Female.....	3	-	-	-	-	1	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Obstetric embolism (088)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Obstetric embolism (O88)

Massachusetts

All races, both sexes.....	1	-	-	-	-	-	-	1	-
Male.....
Female.....	1	-	-	-	-	-	-	1	-
White, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-
Male.....
Female.....	1	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	2	-	-	-	1	-	1	-	-
Male.....
Female.....	2	-	-	-	1	-	1	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other direct obstetric causes (010,012,021-043,047-066,068-071,073-075)

Arkansas

All races, both sexes.....	3	-	-	1	1	-	1	-	-
Male.....
Female.....	3	-	-	1	1	-	1	-	-
White, both sexes.....	3	-	-	1	1	-	1	-	-
Male.....
Female.....	3	-	-	1	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	27	-	2	2	7	6	5	2	3
Male.....
Female.....	27	-	2	2	7	6	5	2	3
White, both sexes.....	17	-	2	2	4	3	4	1	1
Male.....
Female.....	17	-	2	2	4	3	4	1	1
Black, both sexes.....	8	-	-	-	3	2	1	1	1
Male.....
Female.....	8	-	-	-	3	2	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	1
Male.....
Female.....	2	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other direct obstetric causes (010,012,021-043,047-066,068-071,073-075)

New Mexico

All races, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	18	-	1	2	4	5	5	1	-
Male.....
Female.....	18	-	1	2	4	5	5	1	-
White, both sexes.....	5	-	-	-	2	1	1	1	-
Male.....
Female.....	5	-	-	-	2	1	1	1	-
Black, both sexes.....	12	-	1	2	2	4	3	-	-
Male.....
Female.....	12	-	1	2	2	4	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other deaths related to pregnancy, childbirth and the puerperium (096-097)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	42	-	1	8	8	12	5	4	3
Male.....
Female.....	42	-	1	8	8	12	5	4	3
White, both sexes.....	30	-	1	7	3	10	3	3	2
Male.....
Female.....	30	-	1	7	3	10	3	3	2
Black, both sexes.....	7	-	-	1	4	1	-	1	-
Male.....
Female.....	7	-	-	1	4	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	1	2	-	1
Male.....
Female.....	5	-	-	-	1	1	2	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Indirect obstetric deaths (O98-O99)

Arkansas

All races, both sexes.....	2	-	-	-	1	1	-	-	-
Male.....
Female.....	2	-	-	-	1	1	-	-	-
White, both sexes.....	2	-	-	-	1	1	-	-	-
Male.....
Female.....	2	-	-	-	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	18	-	-	4	4	5	2	2	1
Male.....
Female.....	18	-	-	4	4	5	2	2	1
White, both sexes.....	11	-	-	4	3	3	-	1	-
Male.....
Female.....	11	-	-	4	3	3	-	1	-
Black, both sexes.....	4	-	-	-	-	2	1	-	1
Male.....
Female.....	4	-	-	-	-	2	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	1	-
Male.....
Female.....	2	-	-	-	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Indirect obstetric deaths (O98-O99)

Maine

All races, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	3	-	1	-	-	1	1	-	-
Male.....
Female.....	3	-	1	-	-	1	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	1	-	-	-	1	-	-
Male.....
Female.....	2	-	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Indirect obstetric deaths (O98-O99)

New Hampshire

All races, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	6	-	-	1	1	-	1	1	1
Male.....
Female.....	6	-	-	1	1	-	1	1	1
White, both sexes.....	2	-	-	-	-	-	-	1	-
Male.....
Female.....	2	-	-	-	-	-	-	1	-
Black, both sexes.....	3	-	-	1	-	-	1	-	1
Male.....
Female.....	3	-	-	1	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Indirect obstetric deaths (O98-O99)

Texas

All races, both sexes.....	13	-	-	4	3	1	-	4	-
Male.....
Female.....	13	-	-	4	3	1	-	4	-
White, both sexes.....	11	-	-	3	2	1	-	4	-
Male.....
Female.....	11	-	-	3	2	1	-	4	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-
Male.....
Female.....	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-

Utah

All races, both sexes.....	1	-	-	1	-	-	-	-	-
Male.....
Female.....	1	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-
Male.....
Female.....	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVI. Certain conditions originating in the perinatal period (P00-P96)

Arkansas

All races, both sexes.....	139	139	-	-	-	-	-	-	-	-	-	-
Male.....	86	86	-	-	-	-	-	-	-	-	-	-
Female.....	53	53	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	77	77	-	-	-	-	-	-	-	-	-	-
Male.....	44	44	-	-	-	-	-	-	-	-	-	-
Female.....	33	33	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	61	61	-	-	-	-	-	-	-	-	-	-
Male.....	41	41	-	-	-	-	-	-	-	-	-	-
Female.....	20	20	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,512	1,494	6	1	2	5	-	1	-	-	1	1
Male.....	840	830	2	-	1	4	-	-	-	-	1	1
Female.....	672	664	4	1	1	1	-	1	-	-	-	-
White, both sexes.....	1,135	1,120	5	1	1	5	-	-	-	-	1	1
Male.....	620	610	2	-	1	4	-	-	-	-	1	1
Female.....	515	510	3	1	-	1	-	-	-	-	-	-
Black, both sexes.....	241	240	1	-	-	-	-	-	-	-	-	-
Male.....	141	141	-	-	-	-	-	-	-	-	-	-
Female.....	100	99	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	11	11	-	-	-	-	-	-	-	-	-	-
Male.....	6	6	-	-	-	-	-	-	-	-	-	-
Female.....	5	5	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	125	123	-	-	1	-	-	1	-	-	-	-
Male.....	73	73	-	-	-	-	-	-	-	-	-	-
Female.....	52	50	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)

Arkansas

All races, both sexes.....	26	26	-	-	-	-	-	-	-	-	-	-
Male.....	14	14	-	-	-	-	-	-	-	-	-	-
Female.....	12	12	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	17	17	-	-	-	-	-	-	-	-	-	-
Male.....	7	7	-	-	-	-	-	-	-	-	-	-
Female.....	10	10	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	9	9	-	-	-	-	-	-	-	-	-	-
Male.....	7	7	-	-	-	-	-	-	-	-	-	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	312	306	3	-	1	2	-	-	-	-	-	-
Male.....	165	163	-	-	-	2	-	-	-	-	-	-
Female.....	147	143	3	-	1	-	-	-	-	-	-	-
White, both sexes.....	251	246	3	-	-	2	-	-	-	-	-	-
Male.....	136	134	-	-	-	2	-	-	-	-	-	-
Female.....	115	112	3	-	-	-	-	-	-	-	-	-
Black, both sexes.....	41	41	-	-	-	-	-	-	-	-	-	-
Male.....	19	19	-	-	-	-	-	-	-	-	-	-
Female.....	22	22	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	18	-	-	1	-	-	-	-	-	-	-
Male.....	10	10	-	-	-	-	-	-	-	-	-	-
Female.....	9	8	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Intrauterine hypoxia and birth asphyxia (P20-P21)

Delaware

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Intrauterine hypoxia and birth asphyxia (P20-P21)

Oregon

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Pennsylvania

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Infections specific to the perinatal period (P35-P39)

Arkansas

All races, both sexes.....	7	7	-	-	-	-	-	-	-	-	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-
Female.....	5	5	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	5	5	-	-	-	-	-	-	-	-	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-
Female.....	3	3	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	91	86	-	-	-	3	-	1	-	-	1	-
Male.....	48	45	-	-	-	2	-	-	-	-	1	-
Female.....	43	41	-	-	-	1	-	1	-	-	-	-
White, both sexes.....	72	68	-	-	-	3	-	-	-	-	1	-
Male.....	36	33	-	-	-	2	-	-	-	-	1	-
Female.....	36	35	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	9	9	-	-	-	-	-	-	-	-	-	-
Male.....	7	7	-	-	-	-	-	-	-	-	-	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	8	-	-	-	-	-	1	-	-	-	-
Male.....	5	5	-	-	-	-	-	-	-	-	-	-
Female.....	4	3	-	-	-	-	-	1	-	-	-	-

