





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Arkansas

All races, both sexes.....	105	64	1	3	3	2	2	-	3	5	2	2
Male.....	46	34	-	-	-	2	2	-	2	3	-	-
Female.....	59	30	1	3	3	-	-	-	1	2	2	2
White, both sexes.....	81	45	1	3	3	2	2	-	3	4	2	2
Male.....	35	24	-	-	-	2	2	-	2	2	-	-
Female.....	46	21	1	3	3	-	-	-	1	2	2	2
Black, both sexes.....	21	16	-	-	-	-	-	-	-	1	-	-
Male.....	10	9	-	-	-	-	-	-	-	1	-	-
Female.....	11	7	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,304	722	66	27	31	31	30	32	22	31	37	40
Male.....	682	372	36	13	14	15	23	21	10	17	21	27
Female.....	622	350	30	14	17	16	7	11	12	14	16	13
White, both sexes.....	1,086	600	52	22	26	24	25	28	15	26	32	34
Male.....	567	314	28	10	10	12	19	18	7	13	19	22
Female.....	519	286	24	12	16	12	6	10	8	13	13	12
Black, both sexes.....	113	55	8	4	2	5	4	2	4	3	5	3
Male.....	61	25	4	3	2	2	4	1	1	2	2	3
Female.....	52	30	4	1	-	3	-	1	3	1	3	-
American Indian 1/, both sexes.....	4	2	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	101	65	6	1	3	2	1	2	3	2	-	3
Male.....	53	32	4	-	2	1	-	2	2	2	-	2
Female.....	48	33	2	1	1	1	1	-	1	-	-	1































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

New Mexico

All races, both sexes.....	74	40	6	2	1	1	2	1	3	1	3	2
Male.....	38	22	4	-	1	1	2	-	2	1	1	-
Female.....	36	18	2	2	-	-	-	1	1	-	2	2
White, both sexes.....	54	25	5	2	1	1	2	-	3	1	2	1
Male.....	29	15	3	-	1	1	2	-	2	1	1	-
Female.....	25	10	2	2	-	-	-	1	-	-	1	1
Black, both sexes.....	3	2	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	16	12	1	-	-	-	-	1	-	-	1	1
Male.....	7	6	1	-	-	-	-	-	-	-	-	-
Female.....	9	6	-	-	-	-	-	1	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	561	277	24	14	15	12	14	5	15	18	15	17
Male.....	285	145	14	8	8	6	7	2	8	7	10	10
Female.....	276	132	10	6	7	6	7	3	7	11	5	7
White, both sexes.....	439	201	20	12	13	9	10	4	13	15	11	12
Male.....	219	105	12	6	7	5	3	1	7	7	7	7
Female.....	220	96	8	6	6	4	7	3	6	8	4	5
Black, both sexes.....	104	65	4	2	2	3	3	1	1	3	4	4
Male.....	57	34	2	2	1	1	3	1	1	-	3	2
Female.....	47	31	2	-	1	2	-	-	-	3	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	11	-	-	-	-	1	-	1	-	-	1
Male.....	9	6	-	-	-	-	1	-	-	-	-	1
Female.....	9	5	-	-	-	-	-	-	1	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Oregon

All races, both sexes.....	151	62	11	1	5	5	2	5	3	2	3	11
Male.....	81	37	3	-	2	3	1	4	2	1	2	9
Female.....	70	25	8	1	3	2	1	1	1	1	1	2
White, both sexes.....	141	54	11	1	5	5	2	5	2	2	3	11
Male.....	73	31	3	-	2	3	1	4	1	1	2	9
Female.....	68	23	8	1	3	2	1	1	1	1	1	2
Black, both sexes.....	5	4	-	-	-	-	-	-	-	-	-	-
Male.....	4	3	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	-	-	-	-	-	-	1	-	-	-
Male.....	3	2	-	-	-	-	-	-	1	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	403	177	12	7	8	6	12	6	13	13	14	20
Male.....	199	95	3	3	4	4	6	4	8	7	6	9
Female.....	204	82	9	4	4	2	6	2	5	6	8	11
White, both sexes.....	343	145	11	6	6	4	10	3	12	11	11	18
Male.....	175	84	3	2	3	3	5	3	8	6	4	9
Female.....	168	61	8	4	3	1	5	-	4	5	7	9
Black, both sexes.....	56	31	1	1	2	1	2	2	1	2	3	2
Male.....	23	11	-	1	1	1	1	1	1	1	2	-
Female.....	33	20	1	-	1	-	1	1	1	1	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	1	-	-	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Arkansas

All races, both sexes.....	6	3	1	1	2	-	2	2	-	1	-	-
Male.....	-	1	-	-	2	-	-	-	-	-	-	-
Female.....	6	2	1	1	-	-	2	2	-	1	-	-
White, both sexes.....	5	3	1	-	2	-	2	-	-	1	-	-
Male.....	-	1	-	-	2	-	-	-	-	-	-	-
Female.....	5	2	1	-	-	-	2	-	-	1	-	-
Black, both sexes.....	1	-	-	1	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	41	33	28	20	25	27	31	23	7	-	-	-
Male.....	21	17	15	11	14	13	10	11	1	-	-	-
Female.....	20	16	13	9	11	14	21	12	6	-	-	-
White, both sexes.....	36	30	23	18	19	23	25	22	6	-	-	-
Male.....	17	15	13	9	10	12	8	10	1	-	-	-
Female.....	19	15	10	9	9	11	17	12	5	-	-	-
Black, both sexes.....	3	2	2	2	4	1	3	1	-	-	-	-
Male.....	2	2	1	2	3	-	1	1	-	-	-	-
Female.....	1	-	1	-	1	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	-	2	3	2	-	1	-	-	-
Male.....	2	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	1	1	-	1	2	1	-	1	-	-	-







































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Rhode Island

All races, both sexes.....	1	1	2	-	2	2	5	2	1	1	-	-
Male.....	-	1	-	-	1	1	2	1	-	1	-	-
Female.....	1	-	2	-	1	1	3	1	1	-	-	-
White, both sexes.....	1	-	2	-	2	2	5	2	1	1	-	-
Male.....	-	-	-	-	1	1	2	1	-	1	-	-
Female.....	1	-	2	-	1	1	3	1	1	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	3	5	2	3	6	-	2	4	2	2	-	-
Male.....	2	4	2	3	3	-	1	1	1	-	-	-
Female.....	1	1	-	-	3	-	1	3	1	2	-	-
White, both sexes.....	3	4	2	1	3	-	1	4	2	2	-	-
Male.....	2	3	2	1	2	-	-	1	1	-	-	-
Female.....	1	1	-	-	1	-	1	3	1	2	-	-
Black, both sexes.....	-	1	-	2	2	-	1	-	-	-	-	-
Male.....	-	1	-	2	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-







































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Spina bifida (Q05)												
Arkansas												
All races, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	12	1	-	-	1	-	3	-	-	3	1	1
Male.....	7	1	-	-	-	-	2	-	-	1	1	-
Female.....	5	-	-	-	1	-	1	-	-	2	-	1
White, both sexes.....	10	-	-	-	1	-	2	-	-	3	1	1
Male.....	6	-	-	-	-	-	2	-	-	1	1	-
Female.....	4	-	-	-	1	-	-	-	-	2	-	1
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Spina bifida (Q05)

Colorado

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Colorado (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Connecticut

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Connecticut (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Spina bifida (Q05)

Hawaii

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Hawaii (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Idaho

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Idaho (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Spina bifida (Q05)

Nebraska

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Nebraska: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Nevada

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Nevada: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)

Oregon

All races, both sexes.....	10	5	1	1	1	-	-	-	-	-	-	-
Male.....	4	3	-	-	-	-	-	-	-	-	-	-
Female.....	6	2	1	1	1	-	-	-	-	-	-	-
White, both sexes.....	10	5	1	1	1	-	-	-	-	-	-	-
Male.....	4	3	-	-	-	-	-	-	-	-	-	-
Female.....	6	2	1	1	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	26	8	4	3	2	1	3	-	-	1	-	-
Male.....	8	4	-	1	1	-	1	-	-	-	-	-
Female.....	18	4	4	2	1	1	2	-	-	1	-	-
White, both sexes.....	19	5	3	2	1	-	3	-	-	1	-	-
Male.....	6	3	-	-	1	-	1	-	-	-	-	-
Female.....	13	2	3	2	-	-	2	-	-	1	-	-
Black, both sexes.....	6	3	1	1	1	-	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-
Female.....	4	2	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-















































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Congenital malformations of heart (Q20-Q24)												
Arkansas												
All races, both sexes.....	34	20	-	2	-	-	-	-	2	2	1	1
Male.....	16	12	-	-	-	-	-	-	1	2	-	-
Female.....	18	8	-	2	-	-	-	-	1	-	1	1
White, both sexes.....	26	14	-	2	-	-	-	-	2	2	1	1
Male.....	12	8	-	-	-	-	-	-	1	2	-	-
Female.....	14	6	-	2	-	-	-	-	1	-	1	1
Black, both sexes.....	8	6	-	-	-	-	-	-	-	-	-	-
Male.....	4	4	-	-	-	-	-	-	-	-	-	-
Female.....	4	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	416	210	23	12	13	19	8	15	11	13	16	12
Male.....	205	108	13	5	8	9	8	10	3	10	9	5
Female.....	211	102	10	7	5	10	-	5	8	3	7	7
White, both sexes.....	343	178	19	10	10	14	5	12	6	11	14	10
Male.....	169	92	11	4	6	7	5	7	2	8	8	4
Female.....	174	86	8	6	4	7	-	5	4	3	6	6
Black, both sexes.....	32	11	2	2	1	3	3	1	4	-	2	1
Male.....	18	6	1	1	1	1	3	1	1	-	1	1
Female.....	14	5	1	1	-	2	-	-	3	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	40	21	2	-	2	2	-	2	1	2	-	1
Male.....	18	10	1	-	1	1	-	2	-	2	-	-
Female.....	22	11	1	-	1	1	-	-	1	-	-	1































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Congenital malformations of heart (Q20-Q24)												
New Mexico												
All races, both sexes.....	30	14	1	1	1	-	2	1	1	1	2	2
Male.....	15	9	1	-	1	-	2	-	1	1	-	-
Female.....	15	5	-	1	-	-	-	1	-	-	2	2
White, both sexes.....	22	9	1	1	1	-	2	-	1	1	1	1
Male.....	11	5	1	-	1	-	2	-	1	1	-	-
Female.....	11	4	-	1	-	-	-	-	-	-	1	1
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	4	-	-	-	-	-	1	-	-	1	1
Male.....	3	3	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	-	-	1	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	198	94	11	4	4	6	7	-	10	6	7	6
Male.....	95	44	9	2	2	4	5	-	4	2	5	3
Female.....	103	50	2	2	2	2	2	-	6	4	2	3
White, both sexes.....	151	59	8	4	3	6	4	-	9	6	7	6
Male.....	69	25	7	2	1	4	2	-	4	2	5	3
Female.....	82	34	1	2	2	2	2	-	5	4	2	3
Black, both sexes.....	38	28	3	-	1	-	3	-	-	-	-	-
Male.....	21	15	2	-	1	-	3	-	-	-	-	-
Female.....	17	13	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	7	-	-	-	-	-	-	1	-	-	-
Male.....	5	4	-	-	-	-	-	-	-	-	-	-
Female.....	4	3	-	-	-	-	-	-	1	-	-	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Congenital malformations of heart (Q20-Q24)

Arkansas

All races, both sexes.....	2	1	-	-	1	-	-	1	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	1	-	1	-	-
White, both sexes.....	1	1	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	10	7	5	5	7	8	13	7	2	-	-	-
Male.....	2	3	-	1	2	3	3	3	-	-	-	-
Female.....	8	4	5	4	5	5	10	4	2	-	-	-
White, both sexes.....	10	6	4	5	5	7	9	7	1	-	-	-
Male.....	2	3	-	1	1	3	2	3	-	-	-	-
Female.....	8	3	4	4	4	4	7	4	1	-	-	-
Black, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	1	1	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	1	-	1	1	1	-	1	-	-	-







































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Congenital malformations of heart (Q20-Q24)

Rhode Island

All races, both sexes.....	-	-	-	-	-	1	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	1	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	1	2	-	-	1	-	-	2	-	-	-	-
Male.....	1	2	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
White, both sexes.....	1	2	-	-	-	-	-	2	-	-	-	-
Male.....	1	2	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other congenital malformations of circulatory system (Q25-Q28)

Oregon

All races, both sexes.....	17	-	-	-	-	-	-	-	1	-	-	2
Male.....	6	-	-	-	-	-	-	-	1	-	-	2
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	16	-	-	-	-	-	-	-	1	-	-	2
Male.....	5	-	-	-	-	-	-	-	1	-	-	2
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	40	6	1	2	1	-	-	1	2	1	2	4
Male.....	18	2	-	1	1	-	-	-	-	1	-	1
Female.....	22	4	1	1	-	-	-	1	2	-	2	3
White, both sexes.....	30	4	1	2	-	-	-	-	1	1	1	3
Male.....	15	2	-	1	-	-	-	-	-	1	-	1
Female.....	15	2	1	1	-	-	-	1	-	-	1	2
Black, both sexes.....	9	2	-	-	1	-	-	-	1	-	1	1
Male.....	3	-	-	-	1	-	-	-	-	-	-	-
Female.....	6	2	-	-	-	-	-	-	1	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other congenital malformations of circulatory system (Q25-Q28)

Arkansas

All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	8	5	6	6	14	6	5	3	-	-	-
Male.....	5	5	3	5	5	6	3	3	-	-	-	-
Female.....	2	3	2	1	1	8	3	2	3	-	-	-
White, both sexes.....	4	7	3	5	4	11	5	5	3	-	-	-
Male.....	2	4	1	4	3	5	2	3	-	-	-	-
Female.....	2	3	2	1	1	6	3	2	3	-	-	-
Black, both sexes.....	2	1	1	1	1	1	1	-	-	-	-	-
Male.....	2	1	1	1	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	2	-	-	-	-	-	-
Male.....	1	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-













































































































































































































































































































































































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Arkansas

All races, both sexes.....	313	43	1	-	-	2	6	3	6	10	4	15
Male.....	153	24	1	-	-	2	4	2	4	5	3	7
Female.....	160	19	-	-	-	-	2	1	2	5	1	8
White, both sexes.....	259	30	1	-	-	-	4	2	5	8	3	8
Male.....	124	18	1	-	-	-	3	1	4	3	3	3
Female.....	135	12	-	-	-	-	1	1	1	5	-	5
Black, both sexes.....	53	12	-	-	-	2	2	1	1	2	1	7
Male.....	29	6	-	-	-	2	1	1	-	2	-	4
Female.....	24	6	-	-	-	-	1	-	1	-	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,130	291	20	7	2	18	31	50	58	61	88	76
Male.....	641	167	12	4	1	11	20	39	40	43	51	46
Female.....	489	124	8	3	1	7	11	11	18	18	37	30
White, both sexes.....	901	210	15	3	1	13	22	40	47	44	72	66
Male.....	497	121	9	1	1	7	16	31	31	29	41	37
Female.....	404	89	6	2	-	6	6	9	16	15	31	29
Black, both sexes.....	152	58	-	3	-	4	5	6	8	12	12	7
Male.....	94	34	-	2	-	3	1	4	7	10	8	6
Female.....	58	24	-	1	-	1	4	2	1	2	4	1
American Indian 1/, both sexes.....	11	2	2	-	-	-	1	1	1	1	1	1
Male.....	6	-	1	-	-	-	1	1	-	-	1	1
Female.....	5	2	1	-	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	66	21	3	1	1	1	3	3	2	4	3	2
Male.....	44	12	2	1	-	1	2	3	2	4	1	2
Female.....	22	9	1	-	1	-	1	-	-	-	2	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Nebraska

All races, both sexes.....	495	23	1	1	1	2	1	2	5	6	12	7
Male.....	251	15	1	1	1	1	-	2	3	5	10	4
Female.....	244	8	-	-	-	1	1	-	2	1	2	3
White, both sexes.....	463	17	1	1	-	2	1	1	4	6	10	6
Male.....	229	11	1	1	-	1	-	1	2	5	8	3
Female.....	234	6	-	-	-	1	1	-	2	1	2	3
Black, both sexes.....	24	3	-	-	1	-	-	1	1	-	2	1
Male.....	15	1	-	-	1	-	-	1	1	-	2	1
Female.....	9	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	3	-	-	-	-	-	-	-	-	-	-
Male.....	7	3	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	249	23	1	-	1	4	2	7	4	8	14	10
Male.....	106	13	1	-	1	3	2	6	3	4	8	5
Female.....	143	10	-	-	-	1	-	1	1	4	6	5
White, both sexes.....	214	14	1	-	-	4	1	6	3	6	11	9
Male.....	86	6	1	-	-	3	1	5	2	3	6	5
Female.....	128	8	-	-	-	1	-	1	1	3	5	4
Black, both sexes.....	27	8	-	-	-	-	1	1	1	1	3	1
Male.....	16	6	-	-	-	-	1	1	1	1	2	-
Female.....	11	2	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	-	-	1	-	-	-	-	1	-	-
Male.....	4	1	-	-	1	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

New Hampshire

All races, both sexes.....	48	9	1	-	-	-	-	1	4	3	5	3
Male.....	27	8	1	-	-	-	-	-	4	1	3	-
Female.....	21	1	-	-	-	-	-	1	-	2	2	3
White, both sexes.....	48	9	1	-	-	-	-	1	4	3	5	3
Male.....	27	8	1	-	-	-	-	-	4	1	3	-
Female.....	21	1	-	-	-	-	-	1	-	2	2	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	583	58	4	-	3	5	9	5	16	22	27	23
Male.....	265	36	2	-	1	2	6	3	10	12	16	13
Female.....	318	22	2	-	2	3	3	2	6	10	11	10
White, both sexes.....	485	32	1	-	3	3	8	3	12	15	21	19
Male.....	211	17	-	-	1	1	6	2	8	8	14	10
Female.....	274	15	1	-	2	2	2	1	4	7	7	9
Black, both sexes.....	88	25	2	-	-	2	-	2	4	7	5	4
Male.....	51	19	1	-	-	1	-	1	2	4	2	3
Female.....	37	6	1	-	-	1	-	1	2	3	3	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	1	-	-	-	1	-	-	-	1	-
Male.....	3	-	1	-	-	-	-	-	-	-	-	-
Female.....	7	1	-	-	-	-	1	-	-	-	1	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

New Mexico

All races, both sexes.....	168	22	3	-	1	2	3	2	4	2	7	9
Male.....	66	12	3	-	1	1	1	2	4	-	2	2
Female.....	102	10	-	-	-	1	2	-	-	2	5	7
White, both sexes.....	143	14	3	-	1	1	3	1	1	1	7	8
Male.....	52	8	3	-	1	-	1	1	1	-	2	2
Female.....	91	6	-	-	-	1	2	-	-	1	5	6
Black, both sexes.....	4	3	-	-	-	-	-	-	-	-	-	-
Male.....	3	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	20	5	-	-	-	1	-	1	3	1	-	1
Male.....	11	2	-	-	-	1	-	1	3	-	-	-
Female.....	9	3	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	2,444	162	33	10	13	34	82	90	135	192	271	263
Male.....	1,460	95	19	5	9	22	63	65	96	137	178	185
Female.....	984	67	14	5	4	12	19	25	39	55	93	78
White, both sexes.....	1,948	102	23	6	7	29	66	73	108	161	205	201
Male.....	1,170	64	12	4	6	20	55	54	79	114	135	142
Female.....	778	38	11	2	1	9	11	19	29	47	70	59
Black, both sexes.....	446	54	7	4	6	4	14	14	23	27	61	59
Male.....	260	28	5	1	3	2	7	9	14	19	40	40
Female.....	186	26	2	3	3	2	7	5	9	8	21	19
American Indian 1/, both sexes.....	6	2	-	-	-	-	-	-	-	1	1	-
Male.....	2	1	-	-	-	-	-	-	-	1	-	-
Female.....	4	1	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	44	4	3	-	-	1	2	3	4	3	4	3
Male.....	28	2	2	-	-	-	1	2	3	3	3	3
Female.....	16	2	1	-	-	1	1	1	1	-	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Oregon

All races, both sexes.....	513	36	1	-	-	2	2	7	6	3	10	10
Male.....	243	15	-	-	-	1	1	4	4	1	5	5
Female.....	270	21	1	-	-	1	1	3	2	2	5	5
White, both sexes.....	487	30	1	-	-	2	1	6	6	3	9	10
Male.....	229	13	-	-	-	1	-	3	4	1	4	5
Female.....	258	17	1	-	-	1	1	3	2	2	5	5
Black, both sexes.....	8	3	-	-	-	-	-	-	-	-	-	-
Male.....	3	1	-	-	-	-	-	-	-	-	-	-
Female.....	5	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	11	3	-	-	-	-	1	-	-	-	1	-
Male.....	6	1	-	-	-	-	1	-	-	-	1	-
Female.....	5	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	1	-	-	-	-
Male.....	5	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	2,403	133	14	5	13	25	34	55	60	101	151	120
Male.....	1,231	86	12	3	9	15	27	38	44	68	96	84
Female.....	1,172	47	2	2	4	10	7	17	16	33	55	36
White, both sexes.....	2,066	75	10	2	7	23	31	41	47	83	125	96
Male.....	1,046	49	9	1	5	14	25	31	34	57	84	68
Female.....	1,020	26	1	1	2	9	6	10	13	26	41	28
Black, both sexes.....	326	57	4	2	6	2	3	13	12	17	26	24
Male.....	178	36	3	2	4	1	2	7	9	10	12	16
Female.....	148	21	1	-	2	1	1	6	3	7	14	8
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	-	-	-	-	-	1	1	1	-	-
Male.....	7	1	-	-	-	-	-	-	1	1	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Rhode Island

All races, both sexes.....	48	5	-	1	-	-	-	-	2	3	6	3
Male.....	16	3	-	1	-	-	-	-	1	1	1	2
Female.....	32	2	-	-	-	-	-	-	1	2	5	1
White, both sexes.....	44	4	-	-	-	-	-	-	2	3	6	2
Male.....	14	3	-	-	-	-	-	-	1	1	1	1
Female.....	30	1	-	-	-	-	-	-	1	2	5	1
Black, both sexes.....	4	1	-	1	-	-	-	-	-	-	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	1
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	736	64	10	1	1	6	13	22	30	45	54	60
Male.....	384	38	8	1	-	3	10	10	17	31	39	38
Female.....	352	26	2	-	1	3	3	12	13	14	15	22
White, both sexes.....	483	30	2	-	-	3	6	16	20	34	40	39
Male.....	247	18	1	-	-	2	5	8	12	24	28	23
Female.....	236	12	1	-	-	1	1	8	8	10	12	16
Black, both sexes.....	252	34	8	1	-	3	7	6	10	11	14	21
Male.....	137	20	7	1	-	1	5	2	5	7	11	15
Female.....	115	14	1	-	-	2	2	4	5	4	3	6
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

United States

All races, both sexes.....	1,304	1,042	960	995	1,403	2,103	2,833	3,350	3,406	1,944	854	109
Male.....	828	652	621	563	761	1,010	1,218	1,103	857	379	100	77
Female.....	476	390	339	432	642	1,093	1,615	2,247	2,549	1,565	754	32
White, both sexes.....	954	815	783	806	1,212	1,844	2,556	3,077	3,153	1,801	755	83
Male.....	602	507	509	458	659	871	1,094	1,025	792	347	77	58
Female.....	352	308	274	348	553	973	1,462	2,052	2,361	1,454	678	25
Black, both sexes.....	329	205	157	168	172	230	248	237	214	121	88	21
Male.....	213	131	101	92	93	124	114	67	53	28	21	14
Female.....	116	74	56	76	79	106	134	170	161	93	67	7
American Indian 1/, both sexes.....	11	8	13	8	11	7	6	4	10	7	3	3
Male.....	5	4	8	5	6	4	2	1	1	1	-	3
Female.....	6	4	5	3	5	3	4	3	9	6	3	-
Asian or Pacific Islander 2/, both sexes.....	10	14	7	13	8	22	23	32	29	15	8	2
Male.....	8	10	3	8	3	11	8	10	11	3	2	2
Female.....	2	4	4	5	5	11	15	22	18	12	6	-

Alabama

All races, both sexes.....	54	50	47	68	69	94	126	133	121	64	26	-
Male.....	29	30	36	36	40	40	59	39	32	12	3	-
Female.....	25	20	11	32	29	54	67	94	89	52	23	-
White, both sexes.....	36	26	33	40	46	63	93	99	88	47	11	-
Male.....	20	15	26	21	26	28	41	30	24	8	-	-
Female.....	16	11	7	19	20	35	52	69	64	39	11	-
Black, both sexes.....	18	24	14	26	22	31	33	34	33	17	15	-
Male.....	9	15	10	15	14	12	18	9	8	4	3	-
Female.....	9	9	4	11	8	19	15	25	25	13	12	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Arkansas

All races, both sexes.....	14	15	19	10	16	23	30	36	27	24	9	-
Male.....	11	9	13	6	10	9	18	11	9	4	1	-
Female.....	3	6	6	4	6	14	12	25	18	20	8	-
White, both sexes.....	10	14	18	10	14	22	26	31	23	23	7	-
Male.....	9	9	12	6	9	9	14	10	7	3	-	-
Female.....	1	5	6	4	5	13	12	21	16	20	7	-
Black, both sexes.....	4	1	1	-	2	1	4	5	4	1	2	-
Male.....	2	-	1	-	1	-	4	1	2	1	1	-
Female.....	2	1	-	-	1	1	-	4	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	92	64	33	28	25	32	43	39	28	7	9	28
Male.....	48	32	20	14	13	14	17	13	11	1	3	21
Female.....	44	32	13	14	12	18	26	26	17	6	6	7
White, both sexes.....	78	55	25	23	23	25	39	35	24	7	8	26
Male.....	40	27	15	11	11	9	17	11	9	1	2	20
Female.....	38	28	10	12	12	16	22	24	15	6	6	6
Black, both sexes.....	12	4	7	-	2	4	2	2	2	-	1	1
Male.....	6	-	5	-	2	3	-	1	1	-	1	-
Female.....	6	4	2	-	-	1	2	1	1	-	-	1
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	1	5	-	3	2	2	2	-	-	1
Male.....	2	4	-	3	-	2	-	1	1	-	-	1
Female.....	-	-	1	2	-	1	2	1	1	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Florida

All races, both sexes.....	77	76	60	95	169	326	471	656	660	354	133	18
Male.....	54	38	38	53	86	151	198	238	196	86	25	9
Female.....	23	38	22	42	83	175	273	418	464	268	108	9
White, both sexes.....	64	62	53	81	153	303	449	624	638	337	126	17
Male.....	42	30	34	46	75	135	187	226	190	83	23	8
Female.....	22	32	19	35	78	168	262	398	448	254	103	9
Black, both sexes.....	13	14	7	13	16	21	21	30	21	16	7	1
Male.....	12	8	4	6	11	16	10	11	5	3	2	1
Female.....	1	6	3	7	5	5	11	19	16	13	5	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	2	1	1	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	2	-	1	-	1	-	-

Georgia

All races, both sexes.....	39	23	23	32	46	100	139	174	178	76	37	1
Male.....	26	12	12	16	20	44	48	40	39	12	6	-
Female.....	13	11	11	16	26	56	91	134	139	64	31	1
White, both sexes.....	19	16	14	21	37	77	114	145	151	67	30	-
Male.....	13	8	7	11	19	30	37	34	34	11	4	-
Female.....	6	8	7	10	18	47	77	111	117	56	26	-
Black, both sexes.....	20	7	9	11	9	21	25	29	27	9	7	1
Male.....	13	4	5	5	1	13	11	6	5	1	2	-
Female.....	7	3	4	6	8	8	14	23	22	8	5	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Iowa

All races, both sexes.....	-	-	4	8	7	16	23	41	40	36	34	-
Male.....	-	-	-	5	5	7	6	11	8	6	5	-
Female.....	-	-	4	3	2	9	17	30	32	30	29	-
White, both sexes.....	-	-	4	8	7	15	23	41	40	35	34	-
Male.....	-	-	-	5	5	6	6	11	8	6	5	-
Female.....	-	-	4	3	2	9	17	30	32	29	29	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Kansas

All races, both sexes.....	11	18	19	11	17	29	34	43	57	34	18	-
Male.....	9	11	10	7	10	14	14	17	13	6	-	-
Female.....	2	7	9	4	7	15	20	26	44	28	18	-
White, both sexes.....	5	17	17	9	16	25	30	38	54	34	18	-
Male.....	5	11	9	7	10	14	14	16	12	6	-	-
Female.....	-	6	8	2	6	11	16	22	42	28	18	-
Black, both sexes.....	6	1	2	2	-	4	3	5	2	-	-	-
Male.....	4	-	1	-	-	-	-	1	1	-	-	-
Female.....	2	1	1	2	-	4	3	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Kentucky

All races, both sexes.....	12	14	10	20	29	29	41	42	62	27	11	-
Male.....	8	10	7	8	19	15	14	11	17	8	1	-
Female.....	4	4	3	12	10	14	27	31	45	19	10	-
White, both sexes.....	11	13	9	16	28	29	37	37	59	24	9	-
Male.....	7	9	7	7	18	15	13	10	17	8	1	-
Female.....	4	4	2	9	10	14	24	27	42	16	8	-
Black, both sexes.....	1	1	1	4	1	-	4	5	3	3	2	-
Male.....	1	1	-	1	1	-	1	1	-	-	-	-
Female.....	-	-	1	3	-	-	3	4	3	3	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	29	21	24	24	33	64	53	76	90	41	22	-
Male.....	21	12	16	13	18	32	22	23	19	11	3	-
Female.....	8	9	8	11	15	32	31	53	71	30	19	-
White, both sexes.....	14	8	12	15	25	48	42	66	69	36	16	-
Male.....	11	5	9	7	13	24	17	21	12	10	-	-
Female.....	3	3	3	8	12	24	25	45	57	26	16	-
Black, both sexes.....	15	13	12	9	8	16	11	10	20	5	6	-
Male.....	10	7	7	6	5	8	5	2	7	1	3	-
Female.....	5	6	5	3	3	8	6	8	13	4	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Maine

All races, both sexes.....	3	3	2	3	6	9	8	10	16	6	3	-
Male.....	-	2	1	2	3	6	5	4	4	1	1	-
Female.....	3	1	1	1	3	3	3	6	12	5	2	-
White, both sexes.....	3	3	2	3	6	9	8	10	16	6	3	-
Male.....	-	2	1	2	3	6	5	4	4	1	1	-
Female.....	3	1	1	1	3	3	3	6	12	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	14	6	5	3	4	2	7	6	8	3	1	-
Male.....	7	3	5	2	2	1	2	1	3	1	-	-
Female.....	7	3	-	1	2	1	5	5	5	2	1	-
White, both sexes.....	9	6	2	2	1	2	4	4	6	3	1	-
Male.....	4	3	2	2	1	1	2	-	2	1	-	-
Female.....	5	3	-	-	-	1	2	4	4	2	1	-
Black, both sexes.....	5	-	3	1	3	-	3	-	1	-	-	-
Male.....	3	-	3	-	1	-	-	-	1	-	-	-
Female.....	2	-	-	1	2	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Massachusetts

All races, both sexes.....	24	18	20	14	31	38	59	71	64	38	25	-
Male.....	16	11	17	5	19	25	23	22	12	11	-	-
Female.....	8	7	3	9	12	13	36	49	52	27	25	-
White, both sexes.....	20	16	17	11	26	37	57	70	60	38	25	-
Male.....	13	9	15	5	15	24	23	22	11	11	-	-
Female.....	7	7	2	6	11	13	34	48	49	27	25	-
Black, both sexes.....	3	2	2	3	5	1	2	1	4	-	-	-
Male.....	2	2	2	-	4	1	-	-	1	-	-	-
Female.....	1	-	-	3	1	-	2	1	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	11	10	7	14	16	21	60	65	60	28	20	-
Male.....	5	6	6	9	6	12	25	16	10	9	3	-
Female.....	6	4	1	5	10	9	35	49	50	19	17	-
White, both sexes.....	7	6	6	13	12	21	51	63	57	26	17	-
Male.....	3	3	6	8	5	12	22	16	9	9	3	-
Female.....	4	3	-	5	7	9	29	47	48	17	14	-
Black, both sexes.....	3	4	1	1	4	-	8	2	3	2	3	-
Male.....	2	3	-	1	1	-	3	-	1	-	-	-
Female.....	1	1	1	-	3	-	5	2	2	2	3	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Nebraska

All races, both sexes.....	14	16	29	33	38	54	61	71	67	34	17	-
Male.....	11	11	24	23	20	31	33	29	21	5	-	-
Female.....	3	5	5	10	18	23	28	42	46	29	17	-
White, both sexes.....	14	16	25	27	35	49	61	70	66	34	17	-
Male.....	11	11	20	20	18	28	33	29	21	5	-	-
Female.....	3	5	5	7	17	21	28	41	45	29	17	-
Black, both sexes.....	-	-	3	4	2	4	-	1	1	-	-	-
Male.....	-	-	3	1	2	2	-	-	-	-	-	-
Female.....	-	-	-	3	-	2	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	2	-	1	-	-	-	-	-	-
Male.....	-	-	1	2	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	10	4	4	3	7	14	28	45	32	20	6	2
Male.....	5	4	2	3	3	9	9	9	12	3	-	1
Female.....	5	-	2	-	4	5	19	36	20	17	6	1
White, both sexes.....	7	2	4	3	7	14	25	43	29	19	5	1
Male.....	5	2	2	3	3	9	7	9	11	3	-	-
Female.....	2	-	2	-	4	5	18	34	18	16	5	1
Black, both sexes.....	3	1	-	-	-	-	3	1	-	1	1	1
Male.....	-	1	-	-	-	-	2	-	-	-	-	1
Female.....	3	-	-	-	-	-	1	1	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	3	-	-	-
Male.....	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

New Hampshire

All races, both sexes.....	-	1	-	-	1	1	4	4	8	2	1	-
Male.....	-	1	-	-	-	-	3	2	3	1	-	-
Female.....	-	-	-	-	1	1	1	2	5	1	1	-
White, both sexes.....	-	1	-	-	1	1	4	4	8	2	1	-
Male.....	-	1	-	-	-	-	3	2	3	1	-	-
Female.....	-	-	-	-	1	1	1	2	5	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	19	24	16	22	27	53	57	69	74	41	7	2
Male.....	9	17	8	13	14	25	23	25	18	10	-	2
Female.....	10	7	8	9	13	28	34	44	56	31	7	-
White, both sexes.....	17	16	12	18	25	49	51	63	71	38	7	1
Male.....	7	11	7	10	14	23	21	23	18	9	-	1
Female.....	10	5	5	8	11	26	30	40	53	29	7	-
Black, both sexes.....	2	8	4	3	2	3	5	5	2	2	-	1
Male.....	2	6	1	3	-	1	2	1	-	1	-	1
Female.....	-	2	3	-	2	2	3	4	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	1	1	1	1	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

New Mexico

All races, both sexes.....	5	3	8	3	5	8	16	20	23	18	1	3
Male.....	3	2	5	2	1	3	7	5	5	2	-	3
Female.....	2	1	3	1	4	5	9	15	18	16	1	-
White, both sexes.....	4	1	7	3	5	8	15	19	22	16	1	2
Male.....	2	-	5	2	1	3	7	5	5	1	-	2
Female.....	2	1	2	1	4	5	8	14	17	15	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	1	-	-	-	-	1	1	1	-	1
Male.....	1	2	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	1	-	-	-	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

New York

All races, both sexes.....	190	146	96	78	83	111	140	113	98	69	26	9
Male.....	135	93	59	46	48	42	70	42	28	14	1	8
Female.....	55	53	37	32	35	69	70	71	70	55	25	1
White, both sexes.....	146	113	78	58	71	95	125	106	86	59	23	7
Male.....	103	76	48	33	40	36	65	41	26	10	1	6
Female.....	43	37	30	25	31	59	60	65	60	49	22	1
Black, both sexes.....	42	30	17	17	10	14	14	5	12	8	2	2
Male.....	30	16	10	10	8	5	4	1	2	4	-	2
Female.....	12	14	7	7	2	9	10	4	10	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	1	3	1	2	1	2	-	1	1	-
Male.....	2	1	1	3	-	1	1	-	-	-	-	-
Female.....	-	2	-	-	1	1	-	2	-	1	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Oregon

All races, both sexes.....	27	19	24	27	33	52	59	64	71	42	18	-
Male.....	17	15	18	15	25	24	33	29	19	12	-	-
Female.....	10	4	6	12	8	28	26	35	52	30	18	-
White, both sexes.....	24	18	20	26	32	50	59	64	68	41	17	-
Male.....	15	14	15	14	25	24	33	29	18	11	-	-
Female.....	9	4	5	12	7	26	26	35	50	30	17	-
Black, both sexes.....	2	-	-	1	-	2	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	3	-	-	-	-	-	1	-	1	-
Male.....	1	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	1	-	-	-	2	1	-	-
Male.....	-	1	1	-	-	-	-	-	1	1	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-

Pennsylvania

All races, both sexes.....	131	109	100	111	158	205	257	249	201	117	50	4
Male.....	80	77	71	62	88	100	109	98	48	12	4	-
Female.....	51	32	29	49	70	105	148	151	153	105	46	4
White, both sexes.....	100	92	84	91	142	188	237	234	195	114	47	2
Male.....	63	65	62	49	78	94	102	92	48	12	4	-
Female.....	37	27	22	42	64	94	135	142	147	102	43	2
Black, both sexes.....	28	17	15	20	16	17	19	14	6	3	3	2
Male.....	15	12	8	13	10	6	6	6	-	-	-	-
Female.....	13	5	7	7	6	11	13	8	6	3	3	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	1	1	-	-	-	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

South Dakota

All races, both sexes.....	2	2	2	3	2	4	5	3	2	9	6	-
Male.....	-	1	1	2	1	3	3	2	-	-	-	-
Female.....	2	1	1	1	1	1	2	1	2	9	6	-
White, both sexes.....	-	2	-	3	2	3	5	3	2	8	5	-
Male.....	-	1	-	2	1	2	3	2	-	-	-	-
Female.....	-	1	-	1	1	1	2	1	2	8	5	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	2	-	-	1	-	-	-	1	1	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	46	29	33	11	39	45	71	68	62	31	14	-
Male.....	31	21	14	8	26	25	27	23	13	6	1	-
Female.....	15	8	19	3	13	20	44	45	49	25	13	-
White, both sexes.....	43	26	30	10	36	41	65	57	59	29	13	-
Male.....	29	18	14	7	23	22	22	21	13	5	1	-
Female.....	14	8	16	3	13	19	43	36	46	24	12	-
Black, both sexes.....	3	3	2	1	3	4	6	10	2	2	1	-
Male.....	2	3	-	1	3	3	5	2	-	1	-	-
Female.....	1	-	2	-	-	1	1	8	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Texas

All races, both sexes.....	63	48	56	46	52	72	97	119	117	89	44	9
Male.....	43	27	32	29	27	36	42	38	37	14	3	7
Female.....	20	21	24	17	25	36	55	81	80	75	41	2
White, both sexes.....	48	39	52	41	46	68	91	111	109	80	38	9
Male.....	32	20	30	26	25	34	39	36	35	11	2	7
Female.....	16	19	22	15	21	34	52	75	74	69	36	2
Black, both sexes.....	15	9	3	4	5	4	5	8	7	9	6	-
Male.....	11	7	1	2	2	2	2	2	2	3	1	-
Female.....	4	2	2	2	3	2	3	6	5	6	5	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	1	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Utah

All races, both sexes.....	13	14	12	19	34	67	52	62	63	34	9	-
Male.....	7	7	7	11	17	35	22	17	18	6	1	-
Female.....	6	7	5	8	17	32	30	45	45	28	8	-
White, both sexes.....	12	13	12	17	34	62	50	61	61	34	9	-
Male.....	7	7	7	11	17	32	22	17	18	6	1	-
Female.....	5	6	5	6	17	30	28	44	43	28	8	-
Black, both sexes.....	-	1	-	-	-	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	3	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	2	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Vermont

All races, both sexes.....	2	-	-	-	-	-	-	-	3	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	3	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	23	18	17	25	41	59	68	99	95	58	21	-
Male.....	11	9	9	15	18	27	33	28	15	12	3	-
Female.....	12	9	8	10	23	32	35	71	80	46	18	-
White, both sexes.....	17	14	12	21	35	42	55	83	80	48	16	-
Male.....	9	5	5	11	14	16	27	22	12	9	1	-
Female.....	8	9	7	10	21	26	28	61	68	39	15	-
Black, both sexes.....	6	4	5	4	5	17	13	15	15	10	5	-
Male.....	2	4	4	4	3	11	6	6	3	3	2	-
Female.....	4	-	1	-	2	6	7	9	12	7	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-





















































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Senility (R54)

South Dakota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for South Dakota categories including All races, White, Black, American Indian, and Asian or Pacific Islander, each split by sex.

Tennessee

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Tennessee categories including All races, White, Black, American Indian, and Asian or Pacific Islander, each split by sex.

































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Senility (R54)

Maine

All races, both sexes.....	-	-	-	-	-	1	-	2	3	4	3	-
Male.....	-	-	-	-	-	-	-	2	-	1	1	-
Female.....	-	-	-	-	-	1	-	-	3	3	2	-
White, both sexes.....	-	-	-	-	-	1	-	2	3	4	3	-
Male.....	-	-	-	-	-	-	-	2	-	1	1	-
Female.....	-	-	-	-	-	1	-	-	3	3	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	-	-	-	-	-	-	1	1	2	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	2	1	-	-
White, both sexes.....	-	-	-	-	-	-	1	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Senility (R54)

Nebraska

All races, both sexes.....	-	-	-	-	-	-	3	15	22	16	7	-
Male.....	-	-	-	-	-	-	1	3	6	3	-	-
Female.....	-	-	-	-	-	-	2	12	16	13	7	-
White, both sexes.....	-	-	-	-	-	-	3	15	22	16	7	-
Male.....	-	-	-	-	-	-	1	3	6	3	-	-
Female.....	-	-	-	-	-	-	2	12	16	13	7	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	-	-	-	-	1	3	14	25	19	13	5	-
Male.....	-	-	-	-	-	2	5	3	6	1	-	-
Female.....	-	-	-	-	1	1	9	22	13	12	5	-
White, both sexes.....	-	-	-	-	1	3	11	23	18	12	4	-
Male.....	-	-	-	-	-	2	3	3	6	1	-	-
Female.....	-	-	-	-	1	1	8	20	12	11	4	-
Black, both sexes.....	-	-	-	-	-	-	3	1	-	1	1	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Senility (R54)

New Hampshire

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	-	-	-	1	-	-	4	2	6	12	2	-
Male.....	-	-	-	1	-	-	1	-	-	2	-	-
Female.....	-	-	-	-	-	-	3	2	6	10	2	-
White, both sexes.....	-	-	-	1	-	-	3	2	6	11	2	-
Male.....	-	-	-	1	-	-	1	-	-	2	-	-
Female.....	-	-	-	-	-	-	2	2	6	9	2	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Senility (R54)

Texas

All races, both sexes.....	-	-	-	-	1	3	9	24	20	34	27	-
Male.....	-	-	-	-	1	2	1	4	5	5	2	-
Female.....	-	-	-	-	-	1	8	20	15	29	25	-
White, both sexes.....	-	-	-	-	1	3	9	22	18	28	23	-
Male.....	-	-	-	-	1	2	1	4	5	2	1	-
Female.....	-	-	-	-	-	1	8	18	13	26	22	-
Black, both sexes.....	-	-	-	-	-	-	-	2	1	6	4	-
Male.....	-	-	-	-	-	-	-	-	-	3	1	-
Female.....	-	-	-	-	-	-	-	2	1	3	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Utah

All races, both sexes.....	-	-	-	-	3	12	15	28	41	22	7	-
Male.....	-	-	-	-	-	3	7	8	11	2	-	-
Female.....	-	-	-	-	3	9	8	20	30	20	7	-
White, both sexes.....	-	-	-	-	3	10	14	27	39	22	7	-
Male.....	-	-	-	-	-	2	7	8	11	2	-	-
Female.....	-	-	-	-	3	8	7	19	28	20	7	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Ill-defined and unknown causes of mortality (R95-R99)

Arkansas

All races, both sexes.....	201	42	1	-	-	-	3	-	6	9	3	11
Male.....	103	24	1	-	-	-	2	-	4	4	3	5
Female.....	98	18	-	-	-	-	1	-	2	5	-	6
White, both sexes.....	169	29	1	-	-	-	2	-	5	7	3	6
Male.....	87	18	1	-	-	-	2	-	4	2	3	2
Female.....	82	11	-	-	-	-	-	-	1	5	-	4
Black, both sexes.....	31	12	-	-	-	-	1	-	1	2	-	5
Male.....	16	6	-	-	-	-	-	-	-	2	-	3
Female.....	15	6	-	-	-	-	1	-	1	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	967	288	16	6	2	16	27	41	49	52	78	70
Male.....	566	165	9	4	1	9	17	35	34	38	45	43
Female.....	401	123	7	2	1	7	10	6	15	14	33	27
White, both sexes.....	765	207	12	2	1	13	20	32	40	38	64	60
Male.....	441	119	7	1	1	7	14	28	27	26	36	34
Female.....	324	88	5	1	-	6	6	4	13	12	28	26
Black, both sexes.....	136	58	-	3	-	3	3	5	7	10	11	7
Male.....	83	34	-	2	-	2	-	3	6	9	7	6
Female.....	53	24	-	1	-	1	3	2	1	1	4	1
American Indian 1/, both sexes.....	11	2	2	-	-	-	1	1	1	1	1	1
Male.....	6	-	1	-	-	-	1	1	-	-	1	1
Female.....	5	2	1	-	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	55	21	2	1	1	-	3	3	1	3	2	2
Male.....	36	12	1	1	-	-	2	3	1	3	1	2
Female.....	19	9	1	-	1	-	1	-	-	-	1	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Ill-defined and unknown causes of mortality (R95-R99)

Nebraska

All races, both sexes.....	361	22	1	1	1	2	1	2	4	4	12	6
Male.....	211	15	1	1	1	1	-	2	2	3	10	4
Female.....	150	7	-	-	-	1	1	-	2	1	2	2
White, both sexes.....	333	16	1	1	-	2	1	1	3	4	10	5
Male.....	191	11	1	1	-	1	-	1	1	3	8	3
Female.....	142	5	-	-	-	1	1	-	2	1	2	2
Black, both sexes.....	22	3	-	-	1	-	-	1	1	-	2	1
Male.....	15	1	-	-	1	-	-	1	1	-	2	1
Female.....	7	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	3	-	-	-	-	-	-	-	-	-	-
Male.....	5	3	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	86	23	1	-	1	2	1	3	4	7	9	8
Male.....	52	13	1	-	1	2	1	2	3	4	5	5
Female.....	34	10	-	-	-	-	-	1	1	3	4	3
White, both sexes.....	69	14	1	-	-	2	1	3	3	5	8	7
Male.....	40	6	1	-	-	2	1	2	2	3	4	5
Female.....	29	8	-	-	-	-	-	1	1	2	4	2
Black, both sexes.....	14	8	-	-	-	-	-	-	1	1	1	1
Male.....	10	6	-	-	-	-	-	-	1	1	1	-
Female.....	4	2	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	1	-	-	-	-	1	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Ill-defined and unknown causes of mortality (R95-R99)												
New Hampshire												
All races, both sexes.....	28	9	1	-	-	-	-	1	3	3	4	2
Male.....	18	8	1	-	-	-	-	-	3	1	2	-
Female.....	10	1	-	-	-	-	-	1	-	2	2	2
White, both sexes.....	28	9	1	-	-	-	-	1	3	3	4	2
Male.....	18	8	1	-	-	-	-	-	3	1	2	-
Female.....	10	1	-	-	-	-	-	1	-	2	2	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	280	57	3	-	2	4	7	3	9	15	19	16
Male.....	153	35	1	-	-	1	4	1	7	7	13	8
Female.....	127	22	2	-	2	3	3	2	2	8	6	8
White, both sexes.....	216	32	1	-	2	2	6	2	8	10	17	13
Male.....	116	17	-	-	-	-	4	1	6	4	12	6
Female.....	100	15	1	-	2	2	2	1	2	6	5	7
Black, both sexes.....	59	24	2	-	-	2	-	1	1	5	2	3
Male.....	36	18	1	-	-	1	-	-	1	3	1	2
Female.....	23	6	1	-	-	1	-	1	-	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	-	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Ill-defined and unknown causes of mortality (R95-R99)

New Mexico

All races, both sexes.....	77	21	2	-	1	1	2	1	3	2	4	1
Male.....	43	12	2	-	1	1	1	1	3	-	2	-
Female.....	34	9	-	-	-	-	1	-	-	2	2	1
White, both sexes.....	56	13	2	-	1	-	2	-	-	1	4	1
Male.....	30	8	2	-	1	-	1	-	-	-	2	-
Female.....	26	5	-	-	-	-	1	-	-	1	2	1
Black, both sexes.....	3	3	-	-	-	-	-	-	-	-	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	18	5	-	-	-	1	-	1	3	1	-	-
Male.....	11	2	-	-	-	1	-	1	3	-	-	-
Female.....	7	3	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	2,010	159	31	10	11	34	78	86	127	187	259	250
Male.....	1,299	93	18	5	8	22	61	63	93	134	173	174
Female.....	711	66	13	5	3	12	17	23	34	53	86	76
White, both sexes.....	1,580	100	23	6	5	29	65	70	106	158	199	196
Male.....	1,038	63	12	4	5	20	54	53	79	111	133	138
Female.....	542	37	11	2	-	9	11	17	27	47	66	58
Black, both sexes.....	388	53	5	4	6	4	11	13	18	25	56	53
Male.....	234	27	4	1	3	2	6	8	11	19	37	35
Female.....	154	26	1	3	3	2	5	5	7	6	19	18
American Indian 1/, both sexes.....	4	2	-	-	-	-	-	-	-	1	-	-
Male.....	2	1	-	-	-	-	-	-	-	1	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	38	4	3	-	-	1	2	3	3	3	4	1
Male.....	25	2	2	-	-	-	1	2	3	3	3	1
Female.....	13	2	1	-	-	1	1	1	-	-	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Ill-defined and unknown causes of mortality (R95-R99)

Oregon

All races, both sexes.....	398	35	-	-	-	1	2	4	1	1	7	4
Male.....	202	15	-	-	-	1	1	2	1	1	3	2
Female.....	196	20	-	-	-	-	1	2	-	-	4	2
White, both sexes.....	375	29	-	-	-	1	1	3	1	1	7	4
Male.....	190	13	-	-	-	1	-	1	1	1	3	2
Female.....	185	16	-	-	-	-	1	2	-	-	4	2
Black, both sexes.....	8	3	-	-	-	-	-	-	-	-	-	-
Male.....	3	1	-	-	-	-	-	-	-	-	-	-
Female.....	5	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	10	3	-	-	-	-	1	-	-	-	-	-
Male.....	5	1	-	-	-	-	1	-	-	-	-	-
Female.....	5	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	1	-	-	-	-
Male.....	4	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	1,611	130	13	5	10	22	32	50	52	94	135	111
Male.....	930	83	11	3	6	14	25	35	39	65	89	79
Female.....	681	47	2	2	4	8	7	15	13	29	46	32
White, both sexes.....	1,365	73	10	2	5	21	29	38	42	78	114	91
Male.....	782	47	9	1	3	13	23	30	31	55	78	64
Female.....	583	26	1	1	2	8	6	8	11	23	36	27
Black, both sexes.....	238	56	3	2	5	1	3	11	9	15	21	20
Male.....	143	35	2	2	3	1	2	5	7	9	11	15
Female.....	95	21	1	-	2	-	1	6	2	6	10	5
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	-	-	-	1	1	1	-	-
Male.....	5	1	-	-	-	-	-	-	1	1	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Ill-defined and unknown causes of mortality (R95-R99)

Rhode Island

All races, both sexes.....	22	5	-	1	-	-	-	-	1	1	5	3
Male.....	10	3	-	1	-	-	-	-	-	-	1	2
Female.....	12	2	-	-	-	-	-	-	1	1	4	1
White, both sexes.....	19	4	-	-	-	-	-	-	1	1	5	2
Male.....	8	3	-	-	-	-	-	-	-	-	1	1
Female.....	11	1	-	-	-	-	-	-	1	1	4	1
Black, both sexes.....	3	1	-	1	-	-	-	-	-	-	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	523	62	10	1	1	4	10	21	27	44	50	57
Male.....	302	36	8	1	-	2	8	10	15	30	35	37
Female.....	221	26	2	-	1	2	2	11	12	14	15	20
White, both sexes.....	340	30	2	-	-	3	6	15	18	33	38	38
Male.....	195	18	1	-	-	2	5	8	11	23	26	22
Female.....	145	12	1	-	-	1	1	7	7	10	12	16
Black, both sexes.....	182	32	8	1	-	1	4	6	9	11	12	19
Male.....	107	18	7	1	-	-	3	2	4	7	9	15
Female.....	75	14	1	-	-	1	1	4	5	4	3	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Ill-defined and unknown causes of mortality (R95-R99)

Arkansas

All races, both sexes.....	9	11	11	8	8	14	15	24	13	10	3	-
Male.....	7	7	9	4	6	5	9	8	5	-	-	-
Female.....	2	4	2	4	2	9	6	16	8	10	3	-
White, both sexes.....	7	11	10	8	8	13	13	22	11	10	3	-
Male.....	6	7	8	4	6	5	7	8	4	-	-	-
Female.....	1	4	2	4	2	8	6	14	7	10	3	-
Black, both sexes.....	2	-	1	-	-	1	2	2	2	-	-	-
Male.....	1	-	1	-	-	-	2	-	1	-	-	-
Female.....	1	-	-	-	-	1	-	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	84	59	29	20	21	20	27	25	8	-	1	28
Male.....	44	29	17	11	10	10	11	8	4	-	1	21
Female.....	40	30	12	9	11	10	16	17	4	-	-	7
White, both sexes.....	70	50	23	16	20	16	24	23	7	-	1	26
Male.....	36	24	13	9	9	7	11	7	4	-	1	20
Female.....	34	26	10	7	11	9	13	16	3	-	-	6
Black, both sexes.....	12	4	5	-	1	2	2	2	-	-	-	1
Male.....	6	-	4	-	1	2	-	1	-	-	-	-
Female.....	6	4	1	-	-	-	2	1	-	-	-	1
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	1	4	-	2	1	-	1	-	-	1
Male.....	2	4	-	2	-	1	-	-	-	-	-	1
Female.....	-	-	1	2	-	1	1	-	1	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Ill-defined and unknown causes of mortality (R95-R99)

Iowa

All races, both sexes.....	-	-	2	4	5	6	6	5	5	6	3	-
Male.....	-	-	-	2	4	2	2	3	2	1	-	-
Female.....	-	-	2	2	1	4	4	2	3	5	3	-
White, both sexes.....	-	-	2	4	5	5	6	5	5	6	3	-
Male.....	-	-	-	2	4	1	2	3	2	1	-	-
Female.....	-	-	2	2	1	4	4	2	3	5	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	8	15	15	10	15	18	23	21	22	12	6	-
Male.....	7	9	9	7	9	9	10	9	9	2	-	-
Female.....	1	6	6	3	6	9	13	12	13	10	6	-
White, both sexes.....	3	14	13	8	14	14	20	19	20	12	6	-
Male.....	3	9	8	7	9	9	10	8	9	2	-	-
Female.....	-	5	5	1	5	5	10	11	11	10	6	-
Black, both sexes.....	5	1	2	2	-	4	2	2	1	-	-	-
Male.....	4	-	1	-	-	-	-	1	-	-	-	-
Female.....	1	1	1	2	-	4	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Ill-defined and unknown causes of mortality (R95-R99)

New Hampshire

All races, both sexes.....	-	1	-	-	-	-	3	-	-	1	-	-
Male.....	-	1	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
White, both sexes.....	-	1	-	-	-	-	3	-	-	1	-	-
Male.....	-	1	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	13	16	13	11	10	20	17	19	13	9	2	2
Male.....	6	10	6	8	4	12	9	9	4	6	-	2
Female.....	7	6	7	3	6	8	8	10	9	3	2	-
White, both sexes.....	12	13	9	8	8	19	13	18	13	7	2	1
Male.....	5	8	5	6	4	11	8	9	4	5	-	1
Female.....	7	5	4	2	4	8	5	9	9	2	2	-
Black, both sexes.....	1	3	4	2	2	-	3	1	-	2	-	1
Male.....	1	2	1	2	-	-	1	-	-	1	-	1
Female.....	-	1	3	-	2	-	2	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Ill-defined and unknown causes of mortality (R95-R99)

New Mexico

All races, both sexes.....	3	2	4	2	1	4	6	4	7	3	-	3
Male.....	3	2	2	1	-	2	5	1	1	-	-	3
Female.....	-	-	2	1	1	2	1	3	6	3	-	-
White, both sexes.....	2	-	3	2	1	4	6	3	6	3	-	2
Male.....	2	-	2	1	-	2	5	1	1	-	-	2
Female.....	-	-	1	1	1	2	1	2	5	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	1	-	-	-	-	1	1	-	-	1
Male.....	1	2	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	1	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	179	138	83	64	61	63	85	54	26	14	2	9
Male.....	130	87	52	37	38	22	45	22	7	6	1	8
Female.....	49	51	31	27	23	41	40	32	19	8	1	1
White, both sexes.....	138	107	68	45	51	51	72	47	24	11	2	7
Male.....	99	71	42	25	32	18	41	21	7	3	1	6
Female.....	39	36	26	20	19	33	31	26	17	8	1	1
Black, both sexes.....	39	28	15	16	8	10	12	5	2	3	-	2
Male.....	29	15	10	9	6	3	3	1	-	3	-	2
Female.....	10	13	5	7	2	7	9	4	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	-	3	1	2	1	2	-	-	-	-
Male.....	2	1	-	3	-	1	1	-	-	-	-	-
Female.....	-	2	-	-	1	1	-	2	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Ill-defined and unknown causes of mortality (R95-R99)

South Dakota

All races, both sexes.....	2	2	2	-	2	3	1	3	-	2	-	-
Male.....	-	1	1	-	1	3	-	2	-	-	-	-
Female.....	2	1	1	-	1	-	1	1	-	2	-	-
White, both sexes.....	-	2	-	-	2	2	1	3	-	2	-	-
Male.....	-	1	-	-	1	2	-	2	-	-	-	-
Female.....	-	1	-	-	1	-	1	1	-	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	2	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	39	28	27	9	26	36	46	45	29	10	3	-
Male.....	27	21	11	6	18	21	18	17	4	1	-	-
Female.....	12	7	16	3	8	15	28	28	25	9	3	-
White, both sexes.....	36	25	25	8	24	34	42	37	26	9	3	-
Male.....	25	18	11	5	16	19	15	16	4	1	-	-
Female.....	11	7	14	3	8	15	27	21	22	8	3	-
Black, both sexes.....	3	3	2	1	2	2	4	7	2	1	-	-
Male.....	2	3	-	1	2	2	3	1	-	-	-	-
Female.....	1	-	2	-	-	-	1	6	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Ill-defined and unknown causes of mortality (R95-R99)

Texas

All races, both sexes.....	50	42	41	32	42	48	49	61	38	25	6	8
Male.....	37	25	23	23	22	26	25	25	16	5	-	7
Female.....	13	17	18	9	20	22	24	36	22	20	6	1
White, both sexes.....	40	34	39	29	37	44	46	59	34	24	6	8
Male.....	29	18	22	21	21	24	24	24	14	5	-	7
Female.....	11	16	17	8	16	20	22	35	20	19	6	1
Black, both sexes.....	10	8	2	3	4	4	3	2	4	1	-	-
Male.....	8	7	1	2	1	2	1	1	2	-	-	-
Female.....	2	1	1	1	3	2	2	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	11	11	11	16	29	49	25	26	9	8	2	-
Male.....	7	6	7	10	16	28	11	7	5	3	1	-
Female.....	4	5	4	6	13	21	14	19	4	5	1	-
White, both sexes.....	11	10	11	14	29	47	24	26	9	8	2	-
Male.....	7	6	7	10	16	27	11	7	5	3	1	-
Female.....	4	4	4	4	13	20	13	19	4	5	1	-
Black, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other ill-defined and unknown causes of mortality (R96-R99)

Arkansas

All races, both sexes.....	180	21	1	-	-	-	3	-	6	9	3	11
Male.....	92	13	1	-	-	-	2	-	4	4	3	5
Female.....	88	8	-	-	-	-	1	-	2	5	-	6
White, both sexes.....	154	14	1	-	-	-	2	-	5	7	3	6
Male.....	79	10	1	-	-	-	2	-	4	2	3	2
Female.....	75	4	-	-	-	-	-	-	1	5	-	4
Black, both sexes.....	25	6	-	-	-	-	1	-	1	2	-	5
Male.....	13	3	-	-	-	-	-	-	-	2	-	3
Female.....	12	3	-	-	-	-	1	-	1	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	799	120	16	6	2	16	27	41	49	52	78	70
Male.....	470	69	9	4	1	9	17	35	34	38	45	43
Female.....	329	51	7	2	1	7	10	6	15	14	33	27
White, both sexes.....	643	85	12	2	1	13	20	32	40	38	64	60
Male.....	368	46	7	1	1	7	14	28	27	26	36	34
Female.....	275	39	5	1	-	6	6	4	13	12	28	26
Black, both sexes.....	103	25	-	3	-	3	3	5	7	10	11	7
Male.....	66	17	-	2	-	2	-	3	6	9	7	6
Female.....	37	8	-	1	-	1	3	2	1	1	4	1
American Indian 1/, both sexes.....	10	1	2	-	-	-	1	1	1	1	1	1
Male.....	6	-	1	-	-	-	1	1	-	-	1	1
Female.....	4	1	1	-	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	43	9	2	1	1	-	3	3	1	3	2	2
Male.....	30	6	1	1	-	-	2	3	1	3	1	2
Female.....	13	3	1	-	1	-	1	-	-	-	1	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other ill-defined and unknown causes of mortality (R96-R99)

Nebraska

All races, both sexes.....	342	3	1	1	1	2	1	2	4	4	12	6
Male.....	198	2	1	1	1	1	-	2	2	3	10	4
Female.....	144	1	-	-	-	1	1	-	2	1	2	2
White, both sexes.....	319	2	1	1	-	2	1	1	3	4	10	5
Male.....	181	1	1	1	-	1	-	1	1	3	8	3
Female.....	138	1	-	-	-	1	1	-	2	1	2	2
Black, both sexes.....	19	-	-	-	1	-	-	1	1	-	2	1
Male.....	14	-	-	-	1	-	-	1	1	-	2	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	-	-	-	-	-
Male.....	3	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	71	8	1	-	1	2	1	3	4	7	9	8
Male.....	44	5	1	-	1	2	1	2	3	4	5	5
Female.....	27	3	-	-	-	-	-	1	1	3	4	3
White, both sexes.....	61	6	1	-	-	2	1	3	3	5	8	7
Male.....	37	3	1	-	-	2	1	2	2	3	4	5
Female.....	24	3	-	-	-	-	-	1	1	2	4	2
Black, both sexes.....	8	2	-	-	-	-	-	-	1	1	1	1
Male.....	6	2	-	-	-	-	-	-	1	1	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other ill-defined and unknown causes of mortality (R96-R99)

New Hampshire

All races, both sexes.....	20	1	1	-	-	-	-	1	3	3	4	2
Male.....	11	1	1	-	-	-	-	-	3	1	2	-
Female.....	9	-	-	-	-	-	-	1	-	2	2	2
White, both sexes.....	20	1	1	-	-	-	-	1	3	3	4	2
Male.....	11	1	1	-	-	-	-	-	3	1	2	-
Female.....	9	-	-	-	-	-	-	1	-	2	2	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	238	15	3	-	2	4	7	3	9	15	19	16
Male.....	125	7	1	-	-	1	4	1	7	7	13	8
Female.....	113	8	2	-	2	3	3	2	2	8	6	8
White, both sexes.....	194	10	1	-	2	2	6	2	8	10	17	13
Male.....	102	3	-	-	-	-	4	1	6	4	12	6
Female.....	92	7	1	-	2	2	2	1	2	6	5	7
Black, both sexes.....	40	5	2	-	-	2	-	1	1	5	2	3
Male.....	22	4	1	-	-	1	-	-	1	3	1	2
Female.....	18	1	1	-	-	1	-	1	-	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other ill-defined and unknown causes of mortality (R96-R99)

New Mexico

All races, both sexes.....	61	5	2	-	1	1	2	1	3	2	4	1
Male.....	32	1	2	-	1	1	1	1	3	-	2	-
Female.....	29	4	-	-	-	-	1	-	-	2	2	1
White, both sexes.....	46	3	2	-	1	-	2	-	-	1	4	1
Male.....	23	1	2	-	1	-	1	-	-	-	2	-
Female.....	23	2	-	-	-	-	1	-	-	1	2	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	15	2	-	-	-	1	-	1	3	1	-	-
Male.....	9	-	-	-	-	1	-	1	3	-	-	-
Female.....	6	2	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1,967	116	31	10	11	34	78	86	127	187	259	250
Male.....	1,273	67	18	5	8	22	61	63	93	134	173	174
Female.....	694	49	13	5	3	12	17	23	34	53	86	76
White, both sexes.....	1,554	74	23	6	5	29	65	70	106	158	199	196
Male.....	1,022	47	12	4	5	20	54	53	79	111	133	138
Female.....	532	27	11	2	-	9	11	17	27	47	66	58
Black, both sexes.....	373	38	5	4	6	4	11	13	18	25	56	53
Male.....	225	18	4	1	3	2	6	8	11	19	37	35
Female.....	148	20	1	3	3	2	5	5	7	6	19	18
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	37	3	3	-	-	1	2	3	3	3	4	1
Male.....	25	2	2	-	-	-	1	2	3	3	3	1
Female.....	12	1	1	-	-	1	1	1	-	-	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other ill-defined and unknown causes of mortality (R96-R99)

Oregon

All races, both sexes.....	367	4	-	-	-	1	2	4	1	1	7	4
Male.....	189	2	-	-	-	1	1	2	1	1	3	2
Female.....	178	2	-	-	-	-	1	2	-	-	4	2
White, both sexes.....	349	3	-	-	-	1	1	3	1	1	7	4
Male.....	179	2	-	-	-	1	-	1	1	1	3	2
Female.....	170	1	-	-	-	-	1	2	-	-	4	2
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	8	1	-	-	-	-	1	-	-	-	-	-
Male.....	4	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	1	-	-	-	-
Male.....	4	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	1,536	55	13	5	10	22	32	50	52	94	135	111
Male.....	882	35	11	3	6	14	25	35	39	65	89	79
Female.....	654	20	2	2	4	8	7	15	13	29	46	32
White, both sexes.....	1,320	28	10	2	5	21	29	38	42	78	114	91
Male.....	752	17	9	1	3	13	23	30	31	55	78	64
Female.....	568	11	1	1	2	8	6	8	11	23	36	27
Black, both sexes.....	209	27	3	2	5	1	3	11	9	15	21	20
Male.....	126	18	2	2	3	1	2	5	7	9	11	15
Female.....	83	9	1	-	2	-	1	6	2	6	10	5
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	1	1	1	-	-
Male.....	4	-	-	-	-	-	-	-	1	1	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other ill-defined and unknown causes of mortality (R96-R99)

Rhode Island

All races, both sexes.....	19	2	-	1	-	-	-	-	1	1	5	3
Male.....	7	-	-	1	-	-	-	-	-	-	1	2
Female.....	12	2	-	-	-	-	-	-	1	1	4	1
White, both sexes.....	16	1	-	-	-	-	-	-	1	1	5	2
Male.....	5	-	-	-	-	-	-	-	-	-	1	1
Female.....	11	1	-	-	-	-	-	-	1	1	4	1
Black, both sexes.....	3	1	-	1	-	-	-	-	-	-	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	492	31	10	1	1	4	10	21	27	44	50	57
Male.....	285	19	8	1	-	2	8	10	15	30	35	37
Female.....	207	12	2	-	1	2	2	11	12	14	15	20
White, both sexes.....	321	11	2	-	-	3	6	15	18	33	38	38
Male.....	184	7	1	-	-	2	5	8	11	23	26	22
Female.....	137	4	1	-	-	1	1	7	7	10	12	16
Black, both sexes.....	170	20	8	1	-	1	4	6	9	11	12	19
Male.....	101	12	7	1	-	-	3	2	4	7	9	15
Female.....	69	8	1	-	-	1	1	4	5	4	3	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other ill-defined and unknown causes of mortality (R96-R99)

Arkansas

All races, both sexes.....	9	11	11	8	8	14	15	24	13	10	3	-
Male.....	7	7	9	4	6	5	9	8	5	-	-	-
Female.....	2	4	2	4	2	9	6	16	8	10	3	-
White, both sexes.....	7	11	10	8	8	13	13	22	11	10	3	-
Male.....	6	7	8	4	6	5	7	8	4	-	-	-
Female.....	1	4	2	4	2	8	6	14	7	10	3	-
Black, both sexes.....	2	-	1	-	-	1	2	2	2	-	-	-
Male.....	1	-	1	-	-	-	2	-	1	-	-	-
Female.....	1	-	-	-	-	1	-	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	84	59	29	20	21	20	27	25	8	-	1	28
Male.....	44	29	17	11	10	10	11	8	4	-	1	21
Female.....	40	30	12	9	11	10	16	17	4	-	-	7
White, both sexes.....	70	50	23	16	20	16	24	23	7	-	1	26
Male.....	36	24	13	9	9	7	11	7	4	-	1	20
Female.....	34	26	10	7	11	9	13	16	3	-	-	6
Black, both sexes.....	12	4	5	-	1	2	2	2	-	-	-	1
Male.....	6	-	4	-	1	2	-	1	-	-	-	-
Female.....	6	4	1	-	-	-	2	1	-	-	-	1
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	1	4	-	2	1	-	1	-	-	1
Male.....	2	4	-	2	-	1	-	-	-	-	-	1
Female.....	-	-	1	2	-	1	1	-	1	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other ill-defined and unknown causes of mortality (R96-R99)

Iowa

All races, both sexes.....	-	-	2	4	5	6	6	5	5	6	3	-
Male.....	-	-	-	2	4	2	2	3	2	1	-	-
Female.....	-	-	2	2	1	4	4	2	3	5	3	-
White, both sexes.....	-	-	2	4	5	5	6	5	5	6	3	-
Male.....	-	-	-	2	4	1	2	3	2	1	-	-
Female.....	-	-	2	2	1	4	4	2	3	5	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	8	15	15	10	15	18	23	21	22	12	6	-
Male.....	7	9	9	7	9	9	10	9	9	2	-	-
Female.....	1	6	6	3	6	9	13	12	13	10	6	-
White, both sexes.....	3	14	13	8	14	14	20	19	20	12	6	-
Male.....	3	9	8	7	9	9	10	8	9	2	-	-
Female.....	-	5	5	1	5	5	10	11	11	10	6	-
Black, both sexes.....	5	1	2	2	-	4	2	2	1	-	-	-
Male.....	4	-	1	-	-	-	-	1	-	-	-	-
Female.....	1	1	1	2	-	4	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other ill-defined and unknown causes of mortality (R96-R99)

New Hampshire

All races, both sexes.....	-	1	-	-	-	-	3	-	-	1	-	-
Male.....	-	1	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
White, both sexes.....	-	1	-	-	-	-	3	-	-	1	-	-
Male.....	-	1	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	13	16	13	11	10	20	17	19	13	9	2	2
Male.....	6	10	6	8	4	12	9	9	4	6	-	2
Female.....	7	6	7	3	6	8	8	10	9	3	2	-
White, both sexes.....	12	13	9	8	8	19	13	18	13	7	2	1
Male.....	5	8	5	6	4	11	8	9	4	5	-	1
Female.....	7	5	4	2	4	8	5	9	9	2	2	-
Black, both sexes.....	1	3	4	2	2	-	3	1	-	2	-	1
Male.....	1	2	1	2	-	-	1	-	-	1	-	1
Female.....	-	1	3	-	2	-	2	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other ill-defined and unknown causes of mortality (R96-R99)

New Mexico

All races, both sexes.....	3	2	4	2	1	4	6	4	7	3	-	3
Male.....	3	2	2	1	-	2	5	1	1	-	-	3
Female.....	-	-	2	1	1	2	1	3	6	3	-	-
White, both sexes.....	2	-	3	2	1	4	6	3	6	3	-	2
Male.....	2	-	2	1	-	2	5	1	1	-	-	2
Female.....	-	-	1	1	1	2	1	2	5	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	1	-	-	-	-	1	1	-	-	1
Male.....	1	2	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	1	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	179	138	83	64	61	63	85	54	26	14	2	9
Male.....	130	87	52	37	38	22	45	22	7	6	1	8
Female.....	49	51	31	27	23	41	40	32	19	8	1	1
White, both sexes.....	138	107	68	45	51	51	72	47	24	11	2	7
Male.....	99	71	42	25	32	18	41	21	7	3	1	6
Female.....	39	36	26	20	19	33	31	26	17	8	1	1
Black, both sexes.....	39	28	15	16	8	10	12	5	2	3	-	2
Male.....	29	15	10	9	6	3	3	1	-	3	-	2
Female.....	10	13	5	7	2	7	9	4	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	-	3	1	2	1	2	-	-	-	-
Male.....	2	1	-	3	-	1	1	-	-	-	-	-
Female.....	-	2	-	-	1	1	-	2	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other ill-defined and unknown causes of mortality (R96-R99)

South Dakota

All races, both sexes.....	2	2	2	-	2	3	1	3	-	2	-	-
Male.....	-	1	1	-	1	3	-	2	-	-	-	-
Female.....	2	1	1	-	1	-	1	1	-	2	-	-
White, both sexes.....	-	2	-	-	2	2	1	3	-	2	-	-
Male.....	-	1	-	-	1	2	-	2	-	-	-	-
Female.....	-	1	-	-	1	-	1	1	-	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	2	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	39	28	27	9	26	36	46	45	29	10	3	-
Male.....	27	21	11	6	18	21	18	17	4	1	-	-
Female.....	12	7	16	3	8	15	28	28	25	9	3	-
White, both sexes.....	36	25	25	8	24	34	42	37	26	9	3	-
Male.....	25	18	11	5	16	19	15	16	4	1	-	-
Female.....	11	7	14	3	8	15	27	21	22	8	3	-
Black, both sexes.....	3	3	2	1	2	2	4	7	2	1	-	-
Male.....	2	3	-	1	2	2	3	1	-	-	-	-
Female.....	1	-	2	-	-	-	1	6	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other ill-defined and unknown causes of mortality (R96-R99)

Texas

All races, both sexes.....	50	42	41	32	42	48	49	61	38	25	6	8
Male.....	37	25	23	23	22	26	25	25	16	5	-	7
Female.....	13	17	18	9	20	22	24	36	22	20	6	1
White, both sexes.....	40	34	39	29	37	44	46	59	34	24	6	8
Male.....	29	18	22	21	21	24	24	24	14	5	-	7
Female.....	11	16	17	8	16	20	22	35	20	19	6	1
Black, both sexes.....	10	8	2	3	4	4	3	2	4	1	-	-
Male.....	8	7	1	2	1	2	1	1	2	-	-	-
Female.....	2	1	1	1	3	2	2	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	11	11	11	16	29	49	25	26	9	8	2	-
Male.....	7	6	7	10	16	28	11	7	5	3	1	-
Female.....	4	5	4	6	13	21	14	19	4	5	1	-
White, both sexes.....	11	10	11	14	29	47	24	26	9	8	2	-
Male.....	7	6	7	10	16	27	11	7	5	3	1	-
Female.....	4	4	4	4	13	20	13	19	4	5	1	-
Black, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-











































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

New Mexico

All races, both sexes.....	76	1	1	-	-	1	1	1	1	-	3	8
Male.....	20	-	1	-	-	-	1	1	-	-	-	2
Female.....	56	1	-	-	-	1	1	-	-	-	3	6
White, both sexes.....	74	1	1	-	-	1	1	1	1	-	3	7
Male.....	19	-	1	-	-	-	1	1	-	-	-	2
Female.....	55	1	-	-	-	1	1	-	-	-	3	5
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	334	3	2	-	2	-	4	4	8	5	12	13
Male.....	135	2	1	-	1	-	2	2	3	3	5	11
Female.....	199	1	1	-	1	-	2	2	5	2	7	2
White, both sexes.....	282	2	-	-	2	-	1	3	2	3	6	5
Male.....	108	1	-	-	1	-	1	1	-	3	2	4
Female.....	174	1	-	-	1	-	-	2	2	-	4	1
Black, both sexes.....	45	1	2	-	-	-	3	1	5	2	5	6
Male.....	24	1	1	-	-	-	1	1	3	-	3	5
Female.....	21	-	1	-	-	-	2	-	2	2	2	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	2
Male.....	3	-	-	-	-	-	-	-	-	-	-	2
Female.....	2	-	-	-	-	-	-	-	1	-	-	-





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

United States

All races, both sexes.....	276	216	269	325	541	833	1,209	1,366	1,316	668	217	1
Male.....	150	120	165	167	276	395	499	410	317	134	29	-
Female.....	126	96	104	158	265	438	710	956	999	534	188	1
White, both sexes.....	191	155	209	258	458	715	1,073	1,244	1,206	611	184	1
Male.....	101	84	130	134	233	330	442	374	286	123	22	-
Female.....	90	71	79	124	225	385	631	870	920	488	162	1
Black, both sexes.....	80	57	52	60	77	105	126	108	98	46	32	-
Male.....	46	33	30	28	38	58	54	32	24	10	7	-
Female.....	34	24	22	32	39	47	72	76	74	36	25	-
American Indian 1/, both sexes.....	1	2	4	4	2	4	4	-	1	4	1	-
Male.....	-	1	3	3	2	1	1	-	1	1	-	-
Female.....	1	1	1	1	-	3	3	-	-	3	1	-
Asian or Pacific Islander 2/, both sexes.....	4	2	4	3	4	9	6	14	11	7	-	-
Male.....	3	2	2	2	3	6	2	4	6	-	-	-
Female.....	1	-	2	1	1	3	4	10	5	7	-	-

Alabama

All races, both sexes.....	20	20	18	31	42	51	74	86	66	32	17	-
Male.....	11	10	15	14	23	21	33	22	18	4	3	-
Female.....	9	10	3	17	19	30	41	64	48	28	14	-
White, both sexes.....	12	11	11	16	31	39	56	69	48	24	8	-
Male.....	7	6	9	8	17	16	23	19	15	3	-	-
Female.....	5	5	2	8	14	23	33	50	33	21	8	-
Black, both sexes.....	8	9	7	13	10	12	18	17	18	8	9	-
Male.....	4	4	6	6	6	5	10	3	3	1	3	-
Female.....	4	5	1	7	4	7	8	14	15	7	6	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Arkansas

All races, both sexes.....	5	4	8	2	8	9	13	11	11	11	-	-
Male.....	4	2	4	2	4	4	9	3	3	4	-	-
Female.....	1	2	4	-	4	5	4	8	8	7	-	-
White, both sexes.....	3	3	8	2	6	9	11	8	9	10	-	-
Male.....	3	2	4	2	3	4	7	2	2	3	-	-
Female.....	-	1	4	-	3	5	4	6	7	7	-	-
Black, both sexes.....	2	1	-	-	2	-	2	3	2	1	-	-
Male.....	1	-	-	-	1	-	2	1	1	1	-	-
Female.....	1	1	-	-	1	-	-	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	8	5	4	8	4	10	16	11	14	5	3	-
Male.....	4	3	3	3	3	4	6	5	5	1	1	-
Female.....	4	2	1	5	1	6	10	6	9	4	2	-
White, both sexes.....	8	5	2	7	3	8	15	9	11	5	3	-
Male.....	4	3	2	2	2	2	6	4	3	1	1	-
Female.....	4	2	-	5	1	6	9	5	8	4	2	-
Black, both sexes.....	-	-	2	-	1	1	-	-	2	-	-	-
Male.....	-	-	1	-	1	1	-	-	1	-	-	-
Female.....	-	-	1	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	1	2	1	-	-	-
Male.....	-	-	-	1	-	1	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Florida

All races, both sexes.....	11	12	8	24	30	64	106	152	145	82	19	-
Male.....	6	5	4	12	13	26	40	53	39	22	6	-
Female.....	5	7	4	12	17	38	66	99	106	60	13	-
White, both sexes.....	8	9	5	20	28	60	102	144	140	77	18	-
Male.....	3	4	3	10	11	24	38	51	39	20	6	-
Female.....	5	5	2	10	17	36	64	93	101	57	12	-
Black, both sexes.....	3	3	3	3	2	4	4	8	5	5	1	-
Male.....	3	1	1	1	2	2	2	2	-	2	-	-
Female.....	-	2	2	2	-	2	2	6	5	3	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	20	14	12	13	26	39	58	62	64	28	3	-
Male.....	13	5	5	5	11	16	19	14	11	4	-	-
Female.....	7	9	7	8	15	23	39	48	53	24	3	-
White, both sexes.....	12	11	10	10	22	29	47	56	54	25	2	-
Male.....	8	4	3	4	11	11	16	13	10	4	-	-
Female.....	4	7	7	6	11	18	31	43	44	21	2	-
Black, both sexes.....	8	3	2	3	4	8	11	6	10	3	1	-
Male.....	5	1	2	1	-	4	3	1	1	-	-	-
Female.....	3	2	-	2	4	4	8	5	9	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Kentucky

All races, both sexes.....	5	11	5	14	12	18	30	27	21	12	2	-
Male.....	3	7	3	5	7	10	10	6	4	6	-	-
Female.....	2	4	2	9	5	8	20	21	17	6	2	-
White, both sexes.....	4	10	5	10	12	18	26	23	19	10	2	-
Male.....	2	6	3	4	7	10	9	5	4	6	-	-
Female.....	2	4	2	6	5	8	17	18	15	4	2	-
Black, both sexes.....	1	1	-	4	-	-	4	4	2	2	-	-
Male.....	1	1	-	1	-	-	1	1	-	-	-	-
Female.....	-	-	-	3	-	-	3	3	2	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	13	7	13	11	25	48	39	52	59	25	10	-
Male.....	9	3	9	6	15	27	16	12	12	7	-	-
Female.....	4	4	4	5	10	21	23	40	47	18	10	-
White, both sexes.....	7	1	4	6	18	38	32	45	46	20	8	-
Male.....	5	1	4	2	10	20	12	11	7	6	-	-
Female.....	2	-	-	4	8	18	20	34	39	14	8	-
Black, both sexes.....	6	6	9	5	7	10	7	7	12	5	2	-
Male.....	4	2	5	4	5	7	4	1	5	1	-	-
Female.....	2	4	4	1	2	3	3	6	7	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Maine

All races, both sexes.....	3	2	2	3	5	7	5	8	9	2	-	-
Male.....	-	1	1	2	3	5	4	2	3	-	-	-
Female.....	3	1	1	1	2	2	1	6	6	2	-	-
White, both sexes.....	3	2	2	3	5	7	5	8	9	2	-	-
Male.....	-	1	1	2	3	5	4	2	3	-	-	-
Female.....	3	1	1	1	2	2	1	6	6	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	6	2	1	1	2	2	6	4	6	1	-	-
Male.....	1	-	1	1	1	1	2	1	3	1	-	-
Female.....	5	2	-	-	1	1	4	3	3	-	-	-
White, both sexes.....	4	2	1	1	-	2	3	2	5	1	-	-
Male.....	1	-	1	1	-	1	2	-	2	1	-	-
Female.....	3	2	-	-	-	1	1	2	3	-	-	-
Black, both sexes.....	2	-	-	-	2	-	3	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	2	-	-	-	1	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Massachusetts

All races, both sexes.....	11	7	11	10	24	33	54	63	58	31	15	-
Male.....	8	6	10	2	16	20	21	20	11	9	-	-
Female.....	3	1	1	8	8	13	33	43	47	22	15	-
White, both sexes.....	9	5	9	7	20	33	52	62	55	31	15	-
Male.....	6	4	9	2	13	20	21	20	10	9	-	-
Female.....	3	1	-	5	7	13	31	42	45	22	15	-
Black, both sexes.....	1	2	1	3	4	-	2	1	3	-	-	-
Male.....	1	2	1	-	3	-	-	-	1	-	-	-
Female.....	-	-	-	3	1	-	2	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	5	5	6	9	14	17	49	55	50	21	13	-
Male.....	1	2	5	6	4	9	19	13	9	8	1	-
Female.....	4	3	1	3	10	8	30	42	41	13	12	-
White, both sexes.....	2	2	5	9	10	17	40	53	48	19	11	-
Male.....	-	-	5	6	3	9	16	13	8	8	1	-
Female.....	2	2	-	3	7	8	24	40	40	11	10	-
Black, both sexes.....	2	3	1	-	4	-	8	2	2	2	2	-
Male.....	1	2	-	-	1	-	3	-	1	-	-	-
Female.....	1	1	1	-	3	-	5	2	1	2	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Nebraska

All races, both sexes.....	-	1	3	6	3	6	11	9	21	1	5	-
Male.....	-	-	2	5	1	2	5	3	6	-	-	-
Female.....	-	1	1	1	2	4	6	6	15	1	5	-
White, both sexes.....	-	1	2	5	3	4	11	9	21	1	5	-
Male.....	-	-	1	5	1	1	5	3	6	-	-	-
Female.....	-	1	1	-	2	3	6	6	15	1	5	-
Black, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	4	2	1	1	5	9	11	17	10	7	1	-
Male.....	1	2	-	1	3	6	2	5	6	2	-	-
Female.....	3	-	1	-	2	3	9	12	4	5	1	-
White, both sexes.....	2	-	1	1	5	9	11	17	8	7	1	-
Male.....	1	-	-	1	3	6	2	5	5	2	-	-
Female.....	1	-	1	-	2	3	9	12	3	5	1	-
Black, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	2	-	-	-
Male.....	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

New Hampshire

All races, both sexes.....	-	-	-	-	1	1	1	4	8	1	1	-
Male.....	-	-	-	-	-	-	1	2	3	1	-	-
Female.....	-	-	-	-	1	1	-	2	5	-	1	-
White, both sexes.....	-	-	-	-	1	1	1	4	8	1	1	-
Male.....	-	-	-	-	-	-	1	2	3	1	-	-
Female.....	-	-	-	-	1	1	-	2	5	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	6	8	3	10	17	33	36	48	55	20	3	-
Male.....	3	7	2	4	10	13	13	16	14	2	-	-
Female.....	3	1	1	6	7	20	23	32	41	18	3	-
White, both sexes.....	5	3	3	9	17	30	35	43	52	20	3	-
Male.....	2	3	2	3	10	12	12	14	14	2	-	-
Female.....	3	-	1	6	7	18	23	29	38	18	3	-
Black, both sexes.....	1	5	-	1	-	3	1	4	2	-	-	-
Male.....	1	4	-	1	-	1	1	1	-	-	-	-
Female.....	-	1	-	-	-	2	-	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

New Mexico

All races, both sexes.....	2	1	4	1	4	4	9	15	11	8	-	-
Male.....	-	-	3	1	1	1	2	3	2	2	-	-
Female.....	2	1	1	-	3	3	7	12	9	6	-	-
White, both sexes.....	2	1	4	1	4	4	9	15	11	7	-	-
Male.....	-	-	3	1	1	1	2	3	2	1	-	-
Female.....	2	1	1	-	3	3	7	12	9	6	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	11	8	13	13	22	45	47	47	40	29	6	-
Male.....	5	6	7	8	10	18	20	15	14	2	-	-
Female.....	6	2	6	5	12	27	27	32	26	27	6	-
White, both sexes.....	8	6	10	12	20	41	45	47	36	27	6	-
Male.....	4	5	6	7	8	16	19	15	13	2	-	-
Female.....	4	1	4	5	12	25	26	32	23	25	6	-
Black, both sexes.....	3	2	2	1	2	4	2	-	4	-	-	-
Male.....	1	1	-	1	2	2	1	-	1	-	-	-
Female.....	2	1	2	-	-	2	1	-	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Oregon

All races, both sexes.....	1	-	-	1	3	4	4	7	8	4	2	-
Male.....	1	-	-	-	1	1	4	3	1	1	-	-
Female.....	-	-	-	1	2	3	-	4	7	3	2	-
White, both sexes.....	1	-	-	1	3	4	4	7	8	4	2	-
Male.....	1	-	-	-	1	1	4	3	1	1	-	-
Female.....	-	-	-	1	2	3	-	4	7	3	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	18	19	27	32	48	77	116	119	88	53	21	-
Male.....	8	13	15	16	24	36	49	45	22	3	3	-
Female.....	10	6	12	16	24	41	67	74	66	50	18	-
White, both sexes.....	11	14	20	26	41	68	106	108	85	51	19	-
Male.....	5	8	11	14	22	33	46	41	22	3	3	-
Female.....	6	6	9	12	19	35	60	67	63	48	16	-
Black, both sexes.....	6	5	6	6	7	9	10	10	3	2	2	-
Male.....	2	5	3	2	2	3	3	4	-	-	-	-
Female.....	4	-	3	4	5	6	7	6	3	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	1	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Vermont

All races, both sexes.....	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	9	6	10	15	26	32	42	61	34	24	8	-
Male.....	5	2	7	8	11	15	20	21	8	6	2	-
Female.....	4	4	3	7	15	17	22	40	26	18	6	-
White, both sexes.....	8	6	7	12	21	23	35	52	29	21	7	-
Male.....	4	2	4	5	8	9	17	17	7	5	1	-
Female.....	4	4	3	7	13	14	18	35	22	16	6	-
Black, both sexes.....	1	-	3	3	4	9	7	8	5	3	1	-
Male.....	1	-	3	3	2	6	3	4	1	1	1	-
Female.....	-	-	-	-	2	3	4	4	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
United States												
All races, both sexes.....	164,112	1,365	2,140	1,359	2,085	10,725	14,529	11,489	11,625	13,381	15,216	13,736
Male.....	113,045	777	1,297	806	1,370	8,006	11,802	9,215	8,956	9,896	10,976	9,922
Female.....	51,067	588	843	553	715	2,719	2,727	2,274	2,669	3,485	4,240	3,814
White, both sexes.....	134,847	817	1,497	919	1,526	8,354	10,728	8,379	8,968	10,655	12,653	11,382
Male.....	91,608	492	901	543	997	6,113	8,597	6,620	6,876	7,845	9,194	8,241
Female.....	43,239	325	596	376	529	2,241	2,131	1,759	2,092	2,810	3,459	3,141
Black, both sexes.....	24,061	491	533	367	455	1,901	3,229	2,652	2,203	2,274	2,135	1,990
Male.....	17,957	253	336	219	319	1,555	2,759	2,250	1,762	1,726	1,485	1,447
Female.....	6,104	238	197	148	136	346	470	402	441	548	650	543
American Indian 1/, both sexes.....	2,162	28	47	28	51	224	255	214	203	241	223	169
Male.....	1,493	13	25	12	27	154	201	168	149	170	154	113
Female.....	669	15	22	16	24	70	54	46	54	71	69	56
Asian or Pacific Islander 2/, both sexes.....	3,042	29	63	45	53	246	317	244	251	211	205	195
Male.....	1,987	19	35	32	27	184	245	177	169	155	143	121
Female.....	1,055	10	28	13	26	62	72	67	82	56	62	74
Alabama												
All races, both sexes.....	3,252	23	59	34	49	241	301	248	227	268	261	230
Male.....	2,236	14	33	21	32	164	231	193	175	187	181	164
Female.....	1,016	9	26	13	17	77	70	55	52	81	80	66
White, both sexes.....	2,408	12	38	19	27	180	190	147	166	194	201	167
Male.....	1,623	8	21	12	18	119	143	109	124	139	135	120
Female.....	785	4	17	7	9	61	47	38	42	55	66	47
Black, both sexes.....	823	11	19	13	21	61	109	97	61	71	59	62
Male.....	601	6	11	8	13	45	88	81	51	47	45	44
Female.....	222	5	8	5	8	16	21	16	10	24	14	18
American Indian 1/, both sexes.....	11	-	1	1	-	-	1	1	-	3	1	-
Male.....	6	-	-	-	-	-	-	1	-	1	1	-
Female.....	5	-	1	1	-	-	1	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	1	1	1	-	1	3	-	-	-	1
Male.....	6	-	1	1	1	-	-	2	-	-	-	-
Female.....	4	-	-	-	-	-	1	1	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Alaska

All races, both sexes.....	546	8	7	4	15	34	56	46	41	57	73	65
Male.....	387	5	4	3	7	24	45	37	34	40	48	45
Female.....	159	3	3	1	8	10	11	9	7	17	25	20
White, both sexes.....	366	6	3	2	7	20	25	26	26	38	57	50
Male.....	258	4	2	2	3	13	20	22	21	28	37	34
Female.....	108	2	1	-	4	7	5	4	5	10	20	16
Black, both sexes.....	10	-	1	-	-	1	3	3	1	-	-	-
Male.....	7	-	1	-	-	1	2	2	1	-	-	-
Female.....	3	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	162	1	3	2	8	12	27	15	13	18	16	15
Male.....	117	1	1	1	4	9	22	11	11	12	11	11
Female.....	45	-	2	1	4	3	5	4	2	6	5	4
Asian or Pacific Islander 2/, both sexes.....	8	1	-	-	-	1	1	2	1	1	-	-
Male.....	5	-	-	-	-	1	1	2	1	-	-	-
Female.....	3	1	-	-	-	-	-	-	-	1	-	-

Arizona

All races, both sexes.....	4,139	29	64	22	55	261	364	307	299	355	356	346
Male.....	2,925	15	39	12	31	204	309	254	243	264	268	258
Female.....	1,214	14	25	10	24	57	55	53	56	91	88	88
White, both sexes.....	3,585	24	52	16	35	200	295	251	245	298	307	300
Male.....	2,516	14	32	9	20	158	250	203	198	222	233	224
Female.....	1,069	10	20	7	15	42	45	48	47	76	74	76
Black, both sexes.....	131	2	3	1	2	13	20	16	11	18	12	14
Male.....	101	-	2	-	2	11	18	15	10	14	10	8
Female.....	30	2	1	1	-	2	2	1	1	4	2	6
American Indian 1/, both sexes.....	401	3	9	4	18	46	49	38	40	38	35	30
Male.....	294	1	5	2	9	33	41	34	33	27	23	24
Female.....	107	2	4	2	9	13	8	4	7	11	12	6
Asian or Pacific Islander 2/, both sexes.....	22	-	-	1	-	2	-	2	3	1	2	2
Male.....	14	-	-	1	-	2	-	2	2	1	2	2
Female.....	8	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Arkansas

All races, both sexes.....	2,049	22	33	17	32	146	216	160	146	158	198	131
Male.....	1,416	10	20	14	17	111	177	120	107	120	141	94
Female.....	633	12	13	3	15	35	39	40	39	38	57	37
White, both sexes.....	1,689	13	21	8	24	117	164	114	119	131	164	109
Male.....	1,150	7	14	7	14	86	129	82	85	101	118	78
Female.....	539	6	7	1	10	31	35	32	34	30	46	31
Black, both sexes.....	338	9	10	8	8	27	49	43	26	25	33	21
Male.....	249	3	4	6	3	23	45	36	21	18	22	15
Female.....	89	6	6	2	5	4	4	7	5	7	11	6
American Indian 1/, both sexes.....	9	-	1	1	-	2	1	-	-	2	-	-
Male.....	7	-	1	1	-	2	1	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	1	-	-	-	2	3	1	-	1	1
Male.....	10	-	1	-	-	-	2	2	1	-	1	1
Female.....	3	-	-	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	16,403	99	224	151	178	1,130	1,568	1,204	1,240	1,347	1,633	1,528
Male.....	11,703	55	144	94	114	863	1,309	991	936	1,019	1,208	1,060
Female.....	4,700	44	80	57	64	267	259	213	304	328	425	468
White, both sexes.....	13,425	74	179	119	129	907	1,179	919	953	1,075	1,352	1,256
Male.....	9,532	42	110	73	81	682	975	751	733	806	1,014	876
Female.....	3,893	32	69	46	48	225	204	168	220	269	338	380
Black, both sexes.....	1,790	18	24	16	33	124	256	190	192	188	190	186
Male.....	1,386	10	19	10	28	107	222	173	144	151	131	125
Female.....	404	8	5	6	5	17	34	17	48	37	59	61
American Indian 1/, both sexes.....	145	1	4	1	-	13	17	16	9	19	20	16
Male.....	104	-	2	1	-	9	14	14	6	15	13	12
Female.....	41	1	2	-	-	4	3	2	3	4	7	4
Asian or Pacific Islander 2/, both sexes.....	1,043	6	17	15	16	86	116	79	86	65	71	70
Male.....	681	3	13	10	5	65	98	53	53	47	50	47
Female.....	362	3	4	5	11	21	18	26	33	18	21	23

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Colorado

All races, both sexes.....	2,863	21	38	19	36	190	237	197	188	246	298	272
Male.....	1,947	11	25	9	25	146	177	162	144	175	202	202
Female.....	916	10	13	10	11	44	60	35	44	71	96	70
White, both sexes.....	2,681	17	32	19	33	176	216	177	175	228	275	256
Male.....	1,819	10	22	9	22	133	163	145	133	164	185	189
Female.....	862	7	10	10	11	43	53	32	42	64	90	67
Black, both sexes.....	126	3	4	-	3	9	15	13	8	11	18	15
Male.....	94	-	2	-	3	8	12	11	8	8	14	13
Female.....	32	3	2	-	-	1	3	2	-	3	4	2
American Indian 1/, both sexes.....	26	-	-	-	-	1	2	4	2	5	4	1
Male.....	16	-	-	-	-	1	1	3	1	2	3	-
Female.....	10	-	-	-	-	-	1	1	1	3	1	1
Asian or Pacific Islander 2/, both sexes.....	30	1	2	-	-	4	4	3	3	2	1	-
Male.....	18	1	1	-	-	4	1	3	2	1	-	-
Female.....	12	-	1	-	-	-	3	-	1	1	1	-

Connecticut

All races, both sexes.....	1,630	7	9	6	8	91	121	100	110	141	163	137
Male.....	1,089	4	6	5	5	74	93	75	88	109	122	98
Female.....	541	3	3	1	3	17	28	25	22	32	41	39
White, both sexes.....	1,457	5	7	4	6	74	98	86	97	119	146	122
Male.....	959	3	4	3	4	58	74	62	80	93	112	86
Female.....	498	2	3	1	2	16	24	24	17	26	34	36
Black, both sexes.....	153	2	2	1	2	15	23	14	10	21	14	14
Male.....	117	1	2	1	1	14	19	13	6	15	10	11
Female.....	36	1	-	-	1	1	4	1	4	6	4	3
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	3	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	3	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	1	-	2	-	-	3	1	-	1
Male.....	11	-	-	1	-	2	-	-	2	1	-	1
Female.....	3	-	-	-	-	-	-	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Florida

All races, both sexes.....	11,055	98	154	61	98	571	873	701	745	923	1,085	994
Male.....	7,628	56	97	37	67	410	692	570	575	669	759	710
Female.....	3,427	42	57	24	31	161	181	131	170	254	326	284
White, both sexes.....	9,491	59	104	38	72	447	665	531	628	770	950	869
Male.....	6,461	34	63	25	45	319	514	426	482	553	668	623
Female.....	3,030	25	41	13	27	128	151	105	146	217	282	246
Black, both sexes.....	1,458	39	48	22	23	114	198	162	106	145	123	117
Male.....	1,099	22	32	12	20	85	170	138	85	113	84	84
Female.....	359	17	16	10	3	29	28	24	21	32	39	33
American Indian 1/, both sexes.....	27	-	-	-	1	3	4	3	3	1	3	2
Male.....	16	-	-	-	1	-	3	2	2	1	-	2
Female.....	11	-	-	-	-	3	1	1	1	-	3	-
Asian or Pacific Islander 2/, both sexes.....	79	-	2	1	2	7	6	5	8	7	9	6
Male.....	52	-	2	-	1	6	5	4	6	2	7	1
Female.....	27	-	-	1	1	1	1	1	2	5	2	5

Georgia

All races, both sexes.....	5,124	59	92	52	75	335	441	369	412	435	505	435
Male.....	3,535	31	61	32	44	246	359	283	323	315	373	318
Female.....	1,589	28	31	20	31	89	82	86	89	120	132	117
White, both sexes.....	3,662	30	57	33	47	240	274	231	263	288	368	320
Male.....	2,472	18	36	21	26	164	225	171	205	202	270	233
Female.....	1,190	12	21	12	21	76	49	60	58	86	98	87
Black, both sexes.....	1,405	28	32	19	28	91	160	132	145	143	132	113
Male.....	1,025	12	24	11	18	79	130	106	116	111	99	83
Female.....	380	16	8	8	10	12	30	26	29	32	33	30
American Indian 1/, both sexes.....	7	-	-	-	-	1	-	2	-	-	2	1
Male.....	5	-	-	-	-	-	-	2	-	-	2	1
Female.....	2	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	50	1	3	-	-	3	7	4	4	4	3	1
Male.....	33	1	1	-	-	3	4	4	2	2	2	1
Female.....	17	-	2	-	-	-	3	-	2	2	1	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Illinois												
All races, both sexes.....	6,656	84	84	53	89	431	667	549	516	528	551	564
Male.....	4,724	52	50	34	63	342	574	450	417	403	399	428
Female.....	1,932	32	34	19	26	89	93	99	99	125	152	136
White, both sexes.....	5,022	30	51	36	66	304	433	350	344	387	410	413
Male.....	3,468	20	30	22	48	228	367	283	274	296	294	319
Female.....	1,554	10	21	14	18	76	66	67	70	91	116	94
Black, both sexes.....	1,557	54	31	17	22	121	231	193	166	135	133	148
Male.....	1,210	32	19	12	14	109	204	165	139	103	98	108
Female.....	347	22	12	5	8	12	27	28	27	32	35	40
American Indian 1/, both sexes.....	10	-	1	-	-	1	1	1	-	2	1	-
Male.....	7	-	1	-	-	1	1	-	-	1	1	-
Female.....	3	-	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	67	-	1	-	1	5	2	5	6	4	7	3
Male.....	39	-	-	-	1	4	2	2	4	3	6	1
Female.....	28	-	1	-	-	1	-	3	2	1	1	2
Indiana												
All races, both sexes.....	3,515	51	53	33	38	244	326	242	208	231	281	281
Male.....	2,324	32	33	15	23	186	255	185	165	181	198	212
Female.....	1,191	19	20	18	15	58	71	57	43	50	83	69
White, both sexes.....	3,092	28	41	27	34	210	260	188	174	200	250	245
Male.....	2,019	15	27	11	22	155	202	142	137	156	179	191
Female.....	1,073	13	14	16	12	55	58	46	37	44	71	54
Black, both sexes.....	410	22	12	6	4	33	64	52	33	31	30	33
Male.....	296	16	6	4	1	31	52	42	27	25	18	19
Female.....	114	6	6	2	3	2	12	10	6	6	12	14
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	-	-	-	1	2	1	-	-	1	3
Male.....	8	1	-	-	-	-	1	1	-	-	1	2
Female.....	3	-	-	-	-	1	1	-	-	-	-	1



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Iowa

All races, both sexes.....	1,511	5	17	25	17	88	107	77	84	80	113	96
Male.....	990	3	11	16	11	60	88	64	61	62	86	71
Female.....	521	2	6	9	6	28	19	13	23	18	27	25
White, both sexes.....	1,462	5	15	22	14	86	98	74	83	77	109	89
Male.....	957	3	11	14	8	58	81	62	60	59	83	66
Female.....	505	2	4	8	6	28	17	12	23	18	26	23
Black, both sexes.....	36	-	-	2	3	-	8	3	1	2	1	6
Male.....	27	-	-	2	3	-	7	2	1	2	1	4
Female.....	9	-	-	-	-	-	1	1	-	-	-	2
American Indian 1/, both sexes.....	6	-	1	-	-	1	-	-	-	1	2	1
Male.....	4	-	-	-	-	1	-	-	-	1	1	1
Female.....	2	-	1	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	1	-	1	1	-	-	-	1	-
Male.....	2	-	-	-	-	1	-	-	-	-	1	-
Female.....	5	-	1	1	-	-	1	-	-	-	-	-

Kansas

All races, both sexes.....	1,661	14	27	14	25	122	176	94	87	128	143	138
Male.....	1,124	8	16	10	13	82	146	80	70	95	90	92
Female.....	537	6	11	4	12	40	30	14	17	33	53	46
White, both sexes.....	1,520	9	22	11	23	108	147	79	79	114	129	131
Male.....	1,017	5	12	8	12	71	121	67	63	83	83	87
Female.....	503	4	10	3	11	37	26	12	16	31	46	44
Black, both sexes.....	120	4	5	1	1	12	27	14	6	9	11	6
Male.....	91	2	4	1	-	10	23	12	5	9	5	4
Female.....	29	2	1	-	1	2	4	2	1	-	6	2
American Indian 1/, both sexes.....	11	1	-	1	1	-	1	-	-	3	3	1
Male.....	9	1	-	1	1	-	1	-	-	2	2	1
Female.....	2	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	1	-	2	1	1	2	2	-	-
Male.....	7	-	-	-	-	1	1	1	2	1	-	-
Female.....	3	-	-	1	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Kentucky												
All races, both sexes.....	2,910	29	33	19	26	192	256	212	246	238	275	239
Male.....	2,004	17	16	7	21	139	202	168	187	172	192	179
Female.....	906	12	17	12	5	53	54	44	59	66	83	60
White, both sexes.....	2,729	21	28	18	25	177	232	190	224	223	263	225
Male.....	1,870	11	14	7	20	129	183	152	170	160	183	169
Female.....	859	10	14	11	5	48	49	38	54	63	80	56
Black, both sexes.....	170	7	5	1	1	15	23	20	20	14	11	14
Male.....	127	5	2	-	1	10	18	15	15	12	9	10
Female.....	43	2	3	1	-	5	5	5	5	2	2	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	-	-	-	-	1	2	2	1	1	-
Male.....	7	1	-	-	-	-	1	1	2	-	-	-
Female.....	4	-	-	-	-	-	-	1	-	1	1	-
Louisiana												
All races, both sexes.....	3,371	33	69	43	57	280	372	328	272	286	280	257
Male.....	2,393	15	37	33	37	204	308	265	207	233	199	185
Female.....	978	18	32	10	20	76	64	63	65	53	81	72
White, both sexes.....	2,206	10	30	16	28	178	217	161	180	181	207	178
Male.....	1,522	5	16	11	17	132	173	120	131	145	147	132
Female.....	684	5	14	5	11	46	44	41	49	36	60	46
Black, both sexes.....	1,123	23	39	27	28	95	147	162	88	101	70	76
Male.....	842	10	21	22	19	68	131	140	72	85	49	52
Female.....	281	13	18	5	9	27	16	22	16	16	21	24
American Indian 1/, both sexes.....	14	-	-	-	-	3	2	1	1	2	1	1
Male.....	11	-	-	-	-	2	1	1	1	1	1	1
Female.....	3	-	-	-	-	1	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	28	-	-	-	1	4	6	4	3	2	2	2
Male.....	18	-	-	-	1	2	3	4	3	2	2	-
Female.....	10	-	-	-	-	2	3	-	-	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Maine

All races, both sexes.....	705	2	7	2	4	42	52	51	54	63	68	46
Male.....	464	1	2	-	3	23	39	40	38	43	53	30
Female.....	241	1	5	2	1	19	13	11	16	20	15	16
White, both sexes.....	690	2	4	2	4	42	51	51	53	61	66	44
Male.....	457	1	1	-	3	23	39	40	37	43	53	28
Female.....	233	1	3	2	1	19	12	11	16	18	13	16
Black, both sexes.....	3	-	2	-	-	-	-	-	-	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	9	-	1	-	-	-	1	-	1	1	2	2
Male.....	4	-	-	-	-	-	-	-	1	-	-	2
Female.....	5	-	1	-	-	-	1	-	-	1	2	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	3,078	14	39	29	31	222	325	249	236	325	306	259
Male.....	2,216	10	16	19	24	170	279	202	179	245	219	180
Female.....	862	4	23	10	7	52	46	47	57	80	87	79
White, both sexes.....	1,816	4	23	7	12	107	155	121	112	179	174	153
Male.....	1,241	3	10	4	9	71	118	96	85	131	126	104
Female.....	575	1	13	3	3	36	37	25	27	48	48	49
Black, both sexes.....	1,202	10	14	21	19	110	165	123	118	143	128	103
Male.....	930	7	6	14	15	95	156	101	88	112	90	73
Female.....	272	3	8	7	4	15	9	22	30	31	38	30
American Indian 1/, both sexes.....	13	-	-	1	-	1	2	-	2	-	2	1
Male.....	10	-	-	1	-	1	2	-	2	-	2	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	47	-	2	-	-	4	3	5	4	3	2	2
Male.....	35	-	-	-	-	3	3	5	4	2	1	2
Female.....	12	-	2	-	-	1	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Massachusetts

All races, both sexes.....	2,685	10	17	10	15	128	214	174	201	254	271	248
Male.....	1,825	8	12	8	8	99	170	141	149	189	196	179
Female.....	860	2	5	2	7	29	44	33	52	65	75	69
White, both sexes.....	2,425	7	10	7	12	105	166	147	181	223	250	234
Male.....	1,627	5	7	6	7	78	131	116	132	166	184	168
Female.....	798	2	3	1	5	27	35	31	49	57	66	66
Black, both sexes.....	210	3	7	3	3	19	39	22	18	24	19	13
Male.....	161	3	5	2	1	18	32	20	16	17	11	11
Female.....	49	-	2	1	2	1	7	2	2	7	8	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	48	-	-	-	-	4	8	4	2	7	2	1
Male.....	36	-	-	-	-	3	7	4	1	6	1	-
Female.....	12	-	-	-	-	1	1	-	1	1	1	1

Michigan

All races, both sexes.....	5,474	87	65	53	88	338	441	368	414	464	518	493
Male.....	3,745	45	44	31	68	251	362	292	323	347	362	360
Female.....	1,729	42	21	22	20	87	79	76	91	117	156	133
White, both sexes.....	4,193	42	38	30	64	257	278	226	263	370	402	373
Male.....	2,816	26	26	16	48	187	224	170	203	285	277	278
Female.....	1,377	16	12	14	16	70	54	56	60	85	125	95
Black, both sexes.....	1,198	44	27	23	24	73	155	124	143	90	109	117
Male.....	881	19	18	15	20	58	132	110	117	58	81	82
Female.....	317	25	9	8	4	15	23	14	26	32	28	35
American Indian 1/, both sexes.....	43	1	-	-	-	3	4	7	7	2	5	2
Male.....	22	-	-	-	-	3	3	4	3	2	2	-
Female.....	21	1	-	-	-	-	1	3	4	-	3	2
Asian or Pacific Islander 2/, both sexes.....	40	-	-	-	-	5	4	11	1	2	2	1
Male.....	26	-	-	-	-	3	3	8	-	2	2	-
Female.....	14	-	-	-	-	2	1	3	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Minnesota

All races, both sexes.....	2,665	28	37	21	42	169	201	142	144	152	207	196
Male.....	1,718	14	22	12	17	130	168	108	110	116	155	151
Female.....	947	14	15	9	25	39	33	34	34	36	52	45
White, both sexes.....	2,404	21	26	17	33	143	166	115	122	128	178	175
Male.....	1,536	10	17	11	15	109	136	87	93	99	136	134
Female.....	868	11	9	6	18	34	30	28	29	29	42	41
Black, both sexes.....	131	5	5	1	5	12	24	18	12	13	14	9
Male.....	106	3	3	1	1	11	22	15	11	9	10	9
Female.....	25	2	2	-	4	1	2	3	1	4	4	-
American Indian 1/, both sexes.....	82	1	3	2	1	9	5	5	7	11	13	7
Male.....	46	-	-	-	-	5	5	3	5	8	7	3
Female.....	36	1	3	2	1	4	-	2	2	3	6	4
Asian or Pacific Islander 2/, both sexes.....	48	1	3	1	3	5	6	4	3	-	2	5
Male.....	30	1	2	-	1	5	5	3	1	-	2	5
Female.....	18	-	1	1	2	-	1	1	2	-	-	-

Mississippi

All races, both sexes.....	2,386	13	41	47	53	179	211	163	199	202	208	194
Male.....	1,652	6	26	21	37	125	161	119	150	142	152	136
Female.....	734	7	15	26	16	54	50	44	49	60	56	58
White, both sexes.....	1,514	4	18	15	27	110	113	87	124	117	144	115
Male.....	1,034	2	9	11	17	75	85	63	95	80	103	77
Female.....	480	2	9	4	10	35	28	24	29	37	41	38
Black, both sexes.....	853	9	23	31	25	67	96	73	73	81	64	77
Male.....	606	4	17	9	19	50	74	54	53	60	49	58
Female.....	247	5	6	22	6	17	22	19	20	21	15	19
American Indian 1/, both sexes.....	6	-	-	-	-	1	-	-	1	2	-	2
Male.....	3	-	-	-	-	-	-	-	1	1	-	1
Female.....	3	-	-	-	-	1	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	13	-	-	1	1	1	2	3	1	2	-	-
Male.....	9	-	-	1	1	-	2	2	1	1	-	-
Female.....	4	-	-	-	-	1	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Missouri

All races, both sexes.....	3,826	46	46	32	56	285	344	264	242	283	368	310
Male.....	2,557	27	27	14	36	212	272	215	187	204	259	209
Female.....	1,269	19	19	18	20	73	72	49	55	79	109	101
White, both sexes.....	3,277	29	35	23	44	213	262	193	198	234	322	268
Male.....	2,146	18	18	10	30	154	202	154	148	164	226	182
Female.....	1,131	11	17	13	14	59	60	39	50	70	96	86
Black, both sexes.....	516	17	11	8	9	68	78	69	43	46	41	37
Male.....	392	9	9	3	5	55	67	60	38	37	29	26
Female.....	124	8	2	5	4	13	11	9	5	9	12	11
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	1	-	1	4	1
Male.....	4	-	-	-	-	-	-	-	-	1	3	-
Female.....	3	-	-	-	-	-	-	1	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	26	-	-	1	3	4	4	1	1	2	1	4
Male.....	15	-	-	1	1	3	3	1	1	2	1	1
Female.....	11	-	-	-	2	1	1	-	-	-	-	3

Montana

All races, both sexes.....	763	1	6	9	9	63	54	49	47	63	49	63
Male.....	519	-	3	6	6	48	40	41	36	45	32	48
Female.....	244	1	3	3	3	15	14	8	11	18	17	15
White, both sexes.....	652	-	5	7	7	48	43	36	37	42	41	57
Male.....	446	-	2	5	5	35	35	32	29	30	28	43
Female.....	206	-	3	2	2	13	8	4	8	12	13	14
Black, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	105	1	1	2	2	14	10	13	10	18	8	5
Male.....	68	-	1	1	1	12	5	9	7	12	4	4
Female.....	37	1	-	1	1	2	5	4	3	6	4	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	3	-	-
Male.....	3	-	-	-	-	-	-	-	-	3	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Nebraska												
All races, both sexes.....	1,061	5	16	10	14	80	91	50	61	68	81	77
Male.....	681	3	11	7	9	49	72	39	45	50	65	51
Female.....	380	2	5	3	5	31	19	11	16	18	16	26
White, both sexes.....	999	4	14	8	13	71	83	42	58	61	77	74
Male.....	634	3	9	5	8	43	65	31	42	44	63	51
Female.....	365	1	5	3	5	28	18	11	16	17	14	23
Black, both sexes.....	40	1	2	1	1	6	6	6	2	4	4	2
Male.....	31	-	2	1	1	4	6	6	2	3	2	-
Female.....	9	1	-	-	-	2	-	-	-	1	2	2
American Indian 1/, both sexes.....	15	-	-	1	-	3	2	1	-	2	-	-
Male.....	10	-	-	1	-	2	1	1	-	2	-	-
Female.....	5	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	1	1	1	-	1
Male.....	6	-	-	-	-	-	-	1	1	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Nevada												
All races, both sexes.....	1,548	17	16	7	16	86	123	103	124	131	179	132
Male.....	1,087	9	7	3	11	65	103	85	92	91	126	91
Female.....	461	8	9	4	5	21	20	18	32	40	53	41
White, both sexes.....	1,338	9	11	5	15	71	89	88	102	111	161	116
Male.....	948	6	5	2	10	54	78	70	79	75	115	79
Female.....	390	3	6	3	5	17	11	18	23	36	46	37
Black, both sexes.....	133	7	3	1	1	11	16	9	17	16	10	12
Male.....	95	3	1	1	1	8	14	9	12	14	6	9
Female.....	38	4	2	-	-	3	2	-	5	2	4	3
American Indian 1/, both sexes.....	25	1	-	1	-	-	6	2	2	1	3	1
Male.....	16	-	-	-	-	-	5	2	1	1	3	1
Female.....	9	1	-	1	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	52	-	2	-	-	4	12	4	3	3	5	3
Male.....	28	-	1	-	-	3	6	4	-	1	2	2
Female.....	24	-	1	-	-	1	6	-	3	2	3	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

New Hampshire

All races, both sexes.....	525	5	1	3	7	24	44	42	37	50	41	39
Male.....	364	3	1	1	6	20	31	35	27	34	28	26
Female.....	161	2	-	2	1	4	13	7	10	16	13	13
White, both sexes.....	516	5	1	3	7	24	44	40	36	47	40	39
Male.....	358	3	1	1	6	20	31	33	27	33	27	26
Female.....	158	2	-	2	1	4	13	7	9	14	13	13
Black, both sexes.....	4	-	-	-	-	-	-	1	-	1	-	-
Male.....	3	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	1	-	2	1	-
Male.....	3	-	-	-	-	-	-	1	-	1	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

New Jersey

All races, both sexes.....	3,676	18	30	28	32	168	279	255	278	322	367	297
Male.....	2,553	12	20	14	27	139	230	198	222	252	273	209
Female.....	1,123	6	10	14	5	29	49	57	56	70	94	88
White, both sexes.....	2,909	7	20	21	17	117	193	183	194	235	277	243
Male.....	2,005	5	12	10	13	98	160	137	159	185	213	174
Female.....	904	2	8	11	4	19	33	46	35	50	64	69
Black, both sexes.....	678	11	9	5	15	46	77	63	80	82	84	44
Male.....	494	7	8	2	14	37	62	56	60	63	58	29
Female.....	184	4	1	3	1	9	15	7	20	19	26	15
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	-	-	1	1	-
Male.....	5	-	-	-	-	-	1	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	84	-	1	2	-	5	8	9	4	4	5	10
Male.....	49	-	-	2	-	4	7	5	3	3	1	6
Female.....	35	-	1	-	-	1	1	4	1	1	4	4



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
New Mexico												
All races, both sexes.....	1,662	8	18	9	21	120	143	98	128	147	188	139
Male.....	1,208	6	11	5	15	92	109	86	103	115	149	116
Female.....	454	2	7	4	6	28	34	12	25	32	39	23
White, both sexes.....	1,404	6	12	7	14	90	105	79	102	118	166	122
Male.....	1,011	5	6	5	11	69	80	69	81	90	132	104
Female.....	393	1	6	2	3	21	25	10	21	28	34	18
Black, both sexes.....	37	-	2	-	-	4	8	2	2	2	4	6
Male.....	26	-	2	-	-	3	5	1	1	2	4	5
Female.....	11	-	-	-	-	1	3	1	1	-	-	1
American Indian 1/, both sexes.....	215	2	4	2	7	26	29	17	24	26	17	10
Male.....	168	1	3	-	4	20	24	16	21	22	13	7
Female.....	47	1	1	2	3	6	5	1	3	4	4	3
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	1	-	-	1	1	1
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	1	1
New York												
All races, both sexes.....	7,149	42	79	56	76	450	625	498	495	584	588	548
Male.....	4,944	26	49	38	54	335	511	402	396	457	440	408
Female.....	2,205	16	30	18	22	115	114	96	99	127	148	140
White, both sexes.....	5,520	21	48	33	47	321	419	319	342	415	451	431
Male.....	3,751	15	28	24	35	230	341	256	281	326	343	326
Female.....	1,769	6	20	9	12	91	78	63	61	89	108	105
Black, both sexes.....	1,398	19	27	20	24	120	184	161	132	150	120	104
Male.....	1,042	11	20	13	16	100	156	133	101	116	83	75
Female.....	356	8	7	7	8	20	28	28	31	34	37	29
American Indian 1/, both sexes.....	11	-	-	-	-	2	2	3	2	-	1	-
Male.....	7	-	-	-	-	1	2	2	1	-	1	-
Female.....	4	-	-	-	-	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	220	2	4	3	5	7	20	15	19	19	16	13
Male.....	144	-	1	1	3	4	12	11	13	15	13	7
Female.....	76	2	3	2	2	3	8	4	6	4	3	6



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Ohio												
All races, both sexes.....	6,239	67	56	43	90	368	484	380	434	451	612	549
Male.....	4,136	33	32	28	62	276	389	299	319	337	418	384
Female.....	2,103	34	24	15	28	92	95	81	115	114	194	165
White, both sexes.....	5,370	45	37	30	73	294	376	287	361	378	533	472
Male.....	3,500	24	22	18	52	214	291	220	262	281	370	329
Female.....	1,870	21	15	12	21	80	85	67	99	97	163	143
Black, both sexes.....	833	22	19	12	17	73	104	90	70	70	75	73
Male.....	611	9	10	9	10	61	95	76	54	55	46	53
Female.....	222	13	9	3	7	12	9	14	16	15	29	20
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	-	-	1	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	32	-	-	1	-	1	3	3	3	2	3	3
Male.....	25	-	-	1	-	1	3	3	3	1	2	2
Female.....	7	-	-	-	-	-	-	-	-	1	1	1
Oklahoma												
All races, both sexes.....	2,356	12	30	16	32	162	211	165	151	192	201	214
Male.....	1,574	7	13	9	25	119	167	131	92	140	154	142
Female.....	782	5	17	7	7	43	44	34	59	52	47	72
White, both sexes.....	1,963	7	24	12	23	129	163	120	122	154	170	175
Male.....	1,302	3	12	7	19	97	128	95	72	114	130	115
Female.....	661	4	12	5	4	32	35	25	50	40	40	60
Black, both sexes.....	167	3	4	2	4	13	14	22	11	18	10	17
Male.....	119	3	1	2	4	8	12	17	10	13	8	12
Female.....	48	-	3	-	-	5	2	5	1	5	2	5
American Indian 1/, both sexes.....	205	2	2	2	4	20	30	19	17	19	21	18
Male.....	141	1	-	-	2	14	25	15	10	12	16	14
Female.....	64	1	2	2	2	6	5	4	7	7	5	4
Asian or Pacific Islander 2/, both sexes.....	21	-	-	-	1	-	4	4	1	1	-	4
Male.....	12	-	-	-	-	-	2	4	-	1	-	1
Female.....	9	-	-	-	1	-	2	-	1	-	-	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Oregon

All races, both sexes.....	2,149	18	27	16	27	116	122	119	123	145	170	197
Male.....	1,429	9	16	4	16	95	100	95	99	108	125	137
Female.....	720	9	11	12	11	21	22	24	24	37	45	60
White, both sexes.....	2,015	15	22	15	25	105	112	108	106	132	161	185
Male.....	1,348	7	13	4	15	87	94	88	85	100	118	133
Female.....	667	8	9	11	10	18	18	20	21	32	43	52
Black, both sexes.....	37	1	1	1	-	1	3	4	5	3	3	3
Male.....	24	1	-	-	-	-	1	3	5	1	3	2
Female.....	13	-	1	1	-	1	2	1	-	2	-	1
American Indian 1/, both sexes.....	56	2	2	-	2	5	5	3	6	6	4	8
Male.....	35	1	2	-	1	4	5	2	5	4	3	2
Female.....	21	1	-	-	1	1	-	1	1	2	1	6
Asian or Pacific Islander 2/, both sexes.....	41	-	2	-	-	5	2	4	6	4	2	1
Male.....	22	-	1	-	-	4	-	2	4	3	1	-
Female.....	19	-	1	-	-	1	2	2	2	1	1	1

Pennsylvania

All races, both sexes.....	7,069	27	61	46	84	445	640	431	465	571	633	544
Male.....	4,795	14	40	30	53	340	516	351	368	425	470	413
Female.....	2,274	13	21	16	31	105	124	80	97	146	163	131
White, both sexes.....	6,035	18	45	33	65	367	484	306	373	489	537	465
Male.....	4,008	10	29	20	40	274	377	238	292	365	411	350
Female.....	2,027	8	16	13	25	93	107	68	81	124	126	115
Black, both sexes.....	983	9	15	11	18	77	150	119	86	79	93	78
Male.....	755	4	10	8	13	65	134	109	74	58	57	62
Female.....	228	5	5	3	5	12	16	10	12	21	36	16
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	46	-	1	2	1	1	6	6	6	2	3	1
Male.....	29	-	1	2	-	1	5	4	2	2	2	1
Female.....	17	-	-	-	1	-	1	2	4	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Rhode Island

All races, both sexes.....	521	3	2	4	5	29	35	34	27	45	54	41
Male.....	342	3	1	3	4	25	28	26	22	33	40	29
Female.....	179	-	1	1	1	4	7	8	5	12	14	12
White, both sexes.....	478	2	2	4	3	20	28	33	24	42	51	36
Male.....	305	2	1	3	2	16	22	25	19	31	38	24
Female.....	173	-	1	1	1	4	6	8	5	11	13	12
Black, both sexes.....	32	1	-	-	1	4	4	1	3	2	3	5
Male.....	26	1	-	-	1	4	3	1	3	1	2	5
Female.....	6	-	-	-	-	-	1	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	1	5	3	-	-	1	-	-
Male.....	11	-	-	-	1	5	3	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	2,827	18	36	25	48	202	256	224	210	241	274	216
Male.....	1,990	12	23	17	35	152	208	184	163	184	210	159
Female.....	837	6	13	8	13	50	48	40	47	57	64	57
White, both sexes.....	1,972	11	20	13	26	122	159	132	142	175	201	149
Male.....	1,362	6	10	8	19	91	128	105	109	132	164	104
Female.....	610	5	10	5	7	31	31	27	33	43	37	45
Black, both sexes.....	834	7	15	9	22	78	96	91	63	64	72	65
Male.....	611	6	12	6	16	59	79	78	50	51	45	54
Female.....	223	1	3	3	6	19	17	13	13	13	27	11
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	1	4	-	-	1
Male.....	6	-	-	-	-	-	-	1	4	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	14	-	1	3	-	2	1	-	1	2	1	1
Male.....	11	-	1	3	-	2	1	-	-	1	1	1
Female.....	3	-	-	-	-	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

South Dakota

All races, both sexes.....	476	3	9	5	13	51	37	25	35	31	45	33
Male.....	347	3	7	2	7	36	30	20	26	25	38	29
Female.....	129	-	2	3	6	15	7	5	9	6	7	4
White, both sexes.....	369	-	4	4	12	30	27	12	22	20	36	28
Male.....	273	-	4	2	6	23	24	11	20	15	30	25
Female.....	96	-	-	2	6	7	3	1	2	5	6	3
Black, both sexes.....	4	-	-	-	-	1	1	2	-	-	-	-
Male.....	3	-	-	-	-	-	1	2	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	101	3	5	1	1	19	9	11	13	10	9	5
Male.....	69	3	3	-	1	12	5	7	6	9	8	4
Female.....	32	-	2	1	-	7	4	4	7	1	1	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-
Male.....	2	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	4,150	41	48	32	48	293	356	293	327	361	382	322
Male.....	2,779	24	29	18	30	212	277	223	243	227	261	237
Female.....	1,371	17	19	14	18	81	79	70	84	134	121	85
White, both sexes.....	3,447	20	37	24	29	227	255	231	250	296	331	272
Male.....	2,269	13	23	12	20	160	194	172	181	187	229	199
Female.....	1,178	7	14	12	9	67	61	59	69	109	102	73
Black, both sexes.....	666	20	11	8	19	61	98	59	73	59	46	49
Male.....	487	11	6	6	10	49	80	48	59	35	29	38
Female.....	179	9	5	2	9	12	18	11	14	24	17	11
American Indian 1/, both sexes.....	11	-	-	-	-	-	1	1	2	1	2	1
Male.....	7	-	-	-	-	-	1	1	2	1	2	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	26	1	-	-	-	5	2	2	2	5	3	-
Male.....	16	-	-	-	-	3	2	2	1	4	1	-
Female.....	10	1	-	-	-	2	-	-	1	1	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Texas												
All races, both sexes.....	12,352	129	218	129	196	948	1,226	996	916	1,045	1,183	989
Male.....	8,600	79	126	77	125	689	1,001	788	706	757	855	716
Female.....	3,752	50	92	52	71	259	225	208	210	288	328	273
White, both sexes.....	10,655	92	167	100	158	833	1,055	813	762	880	1,017	859
Male.....	7,396	64	100	62	102	603	858	645	587	628	743	621
Female.....	3,259	28	67	38	56	230	197	168	175	252	274	238
Black, both sexes.....	1,509	37	48	23	33	94	157	169	129	150	156	118
Male.....	1,079	15	24	10	20	73	133	135	102	116	103	89
Female.....	430	22	24	13	13	21	24	34	27	34	53	29
American Indian 1/, both sexes.....	17	-	-	1	-	2	1	2	1	1	3	2
Male.....	12	-	-	-	-	1	1	2	-	1	3	-
Female.....	5	-	-	1	-	1	-	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	171	-	3	5	5	19	13	12	24	14	7	10
Male.....	113	-	2	5	3	12	9	6	17	12	6	6
Female.....	58	-	1	-	2	7	4	6	7	2	1	4
Utah												
All races, both sexes.....	1,305	14	33	13	21	98	115	105	99	107	135	96
Male.....	874	10	20	4	12	73	88	91	77	69	94	69
Female.....	431	4	13	9	9	25	27	14	22	38	41	27
White, both sexes.....	1,236	12	28	13	20	94	102	100	95	97	133	95
Male.....	830	10	18	4	12	71	79	86	73	62	93	68
Female.....	406	2	10	9	8	23	23	14	22	35	40	27
Black, both sexes.....	19	1	1	-	-	1	2	1	2	1	1	-
Male.....	14	-	-	-	-	1	1	1	2	1	1	-
Female.....	5	1	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	26	1	2	-	1	3	6	1	1	6	-	-
Male.....	18	-	2	-	-	1	6	1	1	4	-	-
Female.....	8	1	-	-	1	2	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	24	-	2	-	-	-	5	3	1	3	1	1
Male.....	12	-	-	-	-	-	2	3	1	2	-	1
Female.....	12	-	2	-	-	-	3	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Vermont

All races, both sexes.....	356	-	4	1	3	19	29	18	21	13	33	28
Male.....	241	-	2	-	2	13	24	17	17	9	22	22
Female.....	115	-	2	1	1	6	5	1	4	4	11	6
White, both sexes.....	354	-	4	1	3	18	29	18	20	13	33	28
Male.....	240	-	2	-	2	13	24	17	16	9	22	22
Female.....	114	-	2	1	1	5	5	1	4	4	11	6
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	3,821	24	41	31	50	253	331	250	261	323	349	320
Male.....	2,648	14	27	12	34	187	266	204	200	238	253	243
Female.....	1,173	10	14	19	16	66	65	46	61	85	96	77
White, both sexes.....	2,926	13	24	19	38	166	221	149	195	241	275	258
Male.....	1,986	10	18	8	24	116	175	119	147	180	200	195
Female.....	940	3	6	11	14	50	46	30	48	61	75	63
Black, both sexes.....	825	10	15	12	9	81	104	91	63	77	68	59
Male.....	611	3	8	4	7	65	85	80	51	53	49	46
Female.....	214	7	7	8	2	16	19	11	12	24	19	13
American Indian 1/, both sexes.....	7	-	-	-	-	1	-	2	1	1	-	1
Male.....	4	-	-	-	-	1	-	-	1	1	-	1
Female.....	3	-	-	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	63	1	2	-	3	5	6	8	2	4	6	2
Male.....	47	1	1	-	3	5	6	5	1	4	4	1
Female.....	16	-	1	-	-	-	-	3	1	-	2	1









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Alaska

All races, both sexes.....	38	25	22	17	13	5	11	3	3	3	-	-
Male.....	27	21	18	8	10	2	6	2	1	-	-	-
Female.....	11	4	4	9	3	3	5	1	2	3	-	-
White, both sexes.....	29	18	18	11	10	4	9	3	1	3	-	-
Male.....	20	16	15	3	8	2	5	2	1	-	-	-
Female.....	9	2	3	8	2	2	4	1	-	3	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	8	7	3	6	3	1	2	-	2	-	-	-
Male.....	7	5	3	5	2	-	1	-	-	-	-	-
Female.....	1	2	-	1	1	1	1	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	286	202	148	155	143	205	218	160	109	30	2	23
Male.....	202	137	98	107	92	111	111	94	40	18	-	18
Female.....	84	65	50	48	51	94	107	66	69	12	2	5
White, both sexes.....	249	182	135	137	137	200	209	156	108	27	2	20
Male.....	176	123	93	93	87	110	107	92	39	17	-	16
Female.....	73	59	42	44	50	90	102	64	69	10	2	4
Black, both sexes.....	3	6	2	2	-	2	1	1	1	1	-	-
Male.....	-	6	1	2	-	-	1	-	1	-	-	-
Female.....	3	-	1	-	-	2	-	1	-	1	-	-
American Indian 1/, both sexes.....	32	13	9	15	6	3	5	3	-	2	-	3
Male.....	24	8	4	12	5	1	3	2	-	1	-	2
Female.....	8	5	5	3	1	2	2	1	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	2	1	2	1	-	-	3	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	2	1	-	-	3	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Arkansas

All races, both sexes.....	119	104	69	77	79	97	102	80	44	16	2	1
Male.....	91	81	45	47	50	54	49	38	21	8	-	1
Female.....	28	23	24	30	29	43	53	42	23	8	2	-
White, both sexes.....	103	92	61	67	71	86	93	76	38	15	2	1
Male.....	79	71	39	42	44	49	44	35	17	8	-	1
Female.....	24	21	22	25	27	37	49	41	21	7	2	-
Black, both sexes.....	15	11	8	7	8	11	8	4	6	1	-	-
Male.....	11	9	6	4	6	5	5	3	4	-	-	-
Female.....	4	2	2	3	2	6	3	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-

California

All races, both sexes.....	1,195	877	618	471	552	660	695	577	301	117	11	27
Male.....	866	618	426	329	348	422	382	318	133	43	2	23
Female.....	329	259	192	142	204	238	313	259	168	74	9	4
White, both sexes.....	1,009	753	535	381	471	572	621	526	271	107	11	26
Male.....	738	530	372	267	307	367	335	294	116	39	2	22
Female.....	271	223	163	114	164	205	286	232	155	68	9	4
Black, both sexes.....	129	68	49	31	28	28	21	8	8	3	-	-
Male.....	91	51	37	25	16	19	15	6	5	1	-	-
Female.....	38	17	12	6	12	9	6	2	3	2	-	-
American Indian 1/, both sexes.....	6	7	4	5	-	3	4	-	-	-	-	-
Male.....	6	3	1	3	-	3	2	-	-	-	-	-
Female.....	-	4	3	2	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	51	49	30	54	53	57	49	43	22	7	-	1
Male.....	31	34	16	34	25	33	30	18	12	3	-	1
Female.....	20	15	14	20	28	24	19	25	10	4	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Colorado

All races, both sexes.....	218	140	100	80	115	99	135	114	74	39	7	-
Male.....	160	101	65	56	68	52	73	50	30	13	1	-
Female.....	58	39	35	24	47	47	62	64	44	26	6	-
White, both sexes.....	208	134	96	75	110	95	127	112	74	39	7	-
Male.....	153	96	63	55	67	49	68	49	30	13	1	-
Female.....	55	38	33	20	43	46	59	63	44	26	6	-
Black, both sexes.....	6	5	2	3	2	1	6	2	-	-	-	-
Male.....	3	4	1	-	1	1	4	1	-	-	-	-
Female.....	3	1	1	3	1	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	4	-	2	-	1	-	-	-	-	-	-	-
Male.....	4	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	2	3	2	-	-	-	-	-
Male.....	-	1	-	1	-	2	1	-	-	-	-	-
Female.....	-	-	-	1	2	1	1	-	-	-	-	-

Connecticut

All races, both sexes.....	82	62	51	53	48	102	109	122	75	27	5	1
Male.....	61	45	29	38	32	55	54	55	29	11	-	1
Female.....	21	17	22	15	16	47	55	67	46	16	5	-
White, both sexes.....	71	55	49	48	46	93	107	120	73	25	5	1
Male.....	51	40	28	35	30	50	53	53	29	10	-	1
Female.....	20	15	21	13	16	43	54	67	44	15	5	-
Black, both sexes.....	7	7	1	3	2	9	1	2	1	2	-	-
Male.....	7	5	-	2	2	5	-	2	-	1	-	-
Female.....	-	2	1	1	-	4	1	-	1	1	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	-	-	1	-	1	-	-	-
Male.....	1	-	1	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Florida

All races, both sexes.....	760	559	430	388	462	555	635	526	305	97	17	18
Male.....	561	400	302	267	298	325	381	286	122	25	4	15
Female.....	199	159	128	121	164	230	254	240	183	72	13	3
White, both sexes.....	669	500	370	345	417	516	610	515	292	93	14	17
Male.....	493	350	256	235	271	297	369	279	118	23	4	14
Female.....	176	150	114	110	146	219	241	236	174	70	10	3
Black, both sexes.....	85	55	54	38	42	36	23	10	11	4	3	-
Male.....	62	47	41	28	25	28	12	6	3	2	-	-
Female.....	23	8	13	10	17	8	11	4	8	2	3	-
American Indian 1/, both sexes.....	1	1	-	2	-	-	1	-	2	-	-	-
Male.....	1	1	-	2	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	3	6	3	3	3	1	1	-	-	-	1
Male.....	5	2	5	2	2	-	-	1	-	-	-	1
Female.....	-	1	1	1	1	3	1	-	-	-	-	-

Georgia

All races, both sexes.....	331	255	181	170	169	230	215	202	124	31	4	2
Male.....	225	187	124	115	109	139	128	69	45	5	2	2
Female.....	106	68	57	55	60	91	87	133	79	26	2	-
White, both sexes.....	231	197	133	126	133	199	178	175	111	23	4	1
Male.....	157	142	90	86	88	120	110	61	39	5	2	1
Female.....	74	55	43	40	45	79	68	114	72	18	2	-
Black, both sexes.....	95	57	46	43	32	26	35	26	13	8	-	1
Male.....	65	44	32	28	19	16	18	7	6	-	-	1
Female.....	30	13	14	15	13	10	17	19	7	8	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	2	1	4	5	2	1	-	-	-	-
Male.....	3	1	2	1	2	3	-	1	-	-	-	-
Female.....	1	-	-	-	2	2	2	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Maine

All races, both sexes.....	41	32	23	34	27	41	41	34	26	10	5	-
Male.....	29	28	13	20	23	28	21	16	8	4	2	-
Female.....	12	4	10	14	4	13	20	18	18	6	3	-
White, both sexes.....	41	31	23	33	27	40	40	34	26	10	5	-
Male.....	29	27	13	19	23	28	20	16	8	4	2	-
Female.....	12	4	10	14	4	12	20	18	18	6	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Maryland

All races, both sexes.....	218	141	100	98	100	121	125	77	45	16	1	1
Male.....	163	109	75	59	65	74	65	35	20	7	-	1
Female.....	55	32	25	39	35	47	60	42	25	9	1	-
White, both sexes.....	120	102	75	68	79	98	108	65	40	13	1	-
Male.....	85	83	58	37	52	60	55	30	19	5	-	-
Female.....	35	19	17	31	27	38	53	35	21	8	1	-
Black, both sexes.....	93	36	19	25	20	21	16	11	3	3	-	1
Male.....	75	24	13	18	12	13	9	5	1	2	-	1
Female.....	18	12	6	7	8	8	7	6	2	1	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	5	5	1	2	1	1	1	-	-	-
Male.....	2	2	4	4	1	1	1	-	-	-	-	-
Female.....	1	1	1	1	-	1	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Massachusetts

All races, both sexes.....	169	108	73	63	104	158	156	147	112	46	7	-
Male.....	133	81	54	40	73	85	79	68	40	12	1	-
Female.....	36	27	19	23	31	73	77	79	72	34	6	-
White, both sexes.....	155	101	69	54	96	154	149	143	110	45	7	-
Male.....	123	75	51	33	70	83	75	65	39	12	1	-
Female.....	32	26	18	21	26	71	74	78	71	33	6	-
Black, both sexes.....	13	5	3	1	6	2	5	3	1	1	-	-
Male.....	9	4	3	1	2	1	3	2	-	-	-	-
Female.....	4	1	-	-	4	1	2	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	8	2	2	2	1	1	-	-	-
Male.....	1	2	-	6	1	1	1	1	1	-	-	-
Female.....	-	-	1	2	1	1	1	-	-	-	-	-

Michigan

All races, both sexes.....	351	220	174	174	200	264	281	261	149	55	12	4
Male.....	247	154	120	118	131	150	139	123	53	20	1	4
Female.....	104	66	54	56	69	114	142	138	96	35	11	-
White, both sexes.....	266	179	144	151	173	237	250	243	137	54	12	4
Male.....	192	128	99	101	108	138	123	112	50	20	1	4
Female.....	74	51	45	50	65	99	127	131	87	34	11	-
Black, both sexes.....	80	38	26	17	26	26	26	18	11	1	-	-
Male.....	54	25	18	13	23	12	13	11	2	-	-	-
Female.....	26	13	8	4	3	14	13	7	9	1	-	-
American Indian 1/, both sexes.....	5	2	2	1	1	-	-	-	1	-	-	-
Male.....	1	1	1	1	-	-	-	-	1	-	-	-
Female.....	4	1	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	5	-	1	5	-	-	-	-	-
Male.....	-	-	2	3	-	-	3	-	-	-	-	-
Female.....	-	1	-	2	-	1	2	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Nebraska

All races, both sexes.....	64	44	33	43	50	45	73	70	53	28	5	-
Male.....	48	30	25	31	30	31	36	27	17	5	-	-
Female.....	16	14	8	12	20	14	37	43	36	23	5	-
White, both sexes.....	60	40	32	42	49	44	72	69	53	28	5	-
Male.....	45	28	24	30	29	30	36	26	17	5	-	-
Female.....	15	12	8	12	20	14	36	43	36	23	5	-
Black, both sexes.....	1	2	-	-	1	-	1	-	-	-	-	-
Male.....	1	2	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	1	1	-	1	-	-	-	-	-	-
Female.....	1	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	145	102	62	56	50	62	69	41	18	4	1	4
Male.....	103	70	42	38	34	40	46	17	7	3	-	4
Female.....	42	32	20	18	16	22	23	24	11	1	1	-
White, both sexes.....	125	91	57	53	47	57	66	38	17	4	1	4
Male.....	93	63	39	37	34	36	44	16	6	3	-	4
Female.....	32	28	18	16	13	21	22	22	11	1	1	-
Black, both sexes.....	11	5	3	2	1	2	2	3	1	-	-	-
Male.....	6	4	2	-	-	2	1	1	1	-	-	-
Female.....	5	1	1	2	1	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	3	2	-	1	-	1	1	-	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	4	2	-	2	2	-	-	-	-	-	-
Male.....	4	2	1	-	-	2	-	-	-	-	-	-
Female.....	2	2	1	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

New Hampshire

All races, both sexes.....	35	35	16	24	20	29	28	26	15	4	-	-
Male.....	23	26	11	17	15	21	20	11	6	2	-	-
Female.....	12	9	5	7	5	8	8	15	9	2	-	-
White, both sexes.....	33	35	16	24	20	29	28	26	15	4	-	-
Male.....	21	26	11	17	15	21	20	11	6	2	-	-
Female.....	12	9	5	7	5	8	8	15	9	2	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	250	178	120	96	158	203	232	198	109	42	5	11
Male.....	193	134	86	60	104	122	122	83	34	9	-	10
Female.....	57	44	34	36	54	81	110	115	75	33	5	1
White, both sexes.....	205	149	92	81	136	179	215	187	103	41	5	9
Male.....	161	113	68	52	93	107	117	79	33	8	-	8
Female.....	44	36	24	29	43	72	98	108	70	33	5	1
Black, both sexes.....	41	22	24	10	18	17	12	10	5	1	-	2
Male.....	29	17	16	4	9	12	4	3	1	1	-	2
Female.....	12	5	8	6	9	5	8	7	4	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	6	4	5	4	7	5	1	1	-	-	-
Male.....	2	3	2	4	2	3	1	1	-	-	-	-
Female.....	1	3	2	1	2	4	4	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

New Mexico

All races, both sexes.....	110	79	69	54	61	68	77	61	46	15	-	3
Male.....	79	57	54	40	41	40	42	26	14	6	-	2
Female.....	31	22	15	14	20	28	35	35	32	9	-	1
White, both sexes.....	103	68	62	47	55	57	74	57	42	15	-	3
Male.....	73	47	49	36	37	33	40	23	13	6	-	2
Female.....	30	21	13	11	18	24	34	34	29	9	-	1
Black, both sexes.....	-	1	-	2	2	-	-	1	1	-	-	-
Male.....	-	1	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	2	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	6	9	7	5	4	11	3	3	3	-	-	-
Male.....	5	8	5	3	4	7	2	2	1	-	-	-
Female.....	1	1	2	2	-	4	1	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	444	335	240	266	310	391	417	378	229	80	11	7
Male.....	319	250	166	173	191	222	202	191	83	22	4	5
Female.....	125	85	74	93	119	169	215	187	146	58	7	2
White, both sexes.....	336	266	196	210	271	349	387	350	218	75	10	5
Male.....	246	196	137	132	168	201	187	178	76	18	3	4
Female.....	90	70	59	78	103	148	200	172	142	57	7	1
Black, both sexes.....	87	55	41	41	27	30	24	23	3	5	-	1
Male.....	59	42	28	31	15	15	12	10	2	4	-	-
Female.....	28	13	13	10	12	15	12	13	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	14	3	15	12	12	6	5	7	-	1	1
Male.....	14	12	1	10	8	6	3	3	5	-	1	1
Female.....	7	2	2	5	4	6	3	2	2	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Ohio

All races, both sexes.....	385	282	236	205	262	330	367	350	208	68	12	-
Male.....	276	197	151	142	169	186	182	154	73	27	2	-
Female.....	109	85	85	63	93	144	185	196	135	41	10	-
White, both sexes.....	338	245	214	183	239	297	350	341	200	67	10	-
Male.....	241	168	139	129	151	169	172	149	71	26	2	-
Female.....	97	77	75	54	88	128	178	192	129	41	8	-
Black, both sexes.....	43	33	22	21	22	31	16	9	8	1	2	-
Male.....	32	25	12	13	17	16	10	5	2	1	-	-
Female.....	11	8	10	8	5	15	6	4	6	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	-	1	1	2	1	-	-	-	-	-
Male.....	3	4	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	1	1	-	-	-	-	-

Oklahoma

All races, both sexes.....	147	119	89	96	109	124	107	92	62	20	5	-
Male.....	104	79	62	67	66	67	63	34	22	10	1	-
Female.....	43	40	27	29	43	57	44	58	40	10	4	-
White, both sexes.....	129	107	74	84	96	109	98	89	55	18	5	-
Male.....	88	71	52	59	60	60	57	34	18	10	1	-
Female.....	41	36	22	25	36	49	41	55	37	8	4	-
Black, both sexes.....	4	3	7	5	8	8	5	3	6	-	-	-
Male.....	3	1	7	3	5	3	3	-	4	-	-	-
Female.....	1	2	-	2	3	5	2	3	2	-	-	-
American Indian 1/, both sexes.....	11	9	8	7	4	5	4	-	1	2	-	-
Male.....	10	7	3	5	1	3	3	-	-	-	-	-
Female.....	1	2	5	2	3	2	1	-	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	2	-	-	-	-	-	-
Male.....	3	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Oregon

All races, both sexes.....	175	102	78	73	83	117	150	143	98	41	8	1
Male.....	119	67	56	49	61	72	78	67	42	12	1	1
Female.....	56	35	22	24	22	45	72	76	56	29	7	-
White, both sexes.....	167	99	73	70	79	114	144	139	96	40	7	1
Male.....	114	66	53	47	59	71	74	65	41	12	1	1
Female.....	53	33	20	23	20	43	70	74	55	28	6	-
Black, both sexes.....	4	1	3	-	-	-	-	2	1	-	1	-
Male.....	3	-	3	-	-	-	-	1	1	-	-	-
Female.....	1	1	-	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	4	1	1	1	1	1	2	1	1	-	-	-
Male.....	2	1	-	1	1	-	1	-	-	-	-	-
Female.....	2	-	1	-	-	1	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	3	2	4	1	-	1	-	-
Male.....	-	-	-	1	1	1	3	1	-	-	-	-
Female.....	-	1	1	1	2	1	1	-	-	1	-	-

Pennsylvania

All races, both sexes.....	416	293	242	241	286	418	475	384	247	98	20	2
Male.....	291	220	169	149	181	225	245	170	89	31	3	2
Female.....	125	73	73	92	105	193	230	214	158	67	17	-
White, both sexes.....	348	257	212	205	266	392	460	364	237	91	19	2
Male.....	241	193	146	123	169	213	237	160	86	29	3	2
Female.....	107	64	66	82	97	179	223	204	151	62	16	-
Black, both sexes.....	63	33	28	32	18	25	14	18	9	7	1	-
Male.....	47	25	22	23	12	11	8	8	3	2	-	-
Female.....	16	8	6	9	6	14	6	10	6	5	1	-
American Indian 1/, both sexes.....	1	1	-	1	-	1	-	-	-	-	-	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	2	3	2	-	1	2	1	-	-	-
Male.....	2	1	1	3	-	-	-	2	-	-	-	-
Female.....	2	1	1	-	2	-	1	-	1	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Texas

All races, both sexes.....	778	564	384	387	445	478	538	415	261	88	16	23
Male.....	529	421	280	252	287	294	290	177	101	25	4	21
Female.....	249	143	104	135	158	184	248	238	160	63	12	2
White, both sexes.....	669	479	333	354	404	434	503	383	242	81	14	23
Male.....	446	355	244	233	261	264	275	167	90	24	3	21
Female.....	223	124	89	121	143	170	228	216	152	57	11	2
Black, both sexes.....	96	68	47	28	33	38	34	27	15	7	2	-
Male.....	75	54	35	17	19	27	14	7	9	1	1	-
Female.....	21	14	12	11	14	11	20	20	6	6	1	-
American Indian 1/, both sexes.....	-	2	-	-	-	1	-	1	-	-	-	-
Male.....	-	2	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	15	4	5	8	5	1	4	4	-	-	-
Male.....	8	10	1	2	7	2	1	2	2	-	-	-
Female.....	5	5	3	3	1	3	-	2	2	-	-	-

Utah

All races, both sexes.....	82	56	47	30	49	53	47	58	28	16	3	-
Male.....	55	37	26	18	33	30	24	32	8	2	2	-
Female.....	27	19	21	12	16	23	23	26	20	14	1	-
White, both sexes.....	77	52	43	29	46	50	46	58	28	15	3	-
Male.....	52	33	22	18	32	29	24	32	8	2	2	-
Female.....	25	19	21	11	14	21	22	26	20	13	1	-
Black, both sexes.....	3	2	3	-	-	1	-	-	-	-	-	-
Male.....	2	2	3	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	1	1	-	-	-	1	-	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	1	2	1	1	-	-	-	-	-
Male.....	-	1	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	1	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (\*U01-\*U03,V01-Y89)

Vermont

All races, both sexes.....	30	18	11	13	15	25	14	30	27	4	-	-
Male.....	21	13	9	11	11	18	5	10	12	3	-	-
Female.....	9	5	2	2	4	7	9	20	15	1	-	-
White, both sexes.....	30	18	11	13	15	25	14	30	27	4	-	-
Male.....	21	13	9	11	11	18	5	10	12	3	-	-
Female.....	9	5	2	2	4	7	9	20	15	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	223	173	132	138	157	203	207	197	115	36	6	1
Male.....	158	139	98	93	103	127	104	91	45	10	2	-
Female.....	65	34	34	45	54	76	103	106	70	26	4	1
White, both sexes.....	174	144	106	110	129	171	181	177	97	33	4	1
Male.....	121	114	76	75	86	105	90	81	37	8	1	-
Female.....	53	30	30	35	43	66	91	96	60	25	3	1
Black, both sexes.....	44	26	26	26	25	27	23	16	18	3	2	-
Male.....	33	22	22	17	14	19	13	9	8	2	1	-
Female.....	11	4	4	9	11	8	10	7	10	1	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	3	-	1	3	5	3	4	-	-	-	-
Male.....	4	3	-	1	3	3	1	1	-	-	-	-
Female.....	1	-	-	-	-	2	2	3	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
United States												
All races, both sexes.....	106,742	946	1,641	1,176	1,542	7,137	8,275	6,122	6,447	7,642	9,068	8,241
Male.....	69,257	553	1,024	720	993	4,981	6,457	4,768	4,867	5,535	6,477	5,940
Female.....	37,485	393	617	456	549	2,156	1,818	1,354	1,580	2,107	2,591	2,301
White, both sexes.....	90,866	583	1,199	810	1,155	6,072	6,976	5,004	5,374	6,270	7,631	6,784
Male.....	58,467	358	736	497	743	4,214	5,465	3,907	4,079	4,546	5,494	4,949
Female.....	32,399	225	463	313	412	1,858	1,511	1,097	1,295	1,724	2,137	1,835
Black, both sexes.....	12,513	330	359	306	315	758	968	867	844	1,105	1,163	1,232
Male.....	8,612	176	239	185	215	558	740	677	632	803	789	853
Female.....	3,901	154	120	121	100	200	228	190	212	302	374	379
American Indian 1/, both sexes.....	1,488	15	33	23	37	146	154	132	122	166	167	117
Male.....	1,003	8	19	11	20	91	121	101	85	114	114	78
Female.....	485	7	14	12	17	55	33	31	37	52	53	39
Asian or Pacific Islander 2/, both sexes.....	1,875	18	50	37	35	161	177	119	107	101	107	108
Male.....	1,175	11	30	27	15	118	131	83	71	72	80	60
Female.....	700	7	20	10	20	43	46	36	36	29	27	48
Alabama												
All races, both sexes.....	2,228	17	47	32	36	183	194	144	145	168	147	137
Male.....	1,450	11	28	19	22	117	144	110	108	112	97	91
Female.....	778	6	19	13	14	66	50	34	37	56	50	46
White, both sexes.....	1,742	10	31	18	20	153	146	99	115	132	117	97
Male.....	1,124	7	18	11	13	98	108	76	83	92	75	66
Female.....	618	3	13	7	7	55	38	23	32	40	42	31
Black, both sexes.....	473	7	14	12	15	30	47	41	30	35	30	39
Male.....	319	4	9	7	8	19	36	31	25	20	22	25
Female.....	154	3	5	5	7	11	11	10	5	15	8	14
American Indian 1/, both sexes.....	4	-	1	1	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	1	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	1	1	-	1	3	-	-	-	1
Male.....	6	-	1	1	1	-	-	2	-	-	-	-
Female.....	3	-	-	-	-	-	1	1	-	-	-	1



## Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Arkansas												
All races, both sexes.....	1,311	19	25	13	25	106	127	87	84	70	111	74
Male.....	860	9	16	11	11	75	100	63	64	53	81	54
Female.....	451	10	9	2	14	31	27	24	20	17	30	20
White, both sexes.....	1,101	11	17	7	19	92	104	69	71	57	89	59
Male.....	710	6	11	6	10	64	79	49	53	44	64	43
Female.....	391	5	6	1	9	28	25	20	18	13	25	16
Black, both sexes.....	194	8	7	6	6	12	22	15	12	11	21	14
Male.....	138	3	4	5	1	9	20	12	10	8	16	10
Female.....	56	5	3	1	5	3	2	3	2	3	5	4
American Indian 1/, both sexes.....	5	-	-	-	-	2	-	-	-	2	-	-
Male.....	4	-	-	-	-	2	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	-	-	-	1	3	1	-	1	1
Male.....	8	-	1	-	-	-	1	2	1	-	1	1
Female.....	3	-	-	-	-	-	-	1	-	-	-	-
California												
All races, both sexes.....	10,107	56	179	123	123	654	790	549	668	800	1,003	1,004
Male.....	6,794	32	119	81	74	459	627	427	478	587	742	685
Female.....	3,313	24	60	42	49	195	163	122	190	213	261	319
White, both sexes.....	8,587	46	146	97	94	565	666	466	564	674	863	830
Male.....	5,781	27	95	63	56	393	527	365	416	492	649	579
Female.....	2,806	19	51	34	38	172	139	101	148	182	214	251
Black, both sexes.....	812	7	16	14	18	35	54	39	63	82	97	122
Male.....	560	4	12	8	15	26	42	34	36	61	59	71
Female.....	252	3	4	6	3	9	12	5	27	21	38	51
American Indian 1/, both sexes.....	92	-	4	1	-	5	11	7	5	10	13	14
Male.....	66	-	2	1	-	4	9	5	3	8	9	12
Female.....	26	-	2	-	-	1	2	2	2	2	4	2
Asian or Pacific Islander 2/, both sexes.....	616	3	13	11	11	49	59	37	36	34	30	38
Male.....	387	1	10	9	3	36	49	23	23	26	25	23
Female.....	229	2	3	2	8	13	10	14	13	8	5	15







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Florida

All races, both sexes.....	7,396	73	130	54	75	399	562	461	456	573	695	606
Male.....	4,891	39	84	33	47	277	440	371	346	409	489	431
Female.....	2,505	34	46	21	28	122	122	90	110	164	206	175
White, both sexes.....	6,470	43	90	35	57	334	477	393	411	495	610	522
Male.....	4,236	24	56	24	33	229	372	317	314	353	432	370
Female.....	2,234	19	34	11	24	105	105	76	97	142	178	152
Black, both sexes.....	857	30	38	18	16	57	77	64	37	74	79	80
Male.....	613	15	26	9	13	44	62	51	27	55	54	59
Female.....	244	15	12	9	3	13	15	13	10	19	25	21
American Indian 1/, both sexes.....	25	-	-	-	1	3	4	3	3	1	2	2
Male.....	15	-	-	-	1	-	3	2	2	1	-	2
Female.....	10	-	-	-	-	3	1	1	1	-	2	-
Asian or Pacific Islander 2/, both sexes.....	44	-	2	1	1	5	4	1	5	3	4	2
Male.....	27	-	2	-	-	4	3	1	3	-	3	-
Female.....	17	-	-	1	1	1	1	-	2	3	1	2

Georgia

All races, both sexes.....	3,333	38	73	49	59	224	240	205	225	258	317	280
Male.....	2,156	22	49	29	37	152	183	154	174	182	230	196
Female.....	1,177	16	24	20	22	72	57	51	51	76	87	84
White, both sexes.....	2,497	22	48	33	40	183	183	147	161	179	233	203
Male.....	1,593	13	32	21	25	120	147	110	126	119	167	142
Female.....	904	9	16	12	15	63	36	37	35	60	66	61
Black, both sexes.....	801	15	22	16	19	38	51	54	64	79	82	75
Male.....	539	8	16	8	12	30	32	40	48	63	61	52
Female.....	262	7	6	8	7	8	19	14	16	16	21	23
American Indian 1/, both sexes.....	5	-	-	-	-	1	-	1	-	-	1	1
Male.....	3	-	-	-	-	-	-	1	-	-	1	1
Female.....	2	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	30	1	3	-	-	2	6	3	-	-	1	1
Male.....	21	1	1	-	-	2	4	3	-	-	1	1
Female.....	9	-	2	-	-	-	2	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Illinois

All races, both sexes.....	4,222	60	63	43	62	248	322	272	273	308	343	355
Male.....	2,820	41	41	29	42	178	267	216	220	218	253	261
Female.....	1,402	19	22	14	20	70	55	56	53	90	90	94
White, both sexes.....	3,411	24	43	29	45	212	279	215	209	226	259	251
Male.....	2,254	18	27	19	31	150	235	175	171	164	189	190
Female.....	1,157	6	16	10	14	62	44	40	38	62	70	61
Black, both sexes.....	768	36	19	14	17	32	42	54	63	78	80	103
Male.....	542	23	13	10	11	25	31	41	48	52	60	71
Female.....	226	13	6	4	6	7	11	13	15	26	20	32
American Indian 1/, both sexes.....	6	-	1	-	-	1	-	1	-	2	-	-
Male.....	3	-	1	-	-	1	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	37	-	-	-	-	3	1	2	1	2	4	1
Male.....	21	-	-	-	-	2	1	-	1	1	4	-
Female.....	16	-	-	-	-	1	-	2	-	1	-	1

Indiana

All races, both sexes.....	2,148	33	29	31	27	170	176	111	95	105	139	154
Male.....	1,310	22	17	14	16	121	133	82	71	81	96	118
Female.....	838	11	12	17	11	49	43	29	24	24	43	36
White, both sexes.....	1,997	19	26	25	27	162	170	101	90	93	129	139
Male.....	1,208	11	16	10	16	114	130	77	67	71	89	108
Female.....	789	8	10	15	11	48	40	24	23	22	40	31
Black, both sexes.....	144	14	3	6	-	8	5	9	5	12	9	13
Male.....	98	11	1	4	-	7	3	5	4	10	6	9
Female.....	46	3	2	2	-	1	2	4	1	2	3	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	1	-	-	-	1	2
Male.....	4	-	-	-	-	-	-	-	-	-	1	1
Female.....	2	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Iowa

All races, both sexes.....	1,093	4	11	22	15	63	63	44	49	39	69	58
Male.....	683	3	7	15	9	43	50	37	37	32	49	44
Female.....	410	1	4	7	6	20	13	7	12	7	20	14
White, both sexes.....	1,060	4	10	20	12	62	59	43	48	36	66	53
Male.....	661	3	7	14	6	42	47	36	36	29	47	41
Female.....	399	1	3	6	6	20	12	7	12	7	19	12
Black, both sexes.....	23	-	-	1	3	-	3	1	1	2	1	4
Male.....	18	-	-	1	3	-	3	1	1	2	1	2
Female.....	5	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	4	-	-	-	-	1	-	-	-	1	1	1
Male.....	3	-	-	-	-	1	-	-	-	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	1	-	-	1	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	5	-	1	1	-	-	1	-	-	-	-	-

Kansas

All races, both sexes.....	1,139	12	19	13	20	94	103	53	50	79	91	93
Male.....	726	8	13	9	10	61	86	45	39	55	56	57
Female.....	413	4	6	4	10	33	17	8	11	24	35	36
White, both sexes.....	1,066	7	16	11	19	86	92	48	49	72	83	88
Male.....	675	5	11	8	10	55	76	41	38	50	50	54
Female.....	391	2	5	3	9	31	16	7	11	22	33	34
Black, both sexes.....	58	4	3	-	1	7	9	4	1	4	5	4
Male.....	40	2	2	-	-	5	8	3	1	4	4	2
Female.....	18	2	1	-	1	2	1	1	-	-	1	2
American Indian 1/, both sexes.....	9	1	-	1	-	-	1	-	-	2	3	1
Male.....	7	1	-	1	-	-	1	-	-	1	2	1
Female.....	2	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	1	-	1	1	1	-	1	-	-
Male.....	4	-	-	-	-	1	1	1	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Kentucky

All races, both sexes.....	2,090	21	25	17	21	158	182	134	167	151	190	145
Male.....	1,370	11	12	6	17	107	140	106	132	108	130	110
Female.....	720	10	13	11	4	51	42	28	35	43	60	35
White, both sexes.....	1,995	16	21	16	21	152	173	124	156	146	184	138
Male.....	1,304	7	10	6	17	104	133	101	123	104	126	106
Female.....	691	9	11	10	4	48	40	23	33	42	58	32
Black, both sexes.....	86	4	4	1	-	6	8	9	10	4	5	7
Male.....	61	3	2	-	-	3	6	5	8	4	4	4
Female.....	25	1	2	1	-	3	2	4	2	-	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	-	-	-	-	1	1	1	1	1	-
Male.....	5	1	-	-	-	-	1	-	1	-	-	-
Female.....	4	-	-	-	-	-	-	1	-	1	1	-

Louisiana

All races, both sexes.....	2,115	24	58	37	45	177	175	163	160	161	166	152
Male.....	1,400	13	31	28	30	116	137	128	121	131	110	106
Female.....	715	11	27	9	15	61	38	35	39	30	56	46
White, both sexes.....	1,502	5	27	14	25	133	133	105	119	109	124	110
Male.....	989	4	15	10	17	94	104	79	89	87	82	78
Female.....	513	1	12	4	8	39	29	26	30	22	42	32
Black, both sexes.....	584	19	31	23	19	38	38	54	38	49	41	41
Male.....	390	9	16	18	12	19	31	45	29	42	27	27
Female.....	194	10	15	5	7	19	7	9	9	7	14	14
American Indian 1/, both sexes.....	13	-	-	-	-	3	2	1	1	2	-	1
Male.....	10	-	-	-	-	2	1	1	1	1	-	1
Female.....	3	-	-	-	-	1	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	-	-	1	3	2	3	2	1	1	-
Male.....	11	-	-	-	1	1	1	3	2	1	1	-
Female.....	5	-	-	-	-	2	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Maine

All races, both sexes.....	511	2	7	2	4	35	39	37	31	37	47	27
Male.....	313	1	2	-	3	19	28	27	20	24	37	17
Female.....	198	1	5	2	1	16	11	10	11	13	10	10
White, both sexes.....	499	2	4	2	4	35	38	37	30	36	46	25
Male.....	307	1	1	-	3	19	28	27	19	24	37	15
Female.....	192	1	3	2	1	16	10	10	11	12	9	10
Black, both sexes.....	3	-	2	-	-	-	-	-	-	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	7	-	1	-	-	-	1	-	1	-	1	2
Male.....	4	-	-	-	-	-	-	-	1	-	-	2
Female.....	3	-	1	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	1,332	8	27	23	14	92	103	81	82	75	95	86
Male.....	879	7	13	17	11	61	83	61	64	52	70	65
Female.....	453	1	14	6	3	31	20	20	18	23	25	21
White, both sexes.....	905	2	18	6	7	59	65	48	44	44	57	57
Male.....	582	2	9	4	5	38	48	38	36	31	44	44
Female.....	323	-	9	2	2	21	17	10	8	13	13	13
Black, both sexes.....	395	6	9	16	7	30	36	31	36	29	37	27
Male.....	275	5	4	12	6	21	33	21	26	20	25	19
Female.....	120	1	5	4	1	9	3	10	10	9	12	8
American Indian 1/, both sexes.....	6	-	-	1	-	-	1	-	-	-	1	-
Male.....	4	-	-	1	-	-	1	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	26	-	-	-	-	3	1	2	2	2	-	2
Male.....	18	-	-	-	-	2	1	2	2	1	-	2
Female.....	8	-	-	-	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Massachusetts

All races, both sexes.....	1,413	5	12	8	10	76	92	62	59	74	90	73
Male.....	875	4	7	7	6	55	70	49	42	54	64	61
Female.....	538	1	5	1	4	21	22	13	17	20	26	12
White, both sexes.....	1,311	3	7	6	8	69	79	55	54	67	83	67
Male.....	806	2	4	5	5	49	61	42	39	49	59	57
Female.....	505	1	3	1	3	20	18	13	15	18	24	10
Black, both sexes.....	79	2	5	2	2	5	12	6	4	6	5	5
Male.....	57	2	3	2	1	5	9	6	3	5	4	4
Female.....	22	-	2	-	1	-	3	-	1	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	-	-	-	-	2	1	1	1	1	2	1
Male.....	12	-	-	-	-	1	-	1	-	-	1	-
Female.....	11	-	-	-	-	1	1	-	1	1	1	1

Michigan

All races, both sexes.....	3,285	73	48	43	66	219	212	155	184	216	266	249
Male.....	2,083	37	33	30	52	154	166	117	149	158	183	174
Female.....	1,202	36	15	13	14	65	46	38	35	58	83	75
White, both sexes.....	2,704	35	29	25	51	191	176	112	141	182	215	188
Male.....	1,696	21	19	16	39	131	140	84	116	136	145	138
Female.....	1,008	14	10	9	12	60	36	28	25	46	70	50
Black, both sexes.....	533	37	19	18	15	24	32	31	41	32	47	59
Male.....	361	16	14	14	13	20	23	25	33	20	36	36
Female.....	172	21	5	4	2	4	9	6	8	12	11	23
American Indian 1/, both sexes.....	25	1	-	-	-	1	3	5	2	1	4	1
Male.....	12	-	-	-	-	1	2	3	-	1	2	-
Female.....	13	1	-	-	-	-	1	2	2	-	2	1
Asian or Pacific Islander 2/, both sexes.....	23	-	-	-	-	3	1	7	-	1	-	1
Male.....	14	-	-	-	-	2	1	5	-	1	-	-
Female.....	9	-	-	-	-	1	-	2	-	-	-	1



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Minnesota

All races, both sexes.....	1,928	20	29	20	34	123	115	88	79	94	134	117
Male.....	1,150	9	18	11	14	88	96	66	57	73	97	89
Female.....	778	11	11	9	20	35	19	22	22	21	37	28
White, both sexes.....	1,776	15	22	17	29	107	104	76	70	79	113	104
Male.....	1,052	6	14	11	13	76	86	58	49	61	85	80
Female.....	724	9	8	6	16	31	18	18	21	18	28	24
Black, both sexes.....	62	4	4	-	2	6	5	8	5	7	8	5
Male.....	48	3	2	-	-	5	4	5	5	6	5	5
Female.....	14	1	2	-	2	1	1	3	-	1	3	-
American Indian 1/, both sexes.....	56	1	1	2	-	6	3	-	2	8	12	5
Male.....	29	-	-	-	-	3	3	-	2	6	6	1
Female.....	27	1	1	2	-	3	-	-	-	2	6	4
Asian or Pacific Islander 2/, both sexes.....	34	-	2	1	3	4	3	4	2	-	1	3
Male.....	21	-	2	-	1	4	3	3	1	-	1	3
Female.....	13	-	-	1	2	-	-	1	1	-	-	-

Mississippi

All races, both sexes.....	1,642	12	37	39	44	123	132	106	115	121	137	110
Male.....	1,079	5	24	18	28	80	94	76	84	82	96	74
Female.....	563	7	13	21	16	43	38	30	31	39	41	36
White, both sexes.....	1,074	4	17	10	22	85	83	64	79	75	96	60
Male.....	703	2	9	8	12	55	61	46	58	51	64	39
Female.....	371	2	8	2	10	30	22	18	21	24	32	21
Black, both sexes.....	554	8	20	28	21	37	48	42	34	42	41	48
Male.....	367	3	15	9	15	25	32	30	24	29	32	34
Female.....	187	5	5	19	6	12	16	12	10	13	9	14
American Indian 1/, both sexes.....	6	-	-	-	-	1	-	-	1	2	-	2
Male.....	3	-	-	-	-	-	-	-	1	1	-	1
Female.....	3	-	-	-	-	1	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	8	-	-	1	1	-	1	-	1	2	-	-
Male.....	6	-	-	1	1	-	1	-	1	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Missouri												
All races, both sexes.....	2,641	38	32	28	52	197	227	156	147	175	207	193
Male.....	1,618	22	22	13	32	131	165	122	105	122	135	128
Female.....	1,023	16	10	15	20	66	62	34	42	53	72	65
White, both sexes.....	2,372	24	23	21	40	169	205	134	128	156	187	163
Male.....	1,443	14	14	10	26	113	151	103	90	107	122	110
Female.....	929	10	9	11	14	56	54	31	38	49	65	53
Black, both sexes.....	245	14	9	7	9	24	19	21	19	18	16	27
Male.....	164	8	8	3	5	15	12	19	15	14	10	18
Female.....	81	6	1	4	4	9	7	2	4	4	6	9
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	1	-	1	3	-
Male.....	3	-	-	-	-	-	-	-	-	1	2	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	3	4	3	-	-	-	1	3
Male.....	8	-	-	-	1	3	2	-	-	-	1	-
Female.....	11	-	-	-	2	1	1	-	-	-	-	3
Montana												
All races, both sexes.....	524	1	5	8	5	45	36	33	24	40	27	35
Male.....	337	-	3	6	3	32	25	25	20	30	20	25
Female.....	187	1	2	2	2	13	11	8	4	10	7	10
White, both sexes.....	441	-	4	7	3	34	26	23	19	25	19	33
Male.....	285	-	2	5	2	22	21	19	17	19	16	24
Female.....	156	-	2	2	1	12	5	4	2	6	3	9
Black, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	77	1	1	1	2	10	9	10	5	12	8	1
Male.....	47	-	1	1	1	9	4	6	3	8	4	-
Female.....	30	1	-	-	1	1	5	4	2	4	4	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	3	-	-
Male.....	3	-	-	-	-	-	-	-	-	3	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Nebraska

All races, both sexes.....	762	1	13	10	12	61	69	23	40	37	41	48
Male.....	460	1	9	7	7	34	52	18	28	30	34	35
Female.....	302	-	4	3	5	27	17	5	12	7	7	13
White, both sexes.....	729	1	13	8	12	55	64	21	39	32	39	47
Male.....	435	1	9	5	7	30	48	16	27	25	33	35
Female.....	294	-	4	3	5	25	16	5	12	7	6	12
Black, both sexes.....	16	-	-	1	-	3	3	2	1	2	2	-
Male.....	13	-	-	1	-	2	3	2	1	2	1	-
Female.....	3	-	-	-	-	1	-	-	-	-	1	-
American Indian 1/, both sexes.....	13	-	-	1	-	3	2	-	-	2	-	-
Male.....	9	-	-	1	-	2	1	-	-	2	-	-
Female.....	4	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	1
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1

Nevada

All races, both sexes.....	860	15	12	5	10	58	55	54	61	69	94	77
Male.....	558	8	6	2	7	41	44	44	41	42	68	54
Female.....	302	7	6	3	3	17	11	10	20	27	26	23
White, both sexes.....	754	8	8	3	9	53	48	48	56	60	87	66
Male.....	497	5	4	1	6	38	40	38	40	36	63	45
Female.....	257	3	4	2	3	15	8	10	16	24	24	21
Black, both sexes.....	53	6	3	1	1	3	1	1	2	6	2	7
Male.....	30	3	1	1	1	1	-	1	1	5	2	6
Female.....	23	3	2	-	-	2	1	-	1	1	-	1
American Indian 1/, both sexes.....	18	1	-	1	-	-	1	2	-	1	3	1
Male.....	11	-	-	-	-	-	1	2	-	1	3	1
Female.....	7	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	-	1	-	-	2	5	3	3	2	2	3
Male.....	20	-	1	-	-	2	3	3	-	-	-	2
Female.....	15	-	-	-	-	-	2	-	3	2	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

New Hampshire

All races, both sexes.....	357	5	1	3	3	10	30	31	23	32	24	21
Male.....	234	3	1	1	3	10	20	26	18	19	14	13
Female.....	123	2	-	2	-	-	10	5	5	13	10	8
White, both sexes.....	351	5	1	3	3	10	30	30	22	31	23	21
Male.....	230	3	1	1	3	10	20	25	18	19	13	13
Female.....	121	2	-	2	-	-	10	5	4	12	10	8
Black, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	-
Male.....	3	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

New Jersey

All races, both sexes.....	2,599	13	24	26	30	117	175	143	183	235	250	191
Male.....	1,757	8	18	14	25	94	142	106	147	184	187	144
Female.....	842	5	6	12	5	23	33	37	36	51	63	47
White, both sexes.....	2,120	6	14	20	15	96	139	119	145	175	182	153
Male.....	1,430	4	10	10	11	77	114	87	119	141	141	120
Female.....	690	2	4	10	4	19	25	32	26	34	41	33
Black, both sexes.....	416	7	9	4	15	17	30	20	36	57	64	32
Male.....	287	4	8	2	14	14	22	17	26	40	44	21
Female.....	129	3	1	2	1	3	8	3	10	17	20	11
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	-	-	-	1	-
Male.....	4	-	-	-	-	-	1	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	59	-	1	2	-	4	5	4	2	3	3	6
Male.....	36	-	-	2	-	3	5	2	2	3	1	3
Female.....	23	-	1	-	-	1	-	2	-	-	2	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

New Mexico

All races, both sexes.....	1,105	4	10	9	17	78	92	55	73	95	125	87
Male.....	767	3	5	5	13	56	70	49	57	70	101	74
Female.....	338	1	5	4	4	22	22	6	16	25	24	13
White, both sexes.....	923	3	9	7	12	58	64	43	57	73	112	72
Male.....	633	3	4	5	10	42	49	38	43	52	91	64
Female.....	290	-	5	2	2	16	15	5	14	21	21	8
Black, both sexes.....	25	-	-	-	-	3	6	-	1	1	3	4
Male.....	17	-	-	-	-	3	4	-	-	1	3	3
Female.....	8	-	-	-	-	-	2	-	1	-	-	1
American Indian 1/, both sexes.....	154	1	1	2	5	17	21	12	15	21	10	10
Male.....	116	-	1	-	3	11	17	11	14	17	7	7
Female.....	38	1	-	2	2	6	4	1	1	4	3	3
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1

New York

All races, both sexes.....	4,663	24	56	49	58	280	323	233	262	313	367	332
Male.....	3,022	14	34	33	42	190	255	189	209	236	270	243
Female.....	1,641	10	22	16	16	90	68	44	53	77	97	89
White, both sexes.....	3,836	15	36	29	39	227	260	184	206	236	286	255
Male.....	2,459	10	21	21	30	153	211	152	170	178	217	189
Female.....	1,377	5	15	8	9	74	49	32	36	58	69	66
Black, both sexes.....	693	8	16	17	16	45	53	39	49	70	67	70
Male.....	481	4	12	11	11	33	39	30	37	53	42	50
Female.....	212	4	4	6	5	12	14	9	12	17	25	20
American Indian 1/, both sexes.....	7	-	-	-	-	2	-	2	1	-	1	-
Male.....	3	-	-	-	-	1	-	1	-	-	1	-
Female.....	4	-	-	-	-	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	127	1	4	3	3	6	10	8	6	7	13	7
Male.....	79	-	1	1	1	3	5	6	2	5	10	4
Female.....	48	1	3	2	2	3	5	2	4	2	3	3



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Ohio

All races, both sexes.....	4,146	46	33	38	68	257	275	202	252	267	381	340
Male.....	2,572	24	20	26	45	183	211	151	177	196	257	232
Female.....	1,574	22	13	12	23	74	64	51	75	71	124	108
White, both sexes.....	3,705	32	25	27	56	230	244	173	225	239	329	297
Male.....	2,280	19	15	17	38	160	186	128	159	175	224	206
Female.....	1,425	13	10	10	18	70	58	45	66	64	105	91
Black, both sexes.....	420	14	8	10	12	26	29	28	25	27	49	41
Male.....	278	5	5	8	7	22	23	22	16	21	31	25
Female.....	142	9	3	2	5	4	6	6	9	6	18	16
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	1	-	1	2	1	2	1	2	2
Male.....	14	-	-	1	-	1	2	1	2	-	2	1
Female.....	6	-	-	-	-	-	-	-	-	1	-	1

Oklahoma

All races, both sexes.....	1,580	6	25	15	22	116	125	94	93	107	130	134
Male.....	990	4	13	9	17	81	98	73	50	74	103	84
Female.....	590	2	12	6	5	35	27	21	43	33	27	50
White, both sexes.....	1,330	5	20	12	15	100	105	72	73	83	109	110
Male.....	828	3	12	7	12	72	82	57	38	59	87	69
Female.....	502	2	8	5	3	28	23	15	35	24	22	41
Black, both sexes.....	99	1	3	2	3	5	1	11	7	10	6	14
Male.....	68	1	1	2	3	3	1	7	6	7	5	10
Female.....	31	-	2	-	-	2	-	4	1	3	1	4
American Indian 1/, both sexes.....	136	-	2	1	3	11	17	8	12	14	15	7
Male.....	87	-	-	-	2	6	15	6	6	8	11	4
Female.....	49	-	2	1	1	5	2	2	6	6	4	3
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	1	-	2	3	1	-	-	3
Male.....	7	-	-	-	-	-	-	3	-	-	-	1
Female.....	8	-	-	-	1	-	2	-	1	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Oregon												
All races, both sexes.....	1,397	10	19	10	19	81	63	66	69	75	81	110
Male.....	855	5	12	4	11	65	47	53	52	56	58	78
Female.....	542	5	7	6	8	16	16	13	17	19	23	32
White, both sexes.....	1,306	9	15	9	17	74	59	60	59	66	75	104
Male.....	802	4	9	4	10	61	45	50	44	51	52	75
Female.....	504	5	6	5	7	13	14	10	15	15	23	29
Black, both sexes.....	23	1	-	1	-	1	1	1	2	1	3	1
Male.....	15	1	-	-	-	-	1	-	2	-	3	1
Female.....	8	-	-	1	-	1	-	1	-	1	-	-
American Indian 1/, both sexes.....	39	-	2	-	2	3	1	3	4	5	3	5
Male.....	24	-	2	-	1	2	1	2	4	3	3	2
Female.....	15	-	-	-	1	1	-	1	-	2	-	3
Asian or Pacific Islander 2/, both sexes.....	29	-	2	-	-	3	2	2	4	3	-	-
Male.....	14	-	1	-	-	2	-	1	2	2	-	-
Female.....	15	-	1	-	-	1	2	1	2	1	-	-
Pennsylvania												
All races, both sexes.....	4,728	14	44	37	60	292	375	233	275	354	377	346
Male.....	3,011	8	31	25	35	215	287	181	215	253	266	268
Female.....	1,717	6	13	12	25	77	88	52	60	101	111	78
White, both sexes.....	4,267	11	36	30	49	276	339	209	249	315	319	295
Male.....	2,697	7	24	19	28	204	261	161	196	228	234	227
Female.....	1,570	4	12	11	21	72	78	48	53	87	85	68
Black, both sexes.....	431	3	7	6	10	15	32	21	25	37	55	51
Male.....	295	1	6	5	7	10	23	17	19	24	30	41
Female.....	136	2	1	1	3	5	9	4	6	13	25	10
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	26	-	1	1	1	1	4	3	1	1	3	-
Male.....	17	-	1	1	-	1	3	3	-	1	2	-
Female.....	9	-	-	-	1	-	1	-	1	-	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

South Dakota

All races, both sexes.....	348	2	5	5	10	38	25	14	27	16	32	21
Male.....	244	2	4	2	4	28	22	11	20	14	28	19
Female.....	104	-	1	3	6	10	3	3	7	2	4	2
White, both sexes.....	271	-	3	4	9	24	19	5	15	8	25	17
Male.....	188	-	3	2	3	18	18	4	14	7	21	16
Female.....	83	-	-	2	6	6	1	1	1	1	4	1
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	74	2	2	1	1	13	6	8	12	7	7	4
Male.....	53	2	1	-	1	9	4	6	6	6	7	3
Female.....	21	-	1	1	-	4	2	2	6	1	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-
Male.....	2	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	2,744	32	40	28	44	214	224	163	175	215	224	200
Male.....	1,738	18	25	16	27	144	167	118	124	133	148	149
Female.....	1,006	14	15	12	17	70	57	45	51	82	76	51
White, both sexes.....	2,370	16	33	21	28	188	187	144	144	179	198	168
Male.....	1,487	10	20	11	19	126	140	104	102	111	134	124
Female.....	883	6	13	10	9	62	47	40	42	68	64	44
Black, both sexes.....	350	15	7	7	16	22	34	18	30	31	23	32
Male.....	236	8	5	5	8	16	24	13	22	17	12	25
Female.....	114	7	2	2	8	6	10	5	8	14	11	7
American Indian 1/, both sexes.....	6	-	-	-	-	-	1	1	-	1	2	-
Male.....	5	-	-	-	-	-	1	1	-	1	2	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	1	-	-	-	4	2	-	1	4	1	-
Male.....	10	-	-	-	-	2	2	-	-	4	-	-
Female.....	8	1	-	-	-	2	-	-	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Texas												
All races, both sexes.....	8,232	84	165	115	145	652	802	581	528	611	727	610
Male.....	5,508	57	97	68	94	443	638	459	401	444	527	435
Female.....	2,724	27	68	47	51	209	164	122	127	167	200	175
White, both sexes.....	7,234	58	136	92	117	583	727	505	453	526	637	534
Male.....	4,834	44	79	57	78	393	580	401	344	378	469	385
Female.....	2,400	14	57	35	39	190	147	104	109	148	168	149
Black, both sexes.....	874	26	26	19	25	56	64	64	65	76	84	69
Male.....	595	13	16	7	15	42	50	50	51	59	53	49
Female.....	279	13	10	12	10	14	14	14	14	17	31	20
American Indian 1/, both sexes.....	11	-	-	-	-	1	1	2	-	1	2	2
Male.....	8	-	-	-	-	-	1	2	-	1	2	-
Female.....	3	-	-	-	-	1	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	113	-	3	4	3	12	10	10	10	8	4	5
Male.....	71	-	2	4	1	8	7	6	6	6	3	1
Female.....	42	-	1	-	2	4	3	4	4	2	1	4
Utah												
All races, both sexes.....	714	10	28	12	14	65	59	34	39	39	48	43
Male.....	452	8	18	4	7	46	42	32	30	25	36	34
Female.....	262	2	10	8	7	19	17	2	9	14	12	9
White, both sexes.....	670	10	24	12	14	63	50	31	37	33	48	42
Male.....	424	8	16	4	7	46	36	29	28	20	36	33
Female.....	246	2	8	8	7	17	14	2	9	13	12	9
Black, both sexes.....	8	-	-	-	-	-	1	1	1	1	-	-
Male.....	6	-	-	-	-	-	-	1	1	1	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	18	-	2	-	-	2	5	1	-	3	-	-
Male.....	13	-	2	-	-	-	5	1	-	2	-	-
Female.....	5	-	-	-	-	2	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	2	-	-	-	3	1	1	2	-	1
Male.....	9	-	-	-	-	-	1	1	1	2	-	1
Female.....	9	-	2	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Vermont												
All races, both sexes.....	240	-	4	1	2	15	17	10	13	7	18	12
Male.....	150	-	2	-	1	10	13	9	11	4	13	10
Female.....	90	-	2	1	1	5	4	1	2	3	5	2
White, both sexes.....	238	-	4	1	2	14	17	10	12	7	18	12
Male.....	149	-	2	-	1	10	13	9	10	4	13	10
Female.....	89	-	2	1	1	4	4	1	2	3	5	2
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	2,479	14	28	24	32	174	196	129	147	190	211	199
Male.....	1,647	9	20	10	22	121	156	103	114	145	158	154
Female.....	832	5	8	14	10	53	40	26	33	45	53	45
White, both sexes.....	1,981	10	17	15	24	130	155	93	124	143	178	159
Male.....	1,293	7	15	6	16	87	122	75	95	114	134	123
Female.....	688	3	2	9	8	43	33	18	29	29	44	36
Black, both sexes.....	454	3	9	9	7	38	36	34	22	44	31	38
Male.....	320	1	4	4	5	28	29	28	18	28	22	30
Female.....	134	2	5	5	2	10	7	6	4	16	9	8
American Indian 1/, both sexes.....	4	-	-	-	-	1	-	1	1	-	-	1
Male.....	3	-	-	-	-	1	-	-	1	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	40	1	2	-	1	5	5	1	-	3	2	1
Male.....	31	1	1	-	1	5	5	-	-	3	2	-
Female.....	9	-	1	-	-	-	-	1	-	-	-	1







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Alaska

All races, both sexes.....	27	18	15	12	8	4	8	2	3	3	-	-
Male.....	19	15	13	6	7	2	4	1	1	-	-	-
Female.....	8	3	2	6	1	2	4	1	2	3	-	-
White, both sexes.....	20	11	11	7	6	3	7	2	1	3	-	-
Male.....	14	10	10	1	5	2	3	1	1	-	-	-
Female.....	6	1	1	6	1	1	4	1	-	3	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	7	3	5	2	1	1	-	2	-	-	-
Male.....	5	5	3	5	2	-	1	-	-	-	-	-
Female.....	1	2	-	-	-	1	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	172	113	87	107	97	151	171	136	102	30	2	12
Male.....	121	75	58	72	52	72	82	74	36	18	-	11
Female.....	51	38	29	35	45	79	89	62	66	12	2	1
White, both sexes.....	148	96	76	91	91	147	163	132	101	27	2	11
Male.....	104	62	53	60	47	71	78	72	35	17	-	10
Female.....	44	34	23	31	44	76	85	60	66	10	2	1
Black, both sexes.....	3	6	2	2	-	1	1	1	1	1	-	-
Male.....	-	6	1	2	-	-	1	-	1	-	-	-
Female.....	3	-	1	-	-	1	-	1	-	1	-	-
American Indian 1/, both sexes.....	21	10	7	13	6	3	5	3	-	2	-	1
Male.....	17	7	4	10	5	1	3	2	-	1	-	1
Female.....	4	3	3	3	1	2	2	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	2	1	-	-	2	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Arkansas

All races, both sexes.....	73	56	47	56	64	68	77	72	40	15	2	-
Male.....	54	44	29	32	38	32	33	35	19	7	-	-
Female.....	19	12	18	24	26	36	44	37	21	8	2	-
White, both sexes.....	60	51	43	47	56	59	72	68	34	14	2	-
Male.....	45	40	26	27	32	27	30	32	15	7	-	-
Female.....	15	11	17	20	24	32	42	36	19	7	2	-
Black, both sexes.....	12	5	4	7	8	9	4	4	6	1	-	-
Male.....	8	4	3	4	6	5	3	3	4	-	-	-
Female.....	4	1	1	3	2	4	1	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-

California

All races, both sexes.....	776	511	389	311	359	465	513	448	257	102	10	17
Male.....	551	356	257	210	208	273	252	223	103	35	1	14
Female.....	225	155	132	101	151	192	261	225	154	67	9	3
White, both sexes.....	661	438	330	236	302	398	453	407	232	93	10	16
Male.....	470	303	219	161	177	234	215	205	89	32	1	13
Female.....	191	135	111	75	125	164	238	202	143	61	9	3
Black, both sexes.....	86	47	36	26	18	21	15	5	8	3	-	-
Male.....	63	38	27	20	11	13	10	4	5	1	-	-
Female.....	23	9	9	6	7	8	5	1	3	2	-	-
American Indian 1/, both sexes.....	3	4	3	5	-	3	4	-	-	-	-	-
Male.....	3	2	-	3	-	3	2	-	-	-	-	-
Female.....	-	2	3	2	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	26	22	20	44	39	43	41	36	17	6	-	1
Male.....	15	13	11	26	20	23	25	14	9	2	-	1
Female.....	11	9	9	18	19	20	16	22	8	4	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Colorado

All races, both sexes.....	129	86	66	46	78	79	110	96	71	35	7	-
Male.....	84	58	42	30	39	39	56	35	27	11	1	-
Female.....	45	28	24	16	39	40	54	61	44	24	6	-
White, both sexes.....	123	81	62	42	73	76	104	95	71	35	7	-
Male.....	81	54	40	29	38	37	52	35	27	11	1	-
Female.....	42	27	22	13	35	39	52	60	44	24	6	-
Black, both sexes.....	5	4	2	2	2	1	5	1	-	-	-	-
Male.....	2	3	1	-	1	1	3	-	-	-	-	-
Female.....	3	1	1	2	1	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	2	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	2	2	1	-	-	-	-	-
Male.....	-	1	-	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	2	1	-	-	-	-	-	-

Connecticut

All races, both sexes.....	49	36	36	34	31	85	93	105	69	27	5	-
Male.....	35	25	18	23	18	41	44	48	26	11	-	-
Female.....	14	11	18	11	13	44	49	57	43	16	5	-
White, both sexes.....	41	31	34	31	30	78	91	104	67	25	5	-
Male.....	28	22	17	22	17	37	43	47	26	10	-	-
Female.....	13	9	17	9	13	41	48	57	41	15	5	-
Black, both sexes.....	4	5	1	2	1	7	1	1	1	2	-	-
Male.....	4	3	-	1	1	4	-	1	-	1	-	-
Female.....	-	2	1	1	-	3	1	-	1	1	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	-	-	1	-	1	-	-	-
Male.....	1	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Florida

All races, both sexes.....	443	328	273	247	298	403	490	442	267	91	16	14
Male.....	320	232	188	161	178	212	274	222	98	24	4	12
Female.....	123	96	85	86	120	191	216	220	169	67	12	2
White, both sexes.....	377	280	232	212	261	372	468	434	254	87	13	13
Male.....	270	193	158	133	158	190	262	217	94	22	4	11
Female.....	107	87	74	79	103	182	206	217	160	65	9	2
Black, both sexes.....	61	45	37	33	35	29	21	8	11	4	3	-
Male.....	45	37	27	26	19	22	12	5	3	2	-	-
Female.....	16	8	10	7	16	7	9	3	8	2	3	-
American Indian 1/, both sexes.....	1	1	-	1	-	-	1	-	2	-	-	-
Male.....	1	1	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	4	1	2	2	-	-	-	-	-	1
Male.....	4	1	3	1	1	-	-	-	-	-	-	1
Female.....	-	1	1	-	1	2	-	-	-	-	-	-

Georgia

All races, both sexes.....	219	140	113	121	120	165	168	173	113	29	4	-
Male.....	146	99	78	78	73	85	91	52	40	4	2	-
Female.....	73	41	35	43	47	80	77	121	73	25	2	-
White, both sexes.....	147	96	78	85	96	145	137	150	105	22	4	-
Male.....	99	66	53	56	59	75	76	45	36	4	2	-
Female.....	48	30	25	29	37	70	61	105	69	18	2	-
Black, both sexes.....	69	43	34	35	20	18	30	22	8	7	-	-
Male.....	46	32	24	21	12	9	15	6	4	-	-	-
Female.....	23	11	10	14	8	9	15	16	4	7	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	1	4	2	1	1	-	-	-	-
Male.....	1	1	1	1	2	1	-	1	-	-	-	-
Female.....	1	-	-	-	2	1	1	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Maine

All races, both sexes.....	27	19	15	24	23	32	37	29	23	9	5	-
Male.....	21	16	7	11	19	20	18	12	6	3	2	-
Female.....	6	3	8	13	4	12	19	17	17	6	3	-
White, both sexes.....	27	18	15	23	23	31	37	29	23	9	5	-
Male.....	21	15	7	10	19	20	18	12	6	3	2	-
Female.....	6	3	8	13	4	11	19	17	17	6	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Maryland

All races, both sexes.....	83	54	63	69	61	92	102	65	41	14	1	1
Male.....	57	44	42	38	35	55	53	27	16	7	-	1
Female.....	26	10	21	31	26	37	49	38	25	7	1	-
White, both sexes.....	53	39	45	46	45	77	89	54	37	12	1	-
Male.....	37	34	31	22	26	45	45	22	16	5	-	-
Female.....	16	5	14	24	19	32	44	32	21	7	1	-
Black, both sexes.....	28	14	14	19	15	13	13	10	2	2	-	1
Male.....	18	10	9	13	8	9	8	5	-	2	-	1
Female.....	10	4	5	6	7	4	5	5	2	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	4	1	2	-	1	1	-	-	-
Male.....	1	-	2	3	1	1	-	-	-	-	-	-
Female.....	-	1	1	1	-	1	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Massachusetts

All races, both sexes.....	73	59	35	46	73	130	142	139	105	43	7	-
Male.....	61	48	23	29	47	64	72	62	37	12	1	-
Female.....	12	11	12	17	26	66	70	77	68	31	6	-
White, both sexes.....	69	55	33	39	67	126	136	135	104	42	7	-
Male.....	59	45	22	23	45	62	69	59	37	12	1	-
Female.....	10	10	11	16	22	64	67	76	67	30	6	-
Black, both sexes.....	4	2	1	1	5	2	5	3	1	1	-	-
Male.....	2	1	1	1	2	1	3	2	-	-	-	-
Female.....	2	1	-	-	3	1	2	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	6	1	2	1	1	-	-	-	-
Male.....	-	2	-	5	-	1	-	1	-	-	-	-
Female.....	-	-	1	1	1	1	1	-	-	-	-	-

Michigan

All races, both sexes.....	202	124	115	115	141	196	230	234	130	53	12	2
Male.....	137	83	77	70	85	104	109	102	42	18	1	2
Female.....	65	41	38	45	56	92	121	132	88	35	11	-
White, both sexes.....	151	101	95	100	122	177	209	218	120	52	12	2
Male.....	103	71	61	61	69	95	98	93	39	18	1	2
Female.....	48	30	34	39	53	82	111	125	81	34	11	-
Black, both sexes.....	49	23	17	10	18	18	17	16	9	1	-	-
Male.....	34	12	14	6	16	9	9	9	2	-	-	-
Female.....	15	11	3	4	2	9	8	7	7	1	-	-
American Indian 1/, both sexes.....	2	-	2	1	1	-	-	-	1	-	-	-
Male.....	-	-	1	1	-	-	-	-	1	-	-	-
Female.....	2	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	4	-	1	4	-	-	-	-	-
Male.....	-	-	1	2	-	-	2	-	-	-	-	-
Female.....	-	-	-	2	-	1	2	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Nebraska

All races, both sexes.....	35	25	25	35	36	41	60	69	50	27	4	-
Male.....	27	17	18	24	20	27	27	26	15	4	-	-
Female.....	8	8	7	11	16	14	33	43	35	23	4	-
White, both sexes.....	33	23	24	34	36	40	59	68	50	27	4	-
Male.....	26	16	17	23	20	26	27	25	15	4	-	-
Female.....	7	7	7	11	16	14	32	43	35	23	4	-
Black, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	1	1	-	1	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	79	48	33	31	22	40	45	34	14	3	1	-
Male.....	52	31	22	16	13	21	29	11	4	2	-	-
Female.....	27	17	11	15	9	19	16	23	10	1	1	-
White, both sexes.....	65	41	30	28	19	35	42	31	13	3	1	-
Male.....	46	28	20	15	13	17	27	10	3	2	-	-
Female.....	19	13	10	13	6	18	15	21	10	1	1	-
Black, both sexes.....	6	1	2	2	1	2	2	3	1	-	-	-
Male.....	2	-	1	-	-	2	1	1	1	-	-	-
Female.....	4	1	1	2	1	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	3	2	-	1	-	1	1	-	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	4	1	-	2	2	-	-	-	-	-	-
Male.....	4	2	1	-	-	2	-	-	-	-	-	-
Female.....	1	2	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

New Hampshire

All races, both sexes.....	20	22	9	17	16	21	26	24	15	4	-	-
Male.....	14	15	4	12	12	14	18	9	6	2	-	-
Female.....	6	7	5	5	4	7	8	15	9	2	-	-
White, both sexes.....	18	22	9	17	16	21	26	24	15	4	-	-
Male.....	12	15	4	12	12	14	18	9	6	2	-	-
Female.....	6	7	5	5	4	7	8	15	9	2	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	166	102	78	70	125	163	189	171	97	38	5	8
Male.....	137	75	53	44	81	98	98	65	24	6	-	7
Female.....	29	27	25	26	44	65	91	106	73	32	5	1
White, both sexes.....	131	83	57	58	108	142	176	161	91	37	5	7
Male.....	111	60	40	37	74	84	94	62	23	5	-	6
Female.....	20	23	17	21	34	58	82	99	68	32	5	1
Black, both sexes.....	32	14	18	8	13	15	9	9	5	1	-	1
Male.....	23	13	12	3	5	11	3	2	1	1	-	1
Female.....	9	1	6	5	8	4	6	7	4	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	3	4	4	6	4	1	1	-	-	-
Male.....	2	1	1	4	2	3	1	1	-	-	-	-
Female.....	-	3	2	-	2	3	3	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

New Mexico

All races, both sexes.....	65	48	43	39	47	50	62	49	40	15	-	2
Male.....	44	33	34	27	32	26	33	18	10	6	-	1
Female.....	21	15	9	12	15	24	29	31	30	9	-	1
White, both sexes.....	60	39	38	34	42	41	60	46	36	15	-	2
Male.....	40	25	31	24	29	21	31	15	9	6	-	1
Female.....	20	14	7	10	13	20	29	31	27	9	-	1
Black, both sexes.....	-	1	-	2	2	-	-	1	1	-	-	-
Male.....	-	1	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	2	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	4	8	5	3	3	9	2	2	3	-	-	-
Male.....	3	7	3	2	3	5	2	2	1	-	-	-
Female.....	1	1	2	1	-	4	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	277	213	160	191	234	319	355	329	198	75	11	4
Male.....	201	146	105	120	137	175	166	159	70	20	4	4
Female.....	76	67	55	71	97	144	189	170	128	55	7	-
White, both sexes.....	211	164	131	154	201	287	332	307	190	72	10	4
Male.....	153	108	86	94	118	158	153	148	65	17	3	4
Female.....	58	56	45	60	83	129	179	159	125	55	7	-
Black, both sexes.....	56	42	27	31	24	21	18	19	2	3	-	-
Male.....	40	31	18	23	14	11	10	8	1	3	-	-
Female.....	16	11	9	8	10	10	8	11	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	7	2	6	9	11	5	3	5	-	1	-
Male.....	8	7	1	3	5	6	3	3	4	-	1	-
Female.....	2	-	1	3	4	5	2	-	1	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Ohio

All races, both sexes.....	246	174	145	139	177	246	297	303	188	62	10	-
Male.....	176	124	90	89	104	131	127	122	62	23	2	-
Female.....	70	50	55	50	73	115	170	181	126	39	8	-
White, both sexes.....	216	150	129	122	164	219	282	295	182	61	8	-
Male.....	154	106	81	78	94	119	118	118	61	22	2	-
Female.....	62	44	48	44	70	100	164	177	121	39	6	-
Black, both sexes.....	28	23	16	16	12	25	14	8	6	1	2	-
Male.....	21	17	9	11	9	11	9	4	1	1	-	-
Female.....	7	6	7	5	3	14	5	4	5	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	1	1	2	1	-	-	-	-	-
Male.....	1	1	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	1	1	-	-	-	-	-

Oklahoma

All races, both sexes.....	87	74	58	66	82	95	86	81	59	20	5	-
Male.....	58	43	39	47	45	47	45	28	21	10	1	-
Female.....	29	31	19	19	37	48	41	53	38	10	4	-
White, both sexes.....	74	63	44	57	70	85	79	79	52	18	5	-
Male.....	47	35	30	41	39	42	40	28	17	10	1	-
Female.....	27	28	14	16	31	43	39	51	35	8	4	-
Black, both sexes.....	1	3	6	3	7	4	4	2	6	-	-	-
Male.....	-	1	6	2	5	2	2	-	4	-	-	-
Female.....	1	2	-	1	2	2	2	2	2	-	-	-
American Indian 1/, both sexes.....	10	8	8	6	4	4	3	-	1	2	-	-
Male.....	9	7	3	4	1	2	3	-	-	-	-	-
Female.....	1	1	5	2	3	2	-	-	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	2	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Oregon

All races, both sexes.....	99	65	50	46	59	86	130	123	88	41	7	-
Male.....	65	40	35	31	40	44	60	52	34	12	1	-
Female.....	34	25	15	15	19	42	70	71	54	29	6	-
White, both sexes.....	92	63	46	45	55	83	124	119	86	40	6	-
Male.....	61	40	33	30	38	43	56	50	33	12	1	-
Female.....	31	23	13	15	17	40	68	69	53	28	5	-
Black, both sexes.....	4	1	2	-	-	-	-	2	1	-	1	-
Male.....	3	-	2	-	-	-	-	1	1	-	-	-
Female.....	1	1	-	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	3	-	1	1	1	1	2	1	1	-	-	-
Male.....	1	-	-	1	1	-	1	-	-	-	-	-
Female.....	2	-	1	-	-	1	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	3	2	4	1	-	1	-	-
Male.....	-	-	-	-	1	1	3	1	-	-	-	-
Female.....	-	1	1	-	2	1	1	-	-	1	-	-

Pennsylvania

All races, both sexes.....	245	155	149	172	202	334	386	339	230	91	18	-
Male.....	175	113	104	98	124	170	190	144	81	27	1	-
Female.....	70	42	45	74	78	164	196	195	149	64	17	-
White, both sexes.....	204	134	132	146	187	315	375	323	222	84	17	-
Male.....	141	97	88	80	116	161	185	136	78	25	1	-
Female.....	63	37	44	66	71	154	190	187	144	59	16	-
Black, both sexes.....	38	20	17	23	13	18	10	15	7	7	1	-
Male.....	31	16	16	16	8	8	5	7	3	2	-	-
Female.....	7	4	1	7	5	10	5	8	4	5	1	-
American Indian 1/, both sexes.....	1	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	2	2	-	1	1	1	-	-	-
Male.....	2	-	-	2	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	2	-	1	-	1	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Texas

All races, both sexes.....	499	339	255	276	330	381	419	355	244	83	16	15
Male.....	333	256	182	176	197	221	203	144	92	24	4	13
Female.....	166	83	73	100	133	160	216	211	152	59	12	2
White, both sexes.....	422	280	221	251	296	346	390	328	227	76	14	15
Male.....	275	211	156	163	175	198	191	136	82	23	3	13
Female.....	147	69	65	88	121	148	199	192	145	53	11	2
Black, both sexes.....	70	50	31	20	26	30	28	23	13	7	2	-
Male.....	53	38	25	11	15	21	11	6	8	1	1	-
Female.....	17	12	6	9	11	9	17	17	5	6	1	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	7	3	5	8	5	1	4	4	-	-	-
Male.....	5	5	1	2	7	2	1	2	2	-	-	-
Female.....	2	2	2	3	1	3	-	2	2	-	-	-

Utah

All races, both sexes.....	29	29	32	23	37	40	38	50	27	15	3	-
Male.....	18	18	20	14	23	22	18	25	8	2	2	-
Female.....	11	11	12	9	14	18	20	25	19	13	1	-
White, both sexes.....	25	27	29	22	34	38	37	50	27	14	3	-
Male.....	16	16	17	14	22	21	18	25	8	2	2	-
Female.....	9	11	12	8	12	17	19	25	19	12	1	-
Black, both sexes.....	2	-	2	-	-	-	-	-	-	-	-	-
Male.....	1	-	2	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	1	1	-	-	-	1	-	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	1	2	1	1	-	-	-	-	-
Male.....	-	1	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	1	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Vermont

All races, both sexes.....	18	12	7	6	14	15	11	28	26	4	-	-
Male.....	11	10	5	5	10	9	3	9	12	3	-	-
Female.....	7	2	2	1	4	6	8	19	14	1	-	-
White, both sexes.....	18	12	7	6	14	15	11	28	26	4	-	-
Male.....	11	10	5	5	10	9	3	9	12	3	-	-
Female.....	7	2	2	1	4	6	8	19	14	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	128	109	76	83	107	142	171	172	107	33	6	1
Male.....	94	86	56	54	65	77	83	71	40	7	2	-
Female.....	34	23	20	29	42	65	88	101	67	26	4	1
White, both sexes.....	94	85	56	64	86	119	147	156	90	31	4	1
Male.....	68	65	38	41	52	61	70	64	33	6	1	-
Female.....	26	20	18	23	34	58	77	92	57	25	3	1
Black, both sexes.....	32	21	20	18	18	19	22	12	17	2	2	-
Male.....	25	18	18	12	10	13	12	6	7	1	1	-
Female.....	7	3	2	6	8	6	10	6	10	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	-	1	3	4	2	4	-	-	-	-
Male.....	1	3	-	1	3	3	1	1	-	-	-	-
Female.....	1	-	-	-	-	1	1	3	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
United States												
All races, both sexes.....	48,366	127	640	705	1,033	5,782	6,034	3,891	3,593	3,750	3,938	3,593
Male.....	33,533	72	381	405	634	3,875	4,596	2,990	2,686	2,703	2,796	2,638
Female.....	14,833	55	259	300	399	1,907	1,438	901	907	1,047	1,142	955
White, both sexes.....	40,614	84	478	525	822	4,968	5,023	3,101	2,936	3,032	3,290	2,982
Male.....	28,118	50	278	305	509	3,316	3,845	2,388	2,202	2,189	2,351	2,220
Female.....	12,496	34	200	220	313	1,652	1,178	713	734	843	939	762
Black, both sexes.....	5,796	36	126	151	161	569	745	608	504	557	497	482
Male.....	4,156	18	83	83	100	395	554	473	383	406	343	345
Female.....	1,640	18	43	68	61	174	191	135	121	151	154	137
American Indian 1/, both sexes.....	903	4	16	12	27	123	127	89	82	94	89	56
Male.....	603	1	9	6	14	74	95	66	56	63	60	36
Female.....	300	3	7	6	13	49	32	23	26	31	29	20
Asian or Pacific Islander 2/, both sexes.....	1,053	3	20	17	23	122	139	93	71	67	62	73
Male.....	656	3	11	11	11	90	102	63	45	45	42	37
Female.....	397	-	9	6	12	32	37	30	26	22	20	36
Alabama												
All races, both sexes.....	1,167	1	20	20	21	147	141	111	95	107	86	77
Male.....	787	1	8	10	12	86	100	85	69	70	53	52
Female.....	380	-	12	10	9	61	41	26	26	37	33	25
White, both sexes.....	897	-	13	13	13	122	102	72	72	83	70	55
Male.....	601	-	5	7	8	71	70	57	51	58	44	38
Female.....	296	-	8	6	5	51	32	15	21	25	26	17
Black, both sexes.....	259	1	5	6	7	25	38	35	23	23	16	22
Male.....	179	1	2	2	3	15	30	25	18	12	9	14
Female.....	80	-	3	4	4	10	8	10	5	11	7	8
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	1	1	-	1	3	-	-	-	-
Male.....	6	-	1	1	1	-	-	2	-	-	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Arkansas

All races, both sexes.....	746	2	13	5	16	87	110	62	54	52	69	48
Male.....	532	1	11	4	6	58	85	44	41	40	51	35
Female.....	214	1	2	1	10	29	25	18	13	12	18	13
White, both sexes.....	617	1	10	4	14	76	91	50	44	42	50	40
Male.....	432	1	9	3	6	50	68	34	32	33	36	29
Female.....	185	-	1	1	8	26	23	16	12	9	14	11
Black, both sexes.....	116	1	2	1	2	10	19	9	9	8	18	7
Male.....	90	-	1	1	-	7	17	8	8	6	14	5
Female.....	26	1	1	-	2	3	2	1	1	2	4	2
American Indian 1/, both sexes.....	4	-	-	-	-	1	-	-	-	2	-	-
Male.....	3	-	-	-	-	1	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	-	-	-	-	3	1	-	1	1
Male.....	7	-	1	-	-	-	-	2	1	-	1	1
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	4,603	11	79	71	90	546	587	352	349	361	371	372
Male.....	3,252	4	53	42	53	375	459	269	244	276	292	265
Female.....	1,351	7	26	29	37	171	128	83	105	85	79	107
White, both sexes.....	3,894	9	64	59	74	471	497	292	295	308	322	311
Male.....	2,765	3	43	34	45	320	385	226	214	235	254	227
Female.....	1,129	6	21	25	29	151	112	66	81	73	68	84
Black, both sexes.....	321	2	8	7	9	28	39	29	28	32	27	30
Male.....	230	1	5	5	6	19	31	25	15	26	19	16
Female.....	91	1	3	2	3	9	8	4	13	6	8	14
American Indian 1/, both sexes.....	47	-	1	-	-	5	8	6	3	3	4	5
Male.....	34	-	-	-	-	4	6	4	2	2	3	5
Female.....	13	-	1	-	-	1	2	2	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	341	-	6	5	7	42	43	25	23	18	18	26
Male.....	223	-	5	3	2	32	37	14	13	13	16	17
Female.....	118	-	1	2	5	10	6	11	10	5	2	9





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
Florida												
All races, both sexes.....	3,431	8	42	39	52	309	387	270	246	300	305	260
Male.....	2,370	6	23	23	30	210	297	213	186	206	210	195
Female.....	1,061	2	19	16	22	99	90	57	60	94	95	65
White, both sexes.....	2,904	2	28	26	44	259	322	219	214	248	257	218
Male.....	1,991	1	14	17	25	177	248	173	161	168	178	162
Female.....	913	1	14	9	19	82	74	46	53	80	79	56
Black, both sexes.....	485	6	14	12	6	44	61	47	26	48	47	38
Male.....	356	5	9	6	4	31	47	37	22	37	32	31
Female.....	129	1	5	6	2	13	14	10	4	11	15	7
American Indian 1/, both sexes.....	18	-	-	-	1	3	2	3	2	1	1	2
Male.....	11	-	-	-	1	-	1	2	1	1	-	2
Female.....	7	-	-	-	-	3	1	1	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	1	1	3	2	1	4	3	-	2
Male.....	12	-	-	-	-	2	1	1	2	-	-	-
Female.....	12	-	-	1	1	1	1	-	2	3	-	2
Georgia												
All races, both sexes.....	1,639	8	27	31	38	190	179	135	151	147	153	131
Male.....	1,122	4	15	15	23	126	130	97	117	109	109	97
Female.....	517	4	12	16	15	64	49	38	34	38	44	34
White, both sexes.....	1,210	5	19	22	32	154	132	94	105	98	104	98
Male.....	825	2	9	12	21	98	104	68	85	68	70	75
Female.....	385	3	10	10	11	56	28	26	20	30	34	23
Black, both sexes.....	403	2	7	9	6	34	41	38	46	49	47	31
Male.....	278	1	6	3	2	26	22	26	32	41	37	20
Female.....	125	1	1	6	4	8	19	12	14	8	10	11
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	1	1	-	-	2	6	3	-	-	1	1
Male.....	17	1	-	-	-	2	4	3	-	-	1	1
Female.....	6	-	1	-	-	-	2	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Illinois

All races, both sexes.....	1,688	6	13	24	41	193	225	176	121	118	122	116
Male.....	1,197	3	6	16	27	133	181	138	101	76	91	85
Female.....	491	3	7	8	14	60	44	38	20	42	31	31
White, both sexes.....	1,409	5	8	20	30	166	191	138	94	89	102	93
Male.....	993	3	2	12	19	113	157	110	78	61	73	67
Female.....	416	2	6	8	11	53	34	28	16	28	29	26
Black, both sexes.....	252	1	5	4	11	23	33	35	26	28	18	22
Male.....	189	-	4	4	8	17	23	28	22	14	16	18
Female.....	63	1	1	-	3	6	10	7	4	14	2	4
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	-	-	3	1	2	1	1	2	1
Male.....	14	-	-	-	-	2	1	-	1	1	2	-
Female.....	10	-	-	-	-	1	-	2	-	-	-	1

Indiana

All races, both sexes.....	1,007	2	8	18	20	140	130	76	67	58	73	86
Male.....	668	-	5	6	12	93	96	55	49	43	52	66
Female.....	339	2	3	12	8	47	34	21	18	15	21	20
White, both sexes.....	948	-	8	15	20	136	125	70	64	54	67	78
Male.....	629	-	5	4	12	90	93	53	46	39	47	60
Female.....	319	-	3	11	8	46	32	17	18	15	20	18
Black, both sexes.....	55	2	-	3	-	4	4	5	3	4	5	7
Male.....	38	-	-	2	-	3	3	2	3	4	4	6
Female.....	17	2	-	1	-	1	1	3	-	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Iowa

All races, both sexes.....	448	-	5	14	9	47	51	22	39	19	35	38
Male.....	311	-	4	10	5	29	40	19	29	16	22	29
Female.....	137	-	1	4	4	18	11	3	10	3	13	9
White, both sexes.....	432	-	4	13	8	46	48	21	39	18	35	34
Male.....	300	-	4	9	4	28	37	18	29	15	22	26
Female.....	132	-	-	4	4	18	11	3	10	3	13	8
Black, both sexes.....	11	-	-	1	1	-	3	1	-	1	-	3
Male.....	9	-	-	1	1	-	3	1	-	1	-	2
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	582	1	9	9	14	84	81	40	38	45	38	39
Male.....	398	1	5	6	5	53	64	34	29	32	22	25
Female.....	184	-	4	3	9	31	17	6	9	13	16	14
White, both sexes.....	557	1	8	8	13	79	73	38	38	41	36	38
Male.....	380	1	4	6	5	50	57	33	29	29	20	24
Female.....	177	-	4	2	8	29	16	5	9	12	16	14
Black, both sexes.....	18	-	1	-	1	5	6	1	-	2	1	1
Male.....	13	-	1	-	-	3	5	-	-	2	1	1
Female.....	5	-	-	-	1	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	1	1	-
Male.....	3	-	-	-	-	-	1	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	1	1	-	1	-	-
Male.....	2	-	-	-	-	-	1	1	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Kentucky

All races, both sexes.....	952	2	7	8	17	122	112	68	95	79	86	71
Male.....	652	1	2	2	13	72	82	52	76	55	61	53
Female.....	300	1	5	6	4	50	30	16	19	24	25	18
White, both sexes.....	909	2	6	7	17	117	108	60	91	74	82	68
Male.....	622	1	2	2	13	70	79	47	73	51	58	50
Female.....	287	1	4	5	4	47	29	13	18	23	24	18
Black, both sexes.....	36	-	1	1	-	5	3	7	4	4	3	3
Male.....	27	-	-	-	-	2	2	5	3	4	3	3
Female.....	9	-	1	1	-	3	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	1	1	-	1	1	-
Male.....	3	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	-	1	1	-

Louisiana

All races, both sexes.....	1,037	4	15	24	31	129	121	93	88	80	80	80
Male.....	718	2	9	15	19	77	96	74	68	64	51	56
Female.....	319	2	6	9	12	52	25	19	20	16	29	24
White, both sexes.....	731	2	9	12	20	101	85	54	64	51	58	58
Male.....	506	2	5	8	13	66	68	39	51	39	35	42
Female.....	225	-	4	4	7	35	17	15	13	12	23	16
Black, both sexes.....	290	2	6	12	10	24	33	37	23	29	21	22
Male.....	200	-	4	7	5	9	26	33	16	25	15	14
Female.....	90	2	2	5	5	15	7	4	7	4	6	8
American Indian 1/, both sexes.....	7	-	-	-	-	2	2	-	-	-	-	-
Male.....	5	-	-	-	-	1	1	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	1	2	1	2	1	-	1	-
Male.....	7	-	-	-	1	1	1	2	1	-	1	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
Maine												
All races, both sexes.....	224	1	2	2	3	27	25	17	9	15	25	13
Male.....	149	1	-	-	2	13	20	12	7	11	20	7
Female.....	75	-	2	2	1	14	5	5	2	4	5	6
White, both sexes.....	220	1	1	2	3	27	24	17	9	14	25	13
Male.....	148	1	-	-	2	13	20	12	7	11	20	7
Female.....	72	-	1	2	1	14	4	5	2	3	5	6
Black, both sexes.....	2	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	756	1	12	16	9	84	91	75	61	55	62	52
Male.....	519	1	5	11	7	55	72	57	47	37	44	37
Female.....	237	-	7	5	2	29	19	18	14	18	18	15
White, both sexes.....	489	-	7	5	6	57	56	44	33	34	37	35
Male.....	334	-	2	3	5	37	40	35	27	24	27	27
Female.....	155	-	5	2	1	20	16	9	6	10	10	8
Black, both sexes.....	245	1	5	10	3	24	33	29	26	19	25	16
Male.....	170	1	3	7	2	16	30	20	18	12	17	9
Female.....	75	-	2	3	1	8	3	9	8	7	8	7
American Indian 1/, both sexes.....	4	-	-	1	-	-	1	-	-	-	-	-
Male.....	3	-	-	1	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	3	1	2	2	2	-	1
Male.....	12	-	-	-	-	2	1	2	2	1	-	1
Female.....	6	-	-	-	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Massachusetts

All races, both sexes.....	589	1	1	3	3	65	73	50	40	47	50	36
Male.....	407	1	-	3	2	46	54	39	27	30	34	29
Female.....	182	-	1	-	1	19	19	11	13	17	16	7
White, both sexes.....	538	1	-	2	3	60	65	45	37	41	46	31
Male.....	373	1	-	2	2	42	50	34	26	26	31	26
Female.....	165	-	-	-	1	18	15	11	11	15	15	5
Black, both sexes.....	37	-	1	1	-	3	7	4	2	5	3	4
Male.....	27	-	-	1	-	3	4	4	1	4	3	3
Female.....	10	-	1	-	-	-	3	-	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	2	1	1	1	1	1	1
Male.....	7	-	-	-	-	1	-	1	-	-	-	-
Female.....	7	-	-	-	-	1	1	-	1	1	1	1

Michigan

All races, both sexes.....	1,452	9	14	18	44	188	159	104	105	119	114	106
Male.....	1,006	6	8	13	33	128	120	79	85	90	73	74
Female.....	446	3	6	5	11	60	39	25	20	29	41	32
White, both sexes.....	1,213	5	9	12	37	169	133	78	76	99	95	83
Male.....	838	4	6	7	27	113	101	58	64	75	61	62
Female.....	375	1	3	5	10	56	32	20	12	24	34	21
Black, both sexes.....	209	3	5	6	7	15	22	18	27	18	19	21
Male.....	153	2	2	6	6	12	16	16	21	13	12	12
Female.....	56	1	3	-	1	3	6	2	6	5	7	9
American Indian 1/, both sexes.....	17	1	-	-	-	1	3	3	2	1	-	1
Male.....	8	-	-	-	-	1	2	2	-	1	-	-
Female.....	9	1	-	-	-	-	1	1	2	-	-	1
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	3	1	5	-	1	-	1
Male.....	7	-	-	-	-	2	1	3	-	1	-	-
Female.....	6	-	-	-	-	1	-	2	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Minnesota

All races, both sexes.....	802	3	14	13	24	103	94	54	55	48	75	60
Male.....	549	1	8	6	10	71	79	40	40	38	49	44
Female.....	253	2	6	7	14	32	15	14	15	10	26	16
White, both sexes.....	727	3	10	10	21	91	87	46	49	44	65	53
Male.....	504	1	6	6	9	61	72	35	35	36	44	40
Female.....	223	2	4	4	12	30	15	11	14	8	21	13
Black, both sexes.....	27	-	2	-	2	6	2	6	3	1	2	1
Male.....	18	-	1	-	-	5	2	3	3	-	1	1
Female.....	9	-	1	-	2	1	-	3	-	1	1	-
American Indian 1/, both sexes.....	26	-	1	2	-	3	2	-	2	3	7	3
Male.....	12	-	-	-	-	2	2	-	2	2	3	-
Female.....	14	-	1	2	-	1	-	-	-	1	4	3
Asian or Pacific Islander 2/, both sexes.....	22	-	1	1	1	3	3	2	1	-	1	3
Male.....	15	-	1	-	1	3	3	2	-	-	1	3
Female.....	7	-	-	1	-	-	-	-	1	-	-	-

Mississippi

All races, both sexes.....	933	3	14	17	26	107	103	70	79	85	78	69
Male.....	633	1	8	7	15	66	72	50	59	55	55	49
Female.....	300	2	6	10	11	41	31	20	20	30	23	20
White, both sexes.....	588	2	7	4	16	75	65	37	53	48	51	37
Male.....	394	1	2	3	7	46	47	26	40	33	34	25
Female.....	194	1	5	1	9	29	18	11	13	15	17	12
Black, both sexes.....	335	1	7	12	10	31	38	33	25	33	27	30
Male.....	233	-	6	3	8	20	25	24	18	20	21	23
Female.....	102	1	1	9	2	11	13	9	7	13	6	7
American Indian 1/, both sexes.....	6	-	-	-	-	1	-	-	1	2	-	2
Male.....	3	-	-	-	-	-	-	-	1	1	-	1
Female.....	3	-	-	-	-	1	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	-	-	-	2	-	-
Male.....	3	-	-	1	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Missouri

All races, both sexes.....	1,273	3	9	14	37	172	180	104	88	100	101	96
Male.....	843	1	7	5	21	114	128	80	65	66	63	66
Female.....	430	2	2	9	16	58	52	24	23	34	38	30
White, both sexes.....	1,144	2	9	11	27	150	163	92	71	91	93	83
Male.....	761	1	7	4	16	100	118	69	52	61	58	59
Female.....	383	1	2	7	11	50	45	23	19	30	35	24
Black, both sexes.....	114	1	-	3	7	20	14	12	17	9	7	10
Male.....	75	-	-	1	4	12	8	11	13	5	4	7
Female.....	39	1	-	2	3	8	6	1	4	4	3	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	3	2	3	-	-	-	-	3
Male.....	6	-	-	-	1	2	2	-	-	-	-	-
Female.....	8	-	-	-	2	-	1	-	-	-	-	3

Montana

All races, both sexes.....	280	-	3	3	4	39	30	24	18	24	14	23
Male.....	201	-	2	2	2	27	19	18	14	21	9	18
Female.....	79	-	1	1	2	12	11	6	4	3	5	5
White, both sexes.....	218	-	3	2	3	29	20	17	13	15	9	21
Male.....	163	-	2	1	2	18	15	14	11	14	7	17
Female.....	55	-	1	1	1	11	5	3	2	1	2	4
Black, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	56	-	-	1	1	9	9	7	5	6	5	1
Male.....	33	-	-	1	-	8	4	4	3	4	2	-
Female.....	23	-	-	-	1	1	5	3	2	2	3	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	3	-	-
Male.....	3	-	-	-	-	-	-	-	-	3	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
Nebraska												
All races, both sexes.....	355	1	3	7	6	59	59	17	27	20	23	31
Male.....	231	1	1	5	4	33	43	12	16	16	19	22
Female.....	124	-	2	2	2	26	16	5	11	4	4	9
White, both sexes.....	335	1	3	6	6	54	55	15	27	18	22	30
Male.....	216	1	1	4	4	30	40	10	16	14	18	22
Female.....	119	-	2	2	2	24	15	5	11	4	4	8
Black, both sexes.....	10	-	-	1	-	2	2	2	-	1	1	-
Male.....	9	-	-	1	-	1	2	2	-	1	1	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	3	2	-	-	-	-	-
Male.....	4	-	-	-	-	2	1	-	-	-	-	-
Female.....	3	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Nevada												
All races, both sexes.....	418	1	6	2	8	47	42	23	26	37	44	35
Male.....	276	-	3	1	5	33	32	18	16	25	28	24
Female.....	142	1	3	1	3	14	10	5	10	12	16	11
White, both sexes.....	369	-	6	1	7	46	36	20	24	31	39	29
Male.....	248	-	3	-	4	33	29	15	15	21	25	20
Female.....	121	-	3	1	3	13	7	5	9	10	14	9
Black, both sexes.....	16	-	-	1	1	1	1	-	1	3	1	4
Male.....	11	-	-	1	1	-	-	-	1	3	1	3
Female.....	5	-	-	-	-	1	1	-	-	-	-	1
American Indian 1/, both sexes.....	10	1	-	-	-	-	-	1	-	1	2	-
Male.....	6	-	-	-	-	-	-	1	-	1	2	-
Female.....	4	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	-	-	-	-	-	5	2	1	2	2	2
Male.....	11	-	-	-	-	-	3	2	-	-	-	1
Female.....	12	-	-	-	-	-	2	-	1	2	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

New Hampshire

All races, both sexes.....	133	-	1	2	2	7	20	13	13	15	5	5
Male.....	89	-	1	1	2	7	14	9	10	9	3	3
Female.....	44	-	-	1	-	-	6	4	3	6	2	2
White, both sexes.....	130	-	1	2	2	7	20	12	13	14	4	5
Male.....	87	-	1	1	2	7	14	8	10	9	2	3
Female.....	43	-	-	1	-	-	6	4	3	5	2	2
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

New Jersey

All races, both sexes.....	846	3	8	10	15	71	99	61	60	64	67	57
Male.....	622	2	7	5	12	56	81	44	52	53	52	46
Female.....	224	1	1	5	3	15	18	17	8	11	15	11
White, both sexes.....	676	-	2	8	9	59	71	46	49	49	47	48
Male.....	496	-	2	4	7	46	58	31	41	42	39	41
Female.....	180	-	-	4	2	13	13	15	8	7	8	7
Black, both sexes.....	130	3	5	1	6	10	23	12	9	13	17	4
Male.....	102	2	5	-	5	8	18	11	9	9	12	3
Female.....	28	1	-	1	1	2	5	1	-	4	5	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	38	-	1	1	-	2	4	3	2	2	3	5
Male.....	22	-	-	1	-	2	4	2	2	2	1	2
Female.....	16	-	1	-	-	-	-	1	-	-	2	3



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
New Mexico												
All races, both sexes.....	449	1	5	8	16	66	66	27	26	35	45	31
Male.....	326	-	4	5	12	45	49	25	20	25	33	24
Female.....	123	1	1	3	4	21	17	2	6	10	12	7
White, both sexes.....	339	-	5	6	11	48	44	17	19	21	39	24
Male.....	251	-	4	5	9	33	32	16	14	15	30	20
Female.....	88	-	1	1	2	15	12	1	5	6	9	4
Black, both sexes.....	10	-	-	-	-	3	4	-	-	-	-	1
Male.....	7	-	-	-	-	3	2	-	-	-	-	1
Female.....	3	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	98	1	-	2	5	15	18	10	7	14	6	5
Male.....	67	-	-	-	3	9	15	9	6	10	3	3
Female.....	31	1	-	2	2	6	3	1	1	4	3	2
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
New York												
All races, both sexes.....	1,855	2	23	21	34	215	230	139	133	126	137	119
Male.....	1,264	2	14	16	25	136	179	114	105	94	95	86
Female.....	591	-	9	5	9	79	51	25	28	32	42	33
White, both sexes.....	1,509	1	15	15	24	182	182	104	103	92	108	99
Male.....	1,023	1	10	11	18	113	146	89	85	66	76	73
Female.....	486	-	5	4	6	69	36	15	18	26	32	26
Black, both sexes.....	281	1	6	6	9	28	42	28	25	29	21	18
Male.....	204	1	3	5	6	21	30	20	19	24	13	13
Female.....	77	-	3	1	3	7	12	8	6	5	8	5
American Indian 1/, both sexes.....	3	-	-	-	-	2	-	-	1	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	62	-	2	-	1	3	6	7	4	5	8	2
Male.....	36	-	1	-	1	1	3	5	1	4	6	-
Female.....	26	-	1	-	-	2	3	2	3	1	2	2



## Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
Ohio												
All races, both sexes.....	1,704	2	13	25	40	210	191	111	144	126	146	139
Male.....	1,140	1	11	16	27	142	143	86	104	88	95	100
Female.....	564	1	2	9	13	68	48	25	40	38	51	39
White, both sexes.....	1,527	1	10	19	32	192	171	91	126	111	131	126
Male.....	1,017	-	8	12	22	127	127	71	91	76	88	94
Female.....	510	1	2	7	10	65	44	20	35	35	43	32
Black, both sexes.....	168	1	3	5	8	17	20	19	17	15	15	12
Male.....	117	1	3	3	5	14	16	14	12	12	7	6
Female.....	51	-	-	2	3	3	4	5	5	3	8	6
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	1	-	1	-	1	1	-	-	1
Male.....	6	-	-	1	-	1	-	1	1	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
Oklahoma												
All races, both sexes.....	796	2	11	11	15	100	95	63	53	57	66	67
Male.....	527	1	5	6	10	67	71	47	27	40	53	39
Female.....	269	1	6	5	5	33	24	16	26	17	13	28
White, both sexes.....	654	2	9	11	11	85	80	44	41	42	55	55
Male.....	437	1	4	6	8	59	60	34	19	31	46	32
Female.....	217	1	5	5	3	26	20	10	22	11	9	23
Black, both sexes.....	41	-	1	-	1	5	-	9	3	5	1	6
Male.....	28	-	1	-	1	3	-	5	3	3	1	3
Female.....	13	-	-	-	-	2	-	4	-	2	-	3
American Indian 1/, both sexes.....	90	-	1	-	2	10	13	7	9	10	10	4
Male.....	56	-	-	-	1	5	11	5	5	6	6	3
Female.....	34	-	1	-	1	5	2	2	4	4	4	1
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	1	-	2	3	-	-	-	2
Male.....	6	-	-	-	-	-	-	3	-	-	-	1
Female.....	5	-	-	-	1	-	2	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Oregon

All races, both sexes.....	528	-	7	6	12	59	43	38	37	32	27	44
Male.....	365	-	4	2	7	50	30	29	29	28	20	33
Female.....	163	-	3	4	5	9	13	9	8	4	7	11
White, both sexes.....	492	-	7	6	12	55	41	33	33	26	25	41
Male.....	347	-	4	2	7	47	30	27	27	24	18	32
Female.....	145	-	3	4	5	8	11	6	6	2	7	9
Black, both sexes.....	6	-	-	-	-	1	-	1	1	1	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	-	-	1	-	1	-	1	-	-
American Indian 1/, both sexes.....	17	-	-	-	-	2	-	2	1	3	2	3
Male.....	12	-	-	-	-	2	-	1	1	3	2	1
Female.....	5	-	-	-	-	-	-	1	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	1	2	2	2	2	-	-
Male.....	4	-	-	-	-	1	-	1	-	1	-	-
Female.....	9	-	-	-	-	-	2	1	2	1	-	-

Pennsylvania

All races, both sexes.....	1,820	2	16	23	37	222	249	132	114	140	140	127
Male.....	1,262	1	9	15	21	160	185	105	85	104	96	95
Female.....	558	1	7	8	16	62	64	27	29	36	44	32
White, both sexes.....	1,674	1	14	20	32	212	218	122	105	128	125	117
Male.....	1,160	-	8	12	17	153	162	96	80	95	91	86
Female.....	514	1	6	8	15	59	56	26	25	33	34	31
Black, both sexes.....	125	1	2	2	4	9	27	8	8	11	13	10
Male.....	88	1	1	2	4	6	20	7	5	8	4	9
Female.....	37	-	1	-	-	3	7	1	3	3	9	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	1	1	1	4	2	1	1	2	-
Male.....	12	-	-	1	-	1	3	2	-	1	1	-
Female.....	6	-	-	-	1	-	1	-	1	-	1	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
South Dakota												
All races, both sexes.....	200	-	3	3	8	33	20	10	16	10	22	13
Male.....	152	-	3	1	3	24	17	8	10	9	19	13
Female.....	48	-	-	2	5	9	3	2	6	1	3	-
White, both sexes.....	145	-	2	2	7	21	15	3	8	4	16	12
Male.....	113	-	2	1	2	16	14	2	7	4	13	12
Female.....	32	-	-	1	5	5	1	1	1	-	3	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	52	-	1	1	1	11	5	6	8	5	6	1
Male.....	36	-	1	-	1	7	3	5	3	4	6	1
Female.....	16	-	-	1	-	4	2	1	5	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-
Male.....	2	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	1,307	2	13	22	28	171	160	101	98	114	103	101
Male.....	895	1	9	12	18	114	115	74	67	70	71	79
Female.....	412	1	4	10	10	57	45	27	31	44	32	22
White, both sexes.....	1,118	2	12	16	19	151	132	89	77	94	89	85
Male.....	764	1	8	8	13	101	96	64	51	58	62	67
Female.....	354	1	4	8	6	50	36	25	26	36	27	18
Black, both sexes.....	172	-	1	6	9	17	26	12	20	16	11	16
Male.....	120	-	1	4	5	11	17	10	16	8	7	12
Female.....	52	-	-	2	4	6	9	2	4	8	4	4
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	-	-	1	2	-
Male.....	4	-	-	-	-	-	1	-	-	1	2	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	3	1	-	1	3	1	-
Male.....	7	-	-	-	-	2	1	-	-	3	-	-
Female.....	6	-	-	-	-	1	-	-	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Texas

All races, both sexes.....	4,250	16	81	81	104	529	607	409	338	331	335	285
Male.....	2,951	11	43	47	62	342	471	317	251	230	240	207
Female.....	1,299	5	38	34	42	187	136	92	87	101	95	78
White, both sexes.....	3,726	12	65	68	88	472	554	354	285	278	295	244
Male.....	2,596	10	34	40	55	304	432	276	213	188	216	183
Female.....	1,130	2	31	28	33	168	122	78	72	90	79	61
Black, both sexes.....	442	4	15	11	15	46	42	45	44	45	38	35
Male.....	309	1	9	5	7	32	31	35	33	36	23	23
Female.....	133	3	6	6	8	14	11	10	11	9	15	12
American Indian 1/, both sexes.....	7	-	-	-	-	1	1	2	-	1	-	2
Male.....	4	-	-	-	-	-	1	2	-	1	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	75	-	1	2	1	10	10	8	9	7	2	4
Male.....	42	-	-	2	-	6	7	4	5	5	1	1
Female.....	33	-	1	-	1	4	3	4	4	2	1	3

Utah

All races, both sexes.....	356	4	15	9	11	56	46	23	19	22	23	17
Male.....	234	3	8	3	5	38	32	21	15	14	20	13
Female.....	122	1	7	6	6	18	14	2	4	8	3	4
White, both sexes.....	329	4	13	9	11	54	39	20	18	18	23	16
Male.....	217	3	7	3	5	38	28	18	14	11	20	12
Female.....	112	1	6	6	6	16	11	2	4	7	3	4
Black, both sexes.....	4	-	-	-	-	-	1	1	-	1	-	-
Male.....	3	-	-	-	-	-	-	1	-	1	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	12	-	1	-	-	2	4	1	-	2	-	-
Male.....	8	-	1	-	-	-	4	1	-	1	-	-
Female.....	4	-	-	-	-	2	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	-	-	-	2	1	1	1	-	1
Male.....	6	-	-	-	-	-	-	1	1	1	-	1
Female.....	5	-	1	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
Vermont												
All races, both sexes.....	89	-	4	1	1	11	12	4	7	5	11	4
Male.....	67	-	2	-	1	7	9	4	6	2	9	3
Female.....	22	-	2	1	-	4	3	-	1	3	2	1
White, both sexes.....	89	-	4	1	1	11	12	4	7	5	11	4
Male.....	67	-	2	-	1	7	9	4	6	2	9	3
Female.....	22	-	2	1	-	4	3	-	1	3	2	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	1,027	4	8	11	24	139	136	77	71	75	79	79
Male.....	743	3	7	3	15	93	111	60	51	59	57	64
Female.....	284	1	1	8	9	46	25	17	20	16	22	15
White, both sexes.....	800	2	6	9	19	108	104	53	60	53	65	56
Male.....	570	2	6	3	12	70	85	41	41	44	46	46
Female.....	230	-	-	6	7	38	19	12	19	9	19	10
Black, both sexes.....	201	1	2	2	4	26	28	22	10	20	12	22
Male.....	152	-	1	-	2	18	22	19	9	13	9	18
Female.....	49	1	1	2	2	8	6	3	1	7	3	4
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	1	1	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	1	-	-	1	4	4	1	-	2	2	1
Male.....	19	1	-	-	1	4	4	-	-	2	2	-
Female.....	4	-	-	-	-	-	-	1	-	-	-	1









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transport accidents (V01-V99,Y85)

Alaska

All races, both sexes.....	16	11	7	9	4	1	3	1	-	-	-	-
Male.....	13	10	6	6	4	-	2	1	-	-	-	-
Female.....	3	1	1	3	-	1	1	-	-	-	-	-
White, both sexes.....	11	8	5	4	3	-	3	1	-	-	-	-
Male.....	9	7	5	1	3	-	2	1	-	-	-	-
Female.....	2	1	-	3	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	3	1	5	1	1	-	-	-	-	-	-
Male.....	4	3	1	5	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	86	58	47	50	39	42	41	16	8	1	-	1
Male.....	59	35	29	37	20	22	21	10	4	1	-	1
Female.....	27	23	18	13	19	20	20	6	4	-	-	-
White, both sexes.....	69	50	41	46	38	42	38	15	8	1	-	1
Male.....	46	30	27	34	19	22	19	9	4	1	-	1
Female.....	23	20	14	12	19	20	19	6	4	-	-	-
Black, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	15	6	4	2	1	-	2	1	-	-	-	-
Male.....	13	4	2	2	1	-	2	1	-	-	-	-
Female.....	2	2	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	2	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transport accidents (V01-V99,Y85)

Arkansas

All races, both sexes.....	46	32	29	24	32	25	18	15	7	-	-	-
Male.....	37	25	16	17	19	16	9	12	5	-	-	-
Female.....	9	7	13	7	13	9	9	3	2	-	-	-
White, both sexes.....	36	29	28	20	26	21	15	14	6	-	-	-
Male.....	29	23	16	14	14	12	8	11	4	-	-	-
Female.....	7	6	12	6	12	9	7	3	2	-	-	-
Black, both sexes.....	9	3	1	3	6	4	2	1	1	-	-	-
Male.....	7	2	-	2	5	4	1	1	1	-	-	-
Female.....	2	1	1	1	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

California

All races, both sexes.....	296	225	190	151	140	168	122	82	28	6	-	6
Male.....	210	163	122	107	85	100	59	48	16	4	-	6
Female.....	86	62	68	44	55	68	63	34	12	2	-	-
White, both sexes.....	259	197	163	106	120	139	104	70	24	5	-	5
Male.....	186	143	109	78	72	83	46	42	12	3	-	5
Female.....	73	54	54	28	48	56	58	28	12	2	-	-
Black, both sexes.....	24	13	12	14	2	9	4	1	2	1	-	-
Male.....	18	11	7	11	1	6	4	1	2	1	-	-
Female.....	6	2	5	3	1	3	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	3	2	-	3	1	-	-	-	-	-
Male.....	1	2	-	1	-	3	1	-	-	-	-	-
Female.....	-	-	3	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	13	12	29	18	17	13	11	2	-	-	1
Male.....	5	7	6	17	12	8	8	5	2	-	-	1
Female.....	7	6	6	12	6	9	5	6	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Transport accidents (V01-V99,Y85)

Florida

All races, both sexes.....	199	164	158	118	133	149	152	85	42	3	-	10
Male.....	148	121	109	77	73	78	87	44	22	2	-	10
Female.....	51	43	49	41	60	71	65	41	20	1	-	-
White, both sexes.....	164	141	132	99	116	138	142	83	40	3	-	9
Male.....	125	103	90	61	63	69	83	42	20	2	-	9
Female.....	39	38	42	38	53	69	59	41	20	1	-	-
Black, both sexes.....	32	21	24	18	17	11	10	2	1	-	-	-
Male.....	20	16	18	15	10	9	4	2	1	-	-	-
Female.....	12	5	6	3	7	2	6	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	1	-	-	-	-	-	-	-	1
Male.....	2	1	1	1	-	-	-	-	-	-	-	1
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	101	69	52	48	48	52	46	26	7	-	-	-
Male.....	65	49	36	35	34	20	27	12	2	-	-	-
Female.....	36	20	16	13	14	32	19	14	5	-	-	-
White, both sexes.....	66	51	41	35	39	48	37	23	7	-	-	-
Male.....	44	35	29	27	28	18	21	9	2	-	-	-
Female.....	22	16	12	8	11	30	16	14	5	-	-	-
Black, both sexes.....	32	17	10	12	6	4	9	3	-	-	-	-
Male.....	20	13	6	7	5	2	6	3	-	-	-	-
Female.....	12	4	4	5	1	2	3	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	1	3	-	-	-	-	-	-	-
Male.....	1	1	1	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	2	-	-	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Transport accidents (V01-V99,Y85)

Maine

All races, both sexes.....	14	9	7	14	7	9	16	7	1	-	1	-
Male.....	11	9	4	7	5	5	10	3	1	-	1	-
Female.....	3	-	3	7	2	4	6	4	-	-	-	-
White, both sexes.....	14	8	7	14	7	9	16	7	1	-	1	-
Male.....	11	8	4	7	5	5	10	3	1	-	1	-
Female.....	3	-	3	7	2	4	6	4	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	44	35	36	31	20	24	34	10	2	-	1	1
Male.....	31	28	24	14	10	13	19	5	1	-	-	1
Female.....	13	7	12	17	10	11	15	5	1	-	1	-
White, both sexes.....	29	26	22	21	14	21	31	9	1	-	1	-
Male.....	23	22	17	7	6	11	16	4	1	-	-	-
Female.....	6	4	5	14	8	10	15	5	-	-	1	-
Black, both sexes.....	14	8	11	8	6	2	3	1	-	-	-	1
Male.....	7	6	6	5	4	2	3	1	-	-	-	1
Female.....	7	2	5	3	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	-	1	-	-	1	-	-	-
Male.....	-	-	1	2	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Transport accidents (V01-V99,Y85)

Massachusetts

All races, both sexes.....	47	29	19	16	27	32	28	17	4	1	-	-
Male.....	39	21	12	11	17	15	15	10	2	-	-	-
Female.....	8	8	7	5	10	17	13	7	2	1	-	-
White, both sexes.....	43	27	19	13	25	31	27	17	4	1	-	-
Male.....	37	20	12	8	16	14	14	10	2	-	-	-
Female.....	6	7	7	5	9	17	13	7	2	1	-	-
Black, both sexes.....	4	1	-	-	1	-	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	3	1	1	-	-	-	-	-	-
Male.....	-	1	-	3	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	77	51	63	53	51	65	54	36	20	-	-	2
Male.....	51	41	41	33	34	37	28	19	11	-	-	2
Female.....	26	10	22	20	17	28	26	17	9	-	-	-
White, both sexes.....	66	45	52	47	46	60	47	32	20	-	-	2
Male.....	45	35	32	29	30	35	25	16	11	-	-	2
Female.....	21	10	20	18	16	25	22	16	9	-	-	-
Black, both sexes.....	10	6	9	4	4	5	6	4	-	-	-	-
Male.....	6	6	8	3	4	2	3	3	-	-	-	-
Female.....	4	-	1	1	-	3	3	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	2	1	1	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transport accidents (V01-V99,Y85)

Nebraska

All races, both sexes.....	17	12	13	15	18	9	7	6	3	2	-	-
Male.....	11	7	8	12	9	7	2	2	1	-	-	-
Female.....	6	5	5	3	9	2	5	4	2	2	-	-
White, both sexes.....	15	11	12	15	18	9	7	6	3	2	-	-
Male.....	10	6	7	12	9	7	2	2	1	-	-	-
Female.....	5	5	5	3	9	2	5	4	2	2	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	31	30	23	16	12	16	11	7	1	-	-	-
Male.....	19	21	16	10	8	8	6	3	-	-	-	-
Female.....	12	9	7	6	4	8	5	4	1	-	-	-
White, both sexes.....	25	26	22	15	10	14	10	7	1	-	-	-
Male.....	16	20	16	9	8	6	5	3	-	-	-	-
Female.....	9	6	6	6	2	8	5	4	1	-	-	-
Black, both sexes.....	-	1	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	-	-	2	1	-	-	-	-	-	-
Male.....	3	1	-	-	-	1	-	-	-	-	-	-
Female.....	1	1	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transport accidents (V01-V99,Y85)

New Hampshire

All races, both sexes.....	8	13	7	5	5	6	4	2	-	-	-	-
Male.....	4	8	2	4	4	4	3	1	-	-	-	-
Female.....	4	5	5	1	1	2	1	1	-	-	-	-
White, both sexes.....	8	13	7	5	5	6	4	2	-	-	-	-
Male.....	4	8	2	4	4	4	3	1	-	-	-	-
Female.....	4	5	5	1	1	2	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	52	41	31	27	45	57	45	22	5	2	-	4
Male.....	42	25	19	19	29	38	24	11	2	-	-	3
Female.....	10	16	12	8	16	19	21	11	3	2	-	1
White, both sexes.....	43	33	23	22	43	48	44	22	4	2	-	4
Male.....	35	20	15	16	29	31	24	11	1	-	-	3
Female.....	8	13	8	6	14	17	20	11	3	2	-	1
Black, both sexes.....	8	4	6	2	1	5	-	-	1	-	-	-
Male.....	6	4	4	-	-	5	-	-	1	-	-	-
Female.....	2	-	2	2	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	2	3	1	4	1	-	-	-	-	-
Male.....	1	-	-	3	-	2	-	-	-	-	-	-
Female.....	-	3	2	-	1	2	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transport accidents (V01-V99,Y85)

New Mexico

All races, both sexes.....	23	24	20	11	17	11	8	5	1	2	-	1
Male.....	15	18	15	10	12	6	6	-	1	1	-	-
Female.....	8	6	5	1	5	5	2	5	-	1	-	1
White, both sexes.....	19	20	16	8	16	9	8	5	1	2	-	1
Male.....	11	15	13	8	12	6	6	-	1	1	-	-
Female.....	8	5	3	-	4	3	2	5	-	1	-	1
Black, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	4	4	2	-	2	-	-	-	-	-	-
Male.....	3	3	2	1	-	-	-	-	-	-	-	-
Female.....	-	1	2	1	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	108	91	72	81	75	101	83	48	12	1	1	3
Male.....	74	63	40	48	40	58	35	32	5	-	-	3
Female.....	34	28	32	33	35	43	48	16	7	1	1	-
White, both sexes.....	91	74	63	63	65	93	74	44	12	1	1	3
Male.....	60	50	34	38	33	53	31	28	5	-	-	3
Female.....	31	24	29	25	32	40	43	16	7	1	1	-
Black, both sexes.....	11	13	8	15	6	4	8	3	-	-	-	-
Male.....	9	9	6	9	5	4	4	3	-	-	-	-
Female.....	2	4	2	6	1	-	4	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	4	1	3	4	4	1	1	-	-	-	-
Male.....	5	4	-	1	2	1	-	1	-	-	-	-
Female.....	1	-	1	2	2	3	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transport accidents (V01-V99,Y85)

Ohio

All races, both sexes.....	105	79	67	58	70	76	52	36	12	1	1	-
Male.....	76	56	38	33	38	37	22	19	7	1	-	-
Female.....	29	23	29	25	32	39	30	17	5	-	1	-
White, both sexes.....	99	72	63	53	67	67	49	35	11	1	-	-
Male.....	71	51	37	30	35	32	19	18	7	1	-	-
Female.....	28	21	26	23	32	35	30	17	4	-	-	-
Black, both sexes.....	5	7	4	4	2	8	3	1	1	-	1	-
Male.....	5	5	1	3	2	4	3	1	-	-	-	-
Female.....	-	2	3	1	-	4	-	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	46	37	32	34	36	27	21	10	11	2	-	-
Male.....	32	20	20	25	20	16	16	6	6	-	-	-
Female.....	14	17	12	9	16	11	5	4	5	2	-	-
White, both sexes.....	40	31	24	29	30	25	19	10	10	1	-	-
Male.....	27	16	15	22	18	14	14	6	5	-	-	-
Female.....	13	15	9	7	12	11	5	4	5	1	-	-
Black, both sexes.....	-	2	2	3	2	-	-	-	1	-	-	-
Male.....	-	1	2	2	2	-	-	-	1	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	4	6	2	3	1	2	-	-	1	-	-
Male.....	4	3	3	1	-	1	2	-	-	-	-	-
Female.....	1	1	3	1	3	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Transport accidents (V01-V99,Y85)

Oregon

All races, both sexes.....	50	31	24	23	19	24	23	17	9	2	1	-
Male.....	32	22	16	14	13	12	10	7	5	2	-	-
Female.....	18	9	8	9	6	12	13	10	4	-	1	-
White, both sexes.....	47	31	22	23	15	24	23	17	9	2	-	-
Male.....	30	22	16	14	11	12	10	7	5	2	-	-
Female.....	17	9	6	9	4	12	13	10	4	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	2	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	3	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	2	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	100	69	68	69	56	104	77	46	26	3	-	-
Male.....	72	51	48	37	38	52	40	29	18	1	-	-
Female.....	28	18	20	32	18	52	37	17	8	2	-	-
White, both sexes.....	92	62	66	62	52	98	76	43	26	3	-	-
Male.....	65	45	46	34	37	48	39	27	18	1	-	-
Female.....	27	17	20	28	15	50	37	16	8	2	-	-
Black, both sexes.....	5	6	2	5	3	5	1	3	-	-	-	-
Male.....	4	6	2	2	1	3	1	2	-	-	-	-
Female.....	1	-	-	3	2	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	1	1	-	-	-	-	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transport accidents (V01-V99,Y85)

Vermont

All races, both sexes.....	7	2	2	4	6	4	1	3	-	-	-	-
Male.....	6	2	2	3	6	3	1	1	-	-	-	-
Female.....	1	-	-	1	-	1	-	2	-	-	-	-
White, both sexes.....	7	2	2	4	6	4	1	3	-	-	-	-
Male.....	6	2	2	3	6	3	1	1	-	-	-	-
Female.....	1	-	-	1	-	1	-	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	60	51	48	33	41	26	41	20	2	2	-	-
Male.....	43	42	33	25	25	12	28	9	2	1	-	-
Female.....	17	9	15	8	16	14	13	11	-	1	-	-
White, both sexes.....	48	42	36	26	35	24	32	18	2	2	-	-
Male.....	33	34	23	19	20	11	22	9	2	1	-	-
Female.....	15	8	13	7	15	13	10	9	-	1	-	-
Black, both sexes.....	10	8	12	7	4	2	8	1	-	-	-	-
Male.....	9	7	10	6	3	1	5	-	-	-	-	-
Female.....	1	1	2	1	1	1	3	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	2	-	1	1	-	-	-	-
Male.....	1	1	-	-	2	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Railway accidents (V05,V15,V80.6,V81.2-V81.9)

Arkansas

All races, both sexes.....	12	-	-	-	2	2	1	-	1	1	4	1
Male.....	11	-	-	-	2	2	1	-	1	-	4	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	6	-	-	-	2	1	1	-	1	-	1	-
Male.....	6	-	-	-	2	1	1	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	6	-	-	-	-	1	-	-	-	1	3	1
Male.....	5	-	-	-	-	1	-	-	-	-	3	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	57	-	1	-	1	2	6	4	4	5	9	8
Male.....	48	-	-	-	-	1	6	3	3	4	7	8
Female.....	9	-	1	-	1	1	-	1	1	1	2	-
White, both sexes.....	49	-	1	-	-	2	5	4	3	5	6	8
Male.....	43	-	-	-	-	1	5	3	2	4	5	8
Female.....	6	-	1	-	-	1	-	1	1	1	1	-
Black, both sexes.....	4	-	-	-	-	-	-	-	1	-	3	-
Male.....	3	-	-	-	-	-	-	-	1	-	2	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-



























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Railway accidents (V05,V15,V80.6,V81.2-V81.9)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	4	3	-	-	1	-	1	-	-	-	1
Male.....	7	4	3	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	6	4	3	-	-	1	-	-	-	-	-	1
Male.....	6	4	3	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-





















































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

United States

All races, both sexes.....	45,380	123	610	664	950	5,634	5,825	3,731	3,361	3,462	3,615	3,240
Male.....	31,064	68	361	385	578	3,765	4,413	2,855	2,494	2,459	2,525	2,328
Female.....	14,316	55	249	279	372	1,869	1,412	876	867	1,003	1,090	912
White, both sexes.....	38,054	81	452	494	760	4,840	4,840	2,963	2,734	2,787	3,020	2,683
Male.....	26,000	47	260	288	467	3,221	3,683	2,273	2,033	1,979	2,125	1,955
Female.....	12,054	34	192	206	293	1,619	1,157	690	701	808	895	728
Black, both sexes.....	5,462	35	123	141	146	553	726	591	481	519	461	432
Male.....	3,874	17	81	80	89	382	539	457	364	376	313	303
Female.....	1,588	18	42	61	57	171	187	134	117	143	148	129
American Indian 1/, both sexes.....	866	4	16	12	26	122	121	87	78	91	77	54
Male.....	572	1	9	6	13	74	90	65	53	61	49	34
Female.....	294	3	7	6	13	48	31	22	25	30	28	20
Asian or Pacific Islander 2/, both sexes.....	998	3	19	17	18	119	138	90	68	65	57	71
Male.....	618	3	11	11	9	88	101	60	44	43	38	36
Female.....	380	-	8	6	9	31	37	30	24	22	19	35

Alabama

All races, both sexes.....	1,115	-	20	18	20	144	138	109	90	103	82	70
Male.....	739	-	8	10	11	83	97	83	65	66	50	45
Female.....	376	-	12	8	9	61	41	26	25	37	32	25
White, both sexes.....	860	-	13	13	12	119	100	71	68	79	67	49
Male.....	566	-	5	7	7	68	68	56	48	54	42	32
Female.....	294	-	8	6	5	51	32	15	20	25	25	17
Black, both sexes.....	245	-	5	4	7	25	37	34	22	23	15	21
Male.....	167	-	2	2	3	15	29	24	17	12	8	13
Female.....	78	-	3	2	4	10	8	10	5	11	7	8
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	1	1	-	1	3	-	-	-	-
Male.....	5	-	1	1	1	-	-	2	-	-	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Arkansas

All races, both sexes.....	693	2	13	5	14	84	105	60	53	47	57	43
Male.....	488	1	11	4	4	55	82	42	40	37	40	32
Female.....	205	1	2	1	10	29	23	18	13	10	17	11
White, both sexes.....	576	1	10	4	12	74	86	48	43	39	42	36
Male.....	399	1	9	3	4	48	65	32	31	31	29	27
Female.....	177	-	1	1	8	26	21	16	12	8	13	9
Black, both sexes.....	104	1	2	1	2	9	19	9	9	6	14	6
Male.....	79	-	1	1	-	6	17	8	8	5	10	4
Female.....	25	1	1	-	2	3	2	1	1	1	4	2
American Indian 1/, both sexes.....	4	-	-	-	-	1	-	-	-	2	-	-
Male.....	3	-	-	-	-	1	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	-	-	-	-	3	1	-	1	1
Male.....	7	-	1	-	-	-	-	2	1	-	1	1
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	4,248	11	75	65	85	530	565	338	319	333	341	320
Male.....	2,962	4	50	38	51	363	441	258	219	253	266	220
Female.....	1,286	7	25	27	34	167	124	80	100	80	75	100
White, both sexes.....	3,577	9	60	53	70	455	477	280	269	281	297	266
Male.....	2,503	3	40	30	43	308	369	217	191	213	232	186
Female.....	1,074	6	20	23	27	147	108	63	78	68	65	80
Black, both sexes.....	296	2	8	7	9	28	39	27	25	31	23	24
Male.....	211	1	5	5	6	19	31	23	13	25	16	13
Female.....	85	1	3	2	3	9	8	4	12	6	7	11
American Indian 1/, both sexes.....	45	-	1	-	-	5	7	6	3	3	4	4
Male.....	32	-	-	-	-	4	5	4	2	2	3	4
Female.....	13	-	1	-	-	1	2	2	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	330	-	6	5	6	42	42	25	22	18	17	26
Male.....	216	-	5	3	2	32	36	14	13	13	15	17
Female.....	114	-	1	2	4	10	6	11	9	5	2	9





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Florida

All races, both sexes.....	3,196	8	42	36	46	303	369	255	227	275	285	238
Male.....	2,176	6	23	21	26	204	280	201	170	190	194	176
Female.....	1,020	2	19	15	20	99	89	54	57	85	91	62
White, both sexes.....	2,694	2	28	23	40	253	305	206	198	226	241	197
Male.....	1,817	1	14	15	22	171	232	163	147	153	165	144
Female.....	877	1	14	8	18	82	73	43	51	73	76	53
Black, both sexes.....	461	6	14	12	4	44	60	45	24	45	43	37
Male.....	336	5	9	6	3	31	46	35	20	36	29	30
Female.....	125	1	5	6	1	13	14	10	4	9	14	7
American Indian 1/, both sexes.....	17	-	-	-	1	3	2	3	1	1	1	2
Male.....	11	-	-	-	1	-	1	2	1	1	-	2
Female.....	6	-	-	-	-	3	1	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	1	1	3	2	1	4	3	-	2
Male.....	12	-	-	-	-	2	1	1	2	-	-	-
Female.....	12	-	-	1	1	1	1	-	2	3	-	2

Georgia

All races, both sexes.....	1,526	8	26	31	33	184	171	127	139	130	140	117
Male.....	1,033	4	15	15	21	121	122	90	107	95	100	86
Female.....	493	4	11	16	12	63	49	37	32	35	40	31
White, both sexes.....	1,123	5	18	22	28	150	125	88	93	86	95	87
Male.....	757	2	9	12	19	95	97	63	75	58	63	66
Female.....	366	3	9	10	9	55	28	25	18	28	32	21
Black, both sexes.....	380	2	7	9	5	32	40	37	46	44	43	28
Male.....	260	1	6	3	2	24	21	25	32	37	35	18
Female.....	120	1	1	6	3	8	19	12	14	7	8	10
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	1	1	-	-	2	6	2	-	-	1	1
Male.....	14	1	-	-	-	2	4	2	-	-	1	1
Female.....	6	-	1	-	-	-	2	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Illinois

All races, both sexes.....	1,579	6	13	23	36	190	214	165	112	111	115	101
Male.....	1,098	3	6	15	23	131	170	128	92	70	85	72
Female.....	481	3	7	8	13	59	44	37	20	41	30	29
White, both sexes.....	1,319	5	8	19	27	164	180	129	87	82	96	81
Male.....	911	3	2	11	17	111	146	102	71	55	68	57
Female.....	408	2	6	8	10	53	34	27	16	27	28	24
Black, both sexes.....	235	1	5	4	9	22	33	33	25	28	17	19
Male.....	173	-	4	4	6	17	23	26	21	14	15	15
Female.....	62	1	1	-	3	5	10	7	4	14	2	4
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	-	-	-	3	1	2	-	1	2	1
Male.....	13	-	-	-	-	2	1	-	-	1	2	-
Female.....	9	-	-	-	-	1	-	2	-	-	-	1

Indiana

All races, both sexes.....	963	2	8	17	18	138	127	76	61	55	68	77
Male.....	629	-	5	5	10	92	93	55	45	40	47	57
Female.....	334	2	3	12	8	46	34	21	16	15	21	20
White, both sexes.....	906	-	8	14	18	134	122	70	58	51	62	71
Male.....	592	-	5	3	10	89	90	53	42	36	42	53
Female.....	314	-	3	11	8	45	32	17	16	15	20	18
Black, both sexes.....	53	2	-	3	-	4	4	5	3	4	5	5
Male.....	36	-	-	2	-	3	3	2	3	4	4	4
Female.....	17	2	-	1	-	1	1	3	-	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Iowa

All races, both sexes.....	426	-	5	13	9	47	49	20	37	19	31	35
Male.....	294	-	4	9	5	29	38	18	27	16	20	27
Female.....	132	-	1	4	4	18	11	2	10	3	11	8
White, both sexes.....	411	-	4	12	8	46	46	19	37	18	31	32
Male.....	283	-	4	8	4	28	35	17	27	15	20	24
Female.....	128	-	-	4	4	18	11	2	10	3	11	8
Black, both sexes.....	10	-	-	1	1	-	3	1	-	1	-	2
Male.....	9	-	-	1	1	-	3	1	-	1	-	2
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	563	1	9	8	12	83	81	38	38	42	37	39
Male.....	382	1	5	6	3	52	64	32	29	29	21	25
Female.....	181	-	4	2	9	31	17	6	9	13	16	14
White, both sexes.....	538	1	8	7	11	78	73	36	38	38	35	38
Male.....	364	1	4	6	3	49	57	31	29	26	19	24
Female.....	174	-	4	1	8	29	16	5	9	12	16	14
Black, both sexes.....	18	-	1	-	1	5	6	1	-	2	1	1
Male.....	13	-	1	-	-	3	5	-	-	2	1	1
Female.....	5	-	-	-	1	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	1	1	-
Male.....	3	-	-	-	-	-	1	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	1	1	-	1	-	-
Male.....	2	-	-	-	-	-	1	1	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Kentucky

All races, both sexes.....	923	1	6	8	15	121	109	67	94	73	84	68
Male.....	625	-	1	2	11	71	79	51	75	50	59	50
Female.....	298	1	5	6	4	50	30	16	19	23	25	18
White, both sexes.....	882	1	5	7	15	116	105	59	91	68	80	66
Male.....	597	-	1	2	11	69	76	46	73	46	56	48
Female.....	285	1	4	5	4	47	29	13	18	22	24	18
Black, both sexes.....	34	-	1	1	-	5	3	7	3	4	3	2
Male.....	25	-	-	-	-	2	2	5	2	4	3	2
Female.....	9	-	1	1	-	3	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	1	1	-	1	1	-
Male.....	3	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	-	1	1	-

Louisiana

All races, both sexes.....	959	4	15	20	26	122	117	88	81	73	72	71
Male.....	654	2	9	14	17	72	94	71	61	57	44	48
Female.....	305	2	6	6	9	50	23	17	20	16	28	23
White, both sexes.....	671	2	9	11	15	95	82	50	57	46	51	53
Male.....	456	2	5	8	11	61	66	37	44	34	29	38
Female.....	215	-	4	3	4	34	16	13	13	12	22	15
Black, both sexes.....	274	2	6	9	10	23	33	37	23	27	20	18
Male.....	187	-	4	6	5	9	26	33	16	23	14	10
Female.....	87	2	2	3	5	14	7	4	7	4	6	8
American Indian 1/, both sexes.....	6	-	-	-	-	2	1	-	-	-	-	-
Male.....	5	-	-	-	-	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	1	2	1	1	1	-	1	-
Male.....	6	-	-	-	1	1	1	1	1	-	1	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Maine

All races, both sexes.....	215	1	2	2	3	27	25	16	7	14	24	12
Male.....	141	1	-	-	2	13	20	12	5	10	19	6
Female.....	74	-	2	2	1	14	5	4	2	4	5	6
White, both sexes.....	211	1	1	2	3	27	24	16	7	13	24	12
Male.....	140	1	-	-	2	13	20	12	5	10	19	6
Female.....	71	-	1	2	1	14	4	4	2	3	5	6
Black, both sexes.....	2	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	718	1	11	15	8	82	89	74	56	53	58	49
Male.....	490	1	4	11	6	54	70	56	43	35	41	35
Female.....	228	-	7	4	2	28	19	18	13	18	17	14
White, both sexes.....	464	-	7	5	5	55	56	43	29	33	36	33
Male.....	314	-	2	3	4	36	40	34	23	23	26	26
Female.....	150	-	5	2	1	19	16	9	6	10	10	7
Black, both sexes.....	232	1	4	9	3	24	31	29	25	18	22	15
Male.....	161	1	2	7	2	16	28	20	18	11	15	8
Female.....	71	-	2	2	1	8	3	9	7	7	7	7
American Indian 1/, both sexes.....	4	-	-	1	-	-	1	-	-	-	-	-
Male.....	3	-	-	1	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	3	1	2	2	2	-	1
Male.....	12	-	-	-	-	2	1	2	2	1	-	1
Female.....	6	-	-	-	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Massachusetts

All races, both sexes.....	565	1	1	3	3	64	72	49	39	44	48	33
Male.....	389	1	-	3	2	46	54	38	27	28	32	26
Female.....	176	-	1	-	1	18	18	11	12	16	16	7
White, both sexes.....	517	1	-	2	3	59	65	44	37	38	44	29
Male.....	356	1	-	2	2	42	50	33	26	24	29	24
Female.....	161	-	-	-	1	17	15	11	11	14	15	5
Black, both sexes.....	34	-	1	1	-	3	6	4	1	5	3	3
Male.....	26	-	-	1	-	3	4	4	1	4	3	2
Female.....	8	-	1	-	-	-	2	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	2	1	1	1	1	1	1
Male.....	7	-	-	-	-	1	-	1	-	-	-	-
Female.....	7	-	-	-	-	1	1	-	1	1	1	1

Michigan

All races, both sexes.....	1,386	9	13	16	42	184	156	101	100	114	105	99
Male.....	954	6	8	11	32	126	118	77	80	85	67	67
Female.....	432	3	5	5	10	58	38	24	20	29	38	32
White, both sexes.....	1,156	5	9	11	35	165	131	75	72	96	86	78
Male.....	794	4	6	6	26	111	100	56	60	72	55	57
Female.....	362	1	3	5	9	54	31	19	12	24	31	21
Black, both sexes.....	200	3	4	5	7	15	21	18	26	16	19	19
Male.....	145	2	2	5	6	12	15	16	20	11	12	10
Female.....	55	1	2	-	1	3	6	2	6	5	7	9
American Indian 1/, both sexes.....	17	1	-	-	-	1	3	3	2	1	-	1
Male.....	8	-	-	-	-	1	2	2	-	1	-	-
Female.....	9	1	-	-	-	-	1	1	2	-	-	1
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	3	1	5	-	1	-	1
Male.....	7	-	-	-	-	2	1	3	-	1	-	-
Female.....	6	-	-	-	-	1	-	2	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Minnesota

All races, both sexes.....	744	3	14	13	23	99	89	51	52	45	71	47
Male.....	499	1	8	6	10	67	74	37	38	35	45	33
Female.....	245	2	6	7	13	32	15	14	14	10	26	14
White, both sexes.....	672	3	10	10	20	88	82	43	47	41	61	40
Male.....	457	1	6	6	9	58	67	32	34	33	40	29
Female.....	215	2	4	4	11	30	15	11	13	8	21	11
Black, both sexes.....	25	-	2	-	2	5	2	6	2	1	2	1
Male.....	16	-	1	-	-	4	2	3	2	-	1	1
Female.....	9	-	1	-	2	1	-	3	-	1	1	-
American Indian 1/, both sexes.....	25	-	1	2	-	3	2	-	2	3	7	3
Male.....	11	-	-	-	-	2	2	-	2	2	3	-
Female.....	14	-	1	2	-	1	-	-	-	1	4	3
Asian or Pacific Islander 2/, both sexes.....	22	-	1	1	1	3	3	2	1	-	1	3
Male.....	15	-	1	-	1	3	3	2	-	-	1	3
Female.....	7	-	-	1	-	-	-	-	1	-	-	-

Mississippi

All races, both sexes.....	879	3	14	15	23	106	101	67	72	77	73	60
Male.....	586	1	8	7	12	66	70	47	52	47	51	41
Female.....	293	2	6	8	11	40	31	20	20	30	22	19
White, both sexes.....	551	2	7	4	15	74	64	35	47	43	47	31
Male.....	361	1	2	3	6	46	46	24	34	28	31	19
Female.....	190	1	5	1	9	28	18	11	13	15	16	12
Black, both sexes.....	318	1	7	10	8	31	37	32	24	30	26	27
Male.....	219	-	6	3	6	20	24	23	17	17	20	21
Female.....	99	1	1	7	2	11	13	9	7	13	6	6
American Indian 1/, both sexes.....	6	-	-	-	-	1	-	-	1	2	-	2
Male.....	3	-	-	-	-	-	-	-	1	1	-	1
Female.....	3	-	-	-	-	1	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	-	-	-	2	-	-
Male.....	3	-	-	1	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Missouri

All races, both sexes.....	1,213	3	7	13	31	168	172	102	84	98	97	92
Male.....	800	1	5	5	20	111	123	78	61	65	59	64
Female.....	413	2	2	8	11	57	49	24	23	33	38	28
White, both sexes.....	1,092	2	7	10	24	147	155	90	68	89	89	79
Male.....	723	1	5	4	16	98	113	67	49	60	54	57
Female.....	369	1	2	6	8	49	42	23	19	29	35	22
Black, both sexes.....	112	1	-	3	7	20	14	12	16	9	7	10
Male.....	73	-	-	1	4	12	8	11	12	5	4	7
Female.....	39	1	-	2	3	8	6	1	4	4	3	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	1	3	-	-	-	-	3
Male.....	3	-	-	-	-	1	2	-	-	-	-	-
Female.....	5	-	-	-	-	-	1	-	-	-	-	3

Montana

All races, both sexes.....	255	-	3	3	4	37	30	23	16	22	10	20
Male.....	180	-	2	2	2	26	19	17	12	19	6	15
Female.....	75	-	1	1	2	11	11	6	4	3	4	5
White, both sexes.....	196	-	3	2	3	27	20	16	12	13	7	18
Male.....	144	-	2	1	2	17	15	13	10	12	5	14
Female.....	52	-	1	1	1	10	5	3	2	1	2	4
Black, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	53	-	-	1	1	9	9	7	4	6	3	1
Male.....	31	-	-	1	-	8	4	4	2	4	1	-
Female.....	22	-	-	-	1	1	5	3	2	2	2	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	3	-	-
Male.....	3	-	-	-	-	-	-	-	-	3	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Nebraska

All races, both sexes.....	337	1	3	7	6	58	57	16	25	20	17	30
Male.....	217	1	1	5	4	33	41	12	15	16	14	21
Female.....	120	-	2	2	2	25	16	4	10	4	3	9
White, both sexes.....	317	1	3	6	6	53	53	14	25	18	16	29
Male.....	202	1	1	4	4	30	38	10	15	14	13	21
Female.....	115	-	2	2	2	23	15	4	10	4	3	8
Black, both sexes.....	10	-	-	1	-	2	2	2	-	1	1	-
Male.....	9	-	-	1	-	1	2	2	-	1	1	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	3	2	-	-	-	-	-
Male.....	4	-	-	-	-	2	1	-	-	-	-	-
Female.....	3	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1

Nevada

All races, both sexes.....	386	1	5	2	7	46	39	22	24	34	40	31
Male.....	253	-	2	1	4	32	29	17	16	22	26	20
Female.....	133	1	3	1	3	14	10	5	8	12	14	11
White, both sexes.....	339	-	5	1	6	45	33	19	23	29	35	25
Male.....	226	-	2	-	3	32	26	14	15	19	23	16
Female.....	113	-	3	1	3	13	7	5	8	10	12	9
Black, both sexes.....	15	-	-	1	1	1	1	-	1	2	1	4
Male.....	10	-	-	1	1	-	-	-	1	2	1	3
Female.....	5	-	-	-	-	1	1	-	-	-	-	1
American Indian 1/, both sexes.....	10	1	-	-	-	-	-	1	-	1	2	-
Male.....	6	-	-	-	-	-	-	1	-	1	2	-
Female.....	4	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	-	-	-	-	5	2	-	2	2	2
Male.....	11	-	-	-	-	-	3	2	-	-	-	1
Female.....	11	-	-	-	-	-	2	-	-	2	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

New Hampshire

All races, both sexes.....	125	-	1	2	2	7	20	12	13	14	5	4
Male.....	82	-	1	1	2	7	14	8	10	8	3	2
Female.....	43	-	-	1	-	-	6	4	3	6	2	2
White, both sexes.....	122	-	1	2	2	7	20	11	13	13	4	4
Male.....	80	-	1	1	2	7	14	7	10	8	2	2
Female.....	42	-	-	1	-	-	6	4	3	5	2	2
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

New Jersey

All races, both sexes.....	786	3	8	7	12	69	94	56	58	56	60	48
Male.....	574	2	7	4	10	54	77	40	51	46	45	37
Female.....	212	1	1	3	2	15	17	16	7	10	15	11
White, both sexes.....	624	-	2	5	8	57	68	41	47	41	42	39
Male.....	454	-	2	3	6	44	55	27	40	35	34	32
Female.....	170	-	-	2	2	13	13	14	7	6	8	7
Black, both sexes.....	122	3	5	1	4	10	21	12	9	13	15	4
Male.....	96	2	5	-	4	8	17	11	9	9	10	3
Female.....	26	1	-	1	-	2	4	1	-	4	5	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	38	-	1	1	-	2	4	3	2	2	3	5
Male.....	22	-	-	1	-	2	4	2	2	2	1	2
Female.....	16	-	1	-	-	-	-	1	-	-	2	3



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

New Mexico

All races, both sexes.....	423	1	5	8	15	65	66	26	24	34	41	26
Male.....	301	-	4	5	11	44	49	24	18	24	29	19
Female.....	122	1	1	3	4	21	17	2	6	10	12	7
White, both sexes.....	316	-	5	6	10	47	44	16	18	20	36	20
Male.....	229	-	4	5	8	32	32	15	13	14	27	16
Female.....	87	-	1	1	2	15	12	1	5	6	9	4
Black, both sexes.....	10	-	-	-	-	3	4	-	-	-	-	1
Male.....	7	-	-	-	-	3	2	-	-	-	-	1
Female.....	3	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	95	1	-	2	5	15	18	10	6	14	5	4
Male.....	64	-	-	-	3	9	15	9	5	10	2	2
Female.....	31	1	-	2	2	6	3	1	1	4	3	2
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1

New York

All races, both sexes.....	1,695	2	21	20	26	204	218	126	121	115	123	102
Male.....	1,133	2	14	15	18	125	168	101	95	85	86	72
Female.....	562	-	7	5	8	79	50	25	26	30	37	30
White, both sexes.....	1,386	1	13	14	19	171	172	94	93	83	99	85
Male.....	922	1	10	10	14	102	136	79	77	58	71	61
Female.....	464	-	3	4	5	69	36	15	16	25	28	24
Black, both sexes.....	254	1	6	6	7	28	40	26	23	27	19	16
Male.....	180	1	3	5	4	21	29	18	17	23	11	11
Female.....	74	-	3	1	3	7	11	8	6	4	8	5
American Indian 1/, both sexes.....	3	-	-	-	-	2	-	-	1	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	52	-	2	-	-	3	6	6	4	5	5	1
Male.....	30	-	1	-	-	1	3	4	1	4	4	-
Female.....	22	-	1	-	-	2	3	2	3	1	1	1



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Ohio

All races, both sexes.....	1,602	2	11	23	39	200	186	106	136	115	138	129
Male.....	1,066	1	9	14	26	135	140	82	97	81	88	93
Female.....	536	1	2	9	13	65	46	24	39	34	50	36
White, both sexes.....	1,438	1	9	18	31	183	166	86	118	101	123	119
Male.....	953	-	7	11	21	121	124	67	84	69	81	88
Female.....	485	1	2	7	10	62	42	19	34	32	42	31
Black, both sexes.....	155	1	2	4	8	16	20	19	17	14	15	9
Male.....	107	1	2	2	5	13	16	14	12	12	7	5
Female.....	48	-	-	2	3	3	4	5	5	2	8	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	1	-	1	-	1	1	-	-	1
Male.....	6	-	-	1	-	1	-	1	1	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1

Oklahoma

All races, both sexes.....	766	2	11	11	14	99	93	62	48	55	66	62
Male.....	504	1	5	6	9	66	70	47	25	38	53	34
Female.....	262	1	6	5	5	33	23	15	23	17	13	28
White, both sexes.....	630	2	9	11	11	84	78	44	36	41	55	51
Male.....	419	1	4	6	8	58	59	34	17	30	46	28
Female.....	211	1	5	5	3	26	19	10	19	11	9	23
Black, both sexes.....	39	-	1	-	1	5	-	9	3	5	1	6
Male.....	26	-	1	-	1	3	-	5	3	3	1	3
Female.....	13	-	-	-	-	2	-	4	-	2	-	3
American Indian 1/, both sexes.....	87	-	1	-	1	10	13	6	9	9	10	4
Male.....	54	-	-	-	-	5	11	5	5	5	6	3
Female.....	33	-	1	-	1	5	2	1	4	4	4	1
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	1	-	2	3	-	-	-	1
Male.....	5	-	-	-	-	-	-	3	-	-	-	-
Female.....	5	-	-	-	1	-	2	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Oregon

All races, both sexes.....	462	-	7	4	12	59	40	33	33	24	24	35
Male.....	308	-	4	1	7	50	27	24	26	20	17	26
Female.....	154	-	3	3	5	9	13	9	7	4	7	9
White, both sexes.....	428	-	7	4	12	55	38	28	29	18	23	32
Male.....	292	-	4	1	7	47	27	22	24	16	16	25
Female.....	136	-	3	3	5	8	11	6	5	2	7	7
Black, both sexes.....	6	-	-	-	-	1	-	1	1	1	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	-	-	1	-	1	-	1	-	-
American Indian 1/, both sexes.....	15	-	-	-	-	2	-	2	1	3	1	3
Male.....	10	-	-	-	-	2	-	1	1	3	1	1
Female.....	5	-	-	-	-	-	-	1	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	1	2	2	2	2	-	-
Male.....	4	-	-	-	-	1	-	1	-	1	-	-
Female.....	9	-	-	-	-	-	2	1	2	1	-	-

Pennsylvania

All races, both sexes.....	1,739	2	14	21	35	218	245	127	110	129	132	120
Male.....	1,199	1	7	14	19	156	182	101	83	96	90	89
Female.....	540	1	7	7	16	62	63	26	27	33	42	31
White, both sexes.....	1,599	1	12	18	30	208	214	117	101	119	117	111
Male.....	1,102	-	6	11	15	149	159	92	78	88	85	81
Female.....	497	1	6	7	15	59	55	25	23	31	32	30
Black, both sexes.....	120	1	2	2	4	9	27	8	8	9	13	9
Male.....	84	1	1	2	4	6	20	7	5	7	4	8
Female.....	36	-	1	-	-	3	7	1	3	2	9	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	-	-	1	1	1	4	2	1	1	2	-
Male.....	11	-	-	1	-	1	3	2	-	1	1	-
Female.....	6	-	-	-	1	-	1	-	1	-	1	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

South Dakota

All races, both sexes.....	186	-	3	3	8	33	18	10	15	9	17	10
Male.....	140	-	3	1	3	24	15	8	9	8	16	10
Female.....	46	-	-	2	5	9	3	2	6	1	1	-
White, both sexes.....	133	-	2	2	7	21	13	3	7	4	12	9
Male.....	103	-	2	1	2	16	12	2	6	4	11	9
Female.....	30	-	-	1	5	5	1	1	1	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	51	-	1	1	1	11	5	6	8	5	5	1
Male.....	35	-	1	-	1	7	3	5	3	4	5	1
Female.....	16	-	-	1	-	4	2	1	5	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	1,250	2	12	21	27	169	156	100	94	109	97	94
Male.....	849	1	9	12	18	113	111	73	65	65	68	72
Female.....	401	1	3	9	9	56	45	27	29	44	29	22
White, both sexes.....	1,073	2	11	15	19	150	128	88	73	90	85	79
Male.....	726	1	8	8	13	100	92	63	49	54	60	61
Female.....	347	1	3	7	6	50	36	25	24	36	25	18
Black, both sexes.....	160	-	1	6	8	16	26	12	20	15	9	15
Male.....	112	-	1	4	5	11	17	10	16	7	6	11
Female.....	48	-	-	2	3	5	9	2	4	8	3	4
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	-	-	1	2	-
Male.....	4	-	-	-	-	-	1	-	-	1	2	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	3	1	-	1	3	1	-
Male.....	7	-	-	-	-	2	1	-	-	3	-	-
Female.....	6	-	-	-	-	1	-	-	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Texas

All races, both sexes.....	4,024	16	80	80	97	505	580	397	320	307	312	267
Male.....	2,772	11	43	47	59	330	445	307	237	210	219	191
Female.....	1,252	5	37	33	38	175	135	90	83	97	93	76
White, both sexes.....	3,525	12	64	67	82	454	528	344	270	256	274	227
Male.....	2,438	10	34	40	53	297	407	268	201	170	197	168
Female.....	1,087	2	30	27	29	157	121	76	69	86	77	59
Black, both sexes.....	422	4	15	11	14	42	41	43	41	43	36	34
Male.....	291	1	9	5	6	28	30	33	31	34	21	22
Female.....	131	3	6	6	8	14	11	10	10	9	15	12
American Indian 1/, both sexes.....	7	-	-	-	-	1	1	2	-	1	-	2
Male.....	4	-	-	-	-	-	1	2	-	1	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	70	-	1	2	1	8	10	8	9	7	2	4
Male.....	39	-	-	2	-	5	7	4	5	5	1	1
Female.....	31	-	1	-	1	3	3	4	4	2	1	3

Utah

All races, both sexes.....	329	4	13	9	11	55	44	21	17	18	18	15
Male.....	211	3	7	3	5	37	30	19	13	10	15	11
Female.....	118	1	6	6	6	18	14	2	4	8	3	4
White, both sexes.....	302	4	11	9	11	53	37	18	16	14	18	14
Male.....	194	3	6	3	5	37	26	16	12	7	15	10
Female.....	108	1	5	6	6	16	11	2	4	7	3	4
Black, both sexes.....	4	-	-	-	-	-	1	1	-	1	-	-
Male.....	3	-	-	-	-	-	-	1	-	1	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	12	-	1	-	-	2	4	1	-	2	-	-
Male.....	8	-	1	-	-	-	4	1	-	1	-	-
Female.....	4	-	-	-	-	2	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	-	-	-	2	1	1	1	-	1
Male.....	6	-	-	-	-	-	-	1	1	1	-	1
Female.....	5	-	1	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Vermont

All races, both sexes.....	78	-	2	-	1	11	12	4	7	4	10	3
Male.....	57	-	-	-	1	7	9	4	6	1	8	2
Female.....	21	-	2	-	-	4	3	-	1	3	2	1
White, both sexes.....	78	-	2	-	1	11	12	4	7	4	10	3
Male.....	57	-	-	-	1	7	9	4	6	1	8	2
Female.....	21	-	2	-	-	4	3	-	1	3	2	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	963	3	7	11	21	138	130	74	68	71	64	70
Male.....	688	2	6	3	13	92	106	58	49	56	45	55
Female.....	275	1	1	8	8	46	24	16	19	15	19	15
White, both sexes.....	753	1	5	9	16	108	99	51	58	50	53	50
Male.....	531	1	5	3	10	70	81	39	40	42	37	40
Female.....	222	-	-	6	6	38	18	12	18	8	16	10
Black, both sexes.....	185	1	2	2	4	25	27	21	9	19	10	19
Male.....	137	-	1	-	2	17	21	19	8	12	7	15
Female.....	48	1	1	2	2	8	6	2	1	7	3	4
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	1	1	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	1	-	-	1	4	4	1	-	2	1	1
Male.....	18	1	-	-	1	4	4	-	-	2	1	-
Female.....	4	-	-	-	-	-	-	1	-	-	-	1









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Alaska

All races, both sexes.....	10	9	3	7	2	1	3	1	-	-	-	-
Male.....	8	8	3	4	2	-	2	1	-	-	-	-
Female.....	2	1	-	3	-	1	1	-	-	-	-	-
White, both sexes.....	5	6	2	4	2	-	3	1	-	-	-	-
Male.....	4	5	2	1	2	-	2	1	-	-	-	-
Female.....	1	1	-	3	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	3	1	3	-	1	-	-	-	-	-	-
Male.....	4	3	1	3	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	79	54	43	47	38	40	38	16	8	1	-	1
Male.....	54	31	25	35	19	22	18	10	4	1	-	1
Female.....	25	23	18	12	19	18	20	6	4	-	-	-
White, both sexes.....	62	46	37	43	37	40	35	15	8	1	-	1
Male.....	41	26	23	32	18	22	16	9	4	1	-	1
Female.....	21	20	14	11	19	18	19	6	4	-	-	-
Black, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	15	6	4	2	1	-	2	1	-	-	-	-
Male.....	13	4	2	2	1	-	2	1	-	-	-	-
Female.....	2	2	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	2	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Arkansas

All races, both sexes.....	41	27	27	21	31	23	18	15	7	-	-	-
Male.....	32	21	14	15	18	14	9	12	5	-	-	-
Female.....	9	6	13	6	13	9	9	3	2	-	-	-
White, both sexes.....	33	24	26	18	25	20	15	14	6	-	-	-
Male.....	26	19	14	13	13	11	8	11	4	-	-	-
Female.....	7	5	12	5	12	9	7	3	2	-	-	-
Black, both sexes.....	7	3	1	2	6	3	2	1	1	-	-	-
Male.....	5	2	-	1	5	3	1	1	1	-	-	-
Female.....	2	1	1	1	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

California

All races, both sexes.....	252	191	166	140	127	157	115	80	27	6	-	5
Male.....	173	135	103	98	73	90	55	47	16	4	-	5
Female.....	79	56	63	42	54	67	60	33	11	2	-	-
White, both sexes.....	219	168	140	96	108	129	99	69	23	5	-	4
Male.....	153	120	90	70	61	74	43	41	12	3	-	4
Female.....	66	48	50	26	47	55	56	28	11	2	-	-
Black, both sexes.....	21	10	11	14	2	8	3	1	2	1	-	-
Male.....	15	8	7	11	1	5	3	1	2	1	-	-
Female.....	6	2	4	3	1	3	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	3	2	-	3	1	-	-	-	-	-
Male.....	1	2	-	1	-	3	1	-	-	-	-	-
Female.....	-	-	3	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	11	12	28	17	17	12	10	2	-	-	1
Male.....	4	5	6	16	11	8	8	5	2	-	-	1
Female.....	7	6	6	12	6	9	4	5	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Florida

All races, both sexes.....	181	143	140	112	124	138	137	83	42	3	-	9
Male.....	132	101	95	71	64	70	76	43	22	2	-	9
Female.....	49	42	45	41	60	68	61	40	20	1	-	-
White, both sexes.....	147	122	116	95	107	129	127	81	40	3	-	8
Male.....	110	85	78	57	54	63	72	41	20	2	-	8
Female.....	37	37	38	38	53	66	55	40	20	1	-	-
Black, both sexes.....	31	19	22	16	17	9	10	2	1	-	-	-
Male.....	19	14	16	13	10	7	4	2	1	-	-	-
Female.....	12	5	6	3	7	2	6	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	1	-	-	-	-	-	-	-	1
Male.....	2	1	1	1	-	-	-	-	-	-	-	1
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	94	64	47	46	45	50	44	23	7	-	-	-
Male.....	60	45	31	33	31	19	25	11	2	-	-	-
Female.....	34	19	16	13	14	31	19	12	5	-	-	-
White, both sexes.....	59	49	38	35	37	46	35	20	7	-	-	-
Male.....	39	34	26	27	26	17	19	8	2	-	-	-
Female.....	20	15	12	8	11	29	16	12	5	-	-	-
Black, both sexes.....	32	15	9	10	5	4	9	3	-	-	-	-
Male.....	20	11	5	5	4	2	6	3	-	-	-	-
Female.....	12	4	4	5	1	2	3	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	3	-	-	-	-	-	-	-
Male.....	1	-	-	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	2	-	-	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Maine

All races, both sexes.....	11	9	7	14	7	9	16	7	1	-	1	-
Male.....	8	9	4	7	5	5	10	3	1	-	1	-
Female.....	3	-	3	7	2	4	6	4	-	-	-	-
White, both sexes.....	11	8	7	14	7	9	16	7	1	-	1	-
Male.....	8	8	4	7	5	5	10	3	1	-	1	-
Female.....	3	-	3	7	2	4	6	4	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	38	33	33	29	19	23	33	10	2	-	1	1
Male.....	28	26	21	12	10	12	18	5	1	-	-	1
Female.....	10	7	12	17	9	11	15	5	1	-	1	-
White, both sexes.....	25	24	19	19	13	21	30	9	1	-	1	-
Male.....	21	20	14	5	6	11	15	4	1	-	-	-
Female.....	4	4	5	14	7	10	15	5	-	-	1	-
Black, both sexes.....	12	8	11	8	6	1	3	1	-	-	-	1
Male.....	6	6	6	5	4	1	3	1	-	-	-	1
Female.....	6	2	5	3	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	-	-	1	-	-	1	-	-	-
Male.....	-	-	1	2	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Massachusetts

All races, both sexes.....	43	25	16	16	27	32	28	17	3	1	-	-
Male.....	35	17	10	11	17	15	15	10	2	-	-	-
Female.....	8	8	6	5	10	17	13	7	1	1	-	-
White, both sexes.....	39	23	16	13	25	31	27	17	3	1	-	-
Male.....	33	16	10	8	16	14	14	10	2	-	-	-
Female.....	6	7	6	5	9	17	13	7	1	1	-	-
Black, both sexes.....	4	1	-	-	1	-	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	3	1	1	-	-	-	-	-	-
Male.....	-	1	-	3	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	77	42	60	46	50	62	53	35	20	-	-	2
Male.....	51	34	40	26	33	34	28	18	11	-	-	2
Female.....	26	8	20	20	17	28	25	17	9	-	-	-
White, both sexes.....	66	36	49	40	45	58	46	31	20	-	-	2
Male.....	45	28	31	22	29	33	25	15	11	-	-	2
Female.....	21	8	18	18	16	25	21	16	9	-	-	-
Black, both sexes.....	10	6	9	4	4	4	6	4	-	-	-	-
Male.....	6	6	8	3	4	1	3	3	-	-	-	-
Female.....	4	-	1	1	-	3	3	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	2	1	1	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Nebraska

All races, both sexes.....	16	12	13	14	17	7	7	6	3	2	-	-
Male.....	10	7	8	11	8	5	2	2	1	-	-	-
Female.....	6	5	5	3	9	2	5	4	2	2	-	-
White, both sexes.....	14	11	12	14	17	7	7	6	3	2	-	-
Male.....	9	6	7	11	8	5	2	2	1	-	-	-
Female.....	5	5	5	3	9	2	5	4	2	2	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	28	27	20	15	12	15	11	6	1	-	-	-
Male.....	18	19	14	9	8	7	6	3	-	-	-	-
Female.....	10	8	6	6	4	8	5	3	1	-	-	-
White, both sexes.....	22	23	19	14	10	13	10	6	1	-	-	-
Male.....	15	18	14	8	8	5	5	3	-	-	-	-
Female.....	7	5	5	6	2	8	5	3	1	-	-	-
Black, both sexes.....	-	1	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	-	-	2	1	-	-	-	-	-	-
Male.....	3	1	-	-	-	1	-	-	-	-	-	-
Female.....	1	1	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

New Hampshire

All races, both sexes.....	8	12	5	3	5	6	4	2	-	-	-	-
Male.....	4	7	1	2	4	4	3	1	-	-	-	-
Female.....	4	5	4	1	1	2	1	1	-	-	-	-
White, both sexes.....	8	12	5	3	5	6	4	2	-	-	-	-
Male.....	4	7	1	2	4	4	3	1	-	-	-	-
Female.....	4	5	4	1	1	2	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	48	39	27	27	45	54	43	22	4	2	-	4
Male.....	39	23	16	19	29	37	22	11	2	-	-	3
Female.....	9	16	11	8	16	17	21	11	2	2	-	1
White, both sexes.....	41	31	19	22	43	45	42	22	3	2	-	4
Male.....	34	18	12	16	29	30	22	11	1	-	-	3
Female.....	7	13	7	6	14	15	20	11	2	2	-	1
Black, both sexes.....	6	4	6	2	1	5	-	-	1	-	-	-
Male.....	4	4	4	-	-	5	-	-	1	-	-	-
Female.....	2	-	2	2	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	2	3	1	4	1	-	-	-	-	-
Male.....	1	-	-	3	-	2	-	-	-	-	-	-
Female.....	-	3	2	-	1	2	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

New Mexico

All races, both sexes.....	22	19	19	9	17	11	6	5	1	2	-	1
Male.....	14	14	14	8	12	6	4	-	1	1	-	-
Female.....	8	5	5	1	5	5	2	5	-	1	-	1
White, both sexes.....	18	15	15	6	16	9	6	5	1	2	-	1
Male.....	10	11	12	6	12	6	4	-	1	1	-	-
Female.....	8	4	3	-	4	3	2	5	-	1	-	1
Black, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	4	4	2	-	2	-	-	-	-	-	-
Male.....	3	3	2	1	-	-	-	-	-	-	-	-
Female.....	-	1	2	1	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	96	81	66	68	71	98	77	45	12	1	-	2
Male.....	62	55	35	37	37	57	32	30	5	-	-	2
Female.....	34	26	31	31	34	41	45	15	7	1	-	-
White, both sexes.....	82	67	60	53	63	90	71	41	12	1	-	2
Male.....	51	45	31	29	32	52	30	26	5	-	-	2
Female.....	31	22	29	24	31	38	41	15	7	1	-	-
Black, both sexes.....	8	12	6	13	4	4	5	3	-	-	-	-
Male.....	6	8	4	7	3	4	2	3	-	-	-	-
Female.....	2	4	2	6	1	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	-	2	4	4	1	1	-	-	-	-
Male.....	5	2	-	1	2	1	-	1	-	-	-	-
Female.....	1	-	-	1	2	3	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Ohio

All races, both sexes.....	92	68	63	56	64	73	51	36	12	1	1	-
Male.....	67	50	35	32	33	35	21	19	7	1	-	-
Female.....	25	18	28	24	31	38	30	17	5	-	1	-
White, both sexes.....	86	63	60	52	62	65	48	35	11	1	-	-
Male.....	62	47	35	30	31	31	18	18	7	1	-	-
Female.....	24	16	25	22	31	34	30	17	4	-	-	-
Black, both sexes.....	5	5	3	3	1	7	3	1	1	-	1	-
Male.....	5	3	-	2	1	3	3	1	-	-	-	-
Female.....	-	2	3	1	-	4	-	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	42	35	30	33	33	27	21	10	10	2	-	-
Male.....	29	18	18	24	17	16	16	6	6	-	-	-
Female.....	13	17	12	9	16	11	5	4	4	2	-	-
White, both sexes.....	36	30	22	28	28	25	19	10	9	1	-	-
Male.....	24	15	13	21	16	14	14	6	5	-	-	-
Female.....	12	15	9	7	12	11	5	4	4	1	-	-
Black, both sexes.....	-	1	2	3	1	-	-	-	1	-	-	-
Male.....	-	-	2	2	1	-	-	-	1	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	4	6	2	3	1	2	-	-	1	-	-
Male.....	4	3	3	1	-	1	2	-	-	-	-	-
Female.....	1	1	3	1	3	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Oregon

All races, both sexes.....	40	27	17	20	15	23	21	17	8	2	1	-
Male.....	24	18	11	11	9	12	8	7	4	2	-	-
Female.....	16	9	6	9	6	11	13	10	4	-	1	-
White, both sexes.....	37	27	15	20	12	23	21	17	8	2	-	-
Male.....	22	18	11	11	8	12	8	7	4	2	-	-
Female.....	15	9	4	9	4	11	13	10	4	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	3	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	2	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	96	65	62	66	55	99	70	45	25	3	-	-
Male.....	68	48	44	35	37	49	33	29	17	1	-	-
Female.....	28	17	18	31	18	50	37	16	8	2	-	-
White, both sexes.....	88	58	60	60	51	94	70	42	25	3	-	-
Male.....	61	42	42	33	36	46	33	27	17	1	-	-
Female.....	27	16	18	27	15	48	37	15	8	2	-	-
Black, both sexes.....	5	6	2	5	3	4	-	3	-	-	-	-
Male.....	4	6	2	2	1	2	-	2	-	-	-	-
Female.....	1	-	-	3	2	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Vermont

All races, both sexes.....	7	1	1	4	4	3	1	3	-	-	-	-
Male.....	6	1	1	3	4	2	1	1	-	-	-	-
Female.....	1	-	-	1	-	1	-	2	-	-	-	-
White, both sexes.....	7	1	1	4	4	3	1	3	-	-	-	-
Male.....	6	1	1	3	4	2	1	1	-	-	-	-
Female.....	1	-	-	1	-	1	-	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	55	48	46	29	38	26	40	20	2	2	-	-
Male.....	38	39	31	21	23	12	27	9	2	1	-	-
Female.....	17	9	15	8	15	14	13	11	-	1	-	-
White, both sexes.....	44	40	35	24	32	24	32	18	2	2	-	-
Male.....	29	32	22	17	18	11	22	9	2	1	-	-
Female.....	15	8	13	7	14	13	10	9	-	1	-	-
Black, both sexes.....	9	7	11	5	4	2	7	1	-	-	-	-
Male.....	8	6	9	4	3	1	4	-	-	-	-	-
Female.....	1	1	2	1	1	1	3	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	2	-	1	1	-	-	-	-
Male.....	1	1	-	-	2	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Pedestrian involved in collision with motor vehicle (V02-V04)

Arkansas

All races, both sexes.....	33	-	4	-	-	1	3	3	-	4	1	4
Male.....	28	-	4	-	-	1	3	2	-	4	1	4
Female.....	5	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	27	-	4	-	-	1	3	3	-	4	1	3
Male.....	24	-	4	-	-	1	3	2	-	4	1	3
Female.....	3	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	524	1	32	14	16	23	28	21	32	42	46	40
Male.....	350	-	23	8	10	15	21	17	19	33	40	25
Female.....	174	1	9	6	6	8	7	4	13	9	6	15
White, both sexes.....	406	1	27	12	12	18	22	16	28	29	35	34
Male.....	280	-	20	7	7	12	17	14	18	23	31	23
Female.....	126	1	7	5	5	6	5	2	10	6	4	11
Black, both sexes.....	55	-	3	2	2	4	4	3	2	9	6	4
Male.....	35	-	1	1	2	2	3	2	1	6	4	2
Female.....	20	-	2	1	-	2	1	1	1	3	2	2
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	2	-	-
Male.....	3	-	-	-	-	-	-	-	-	2	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	59	-	2	-	2	1	2	2	2	2	5	2
Male.....	32	-	2	-	1	1	1	1	-	2	5	-
Female.....	27	-	-	-	1	-	1	1	2	-	-	2













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pedestrian involved in collision with motor vehicle (V02-V04)												
Iowa												
All races, both sexes.....	27	-	1	1	-	2	4	1	2	1	1	3
Male.....	17	-	-	1	-	2	4	1	2	-	-	3
Female.....	10	-	1	-	-	-	-	-	-	1	1	-
White, both sexes.....	23	-	-	1	-	1	4	1	2	1	1	2
Male.....	15	-	-	1	-	1	4	1	2	-	-	2
Female.....	8	-	-	-	-	-	-	-	-	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-
Kansas												
All races, both sexes.....	25	-	2	1	1	2	3	2	1	3	2	3
Male.....	15	-	1	-	-	2	2	1	-	2	1	3
Female.....	10	-	1	1	1	-	1	1	1	1	1	-
White, both sexes.....	19	-	2	-	1	2	2	1	1	1	2	2
Male.....	12	-	1	-	-	2	1	1	-	1	1	2
Female.....	7	-	1	-	1	-	1	-	1	-	1	-
Black, both sexes.....	4	-	-	-	-	-	1	1	-	1	-	1
Male.....	3	-	-	-	-	-	1	-	-	1	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pedestrian involved in collision with motor vehicle (V02-V04)												
New Mexico												
All races, both sexes.....	46	-	1	2	-	3	3	3	4	6	9	4
Male.....	38	-	1	1	-	3	3	2	4	3	8	4
Female.....	8	-	-	1	-	-	-	1	-	3	1	-
White, both sexes.....	27	-	1	1	-	2	-	-	2	1	7	3
Male.....	23	-	1	1	-	2	-	-	2	-	6	3
Female.....	4	-	-	-	-	-	-	-	-	1	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	18	-	-	1	-	1	3	3	2	5	2	-
Male.....	14	-	-	-	-	1	3	2	2	3	2	-
Female.....	4	-	-	1	-	-	-	1	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	197	-	6	8	5	8	12	12	10	15	10	13
Male.....	128	-	5	7	5	7	7	11	8	12	7	9
Female.....	69	-	1	1	-	1	5	1	2	3	3	4
White, both sexes.....	164	-	4	7	3	4	10	10	8	13	7	11
Male.....	105	-	4	6	3	4	6	9	7	11	6	8
Female.....	59	-	-	1	-	-	4	1	1	2	1	3
Black, both sexes.....	25	-	1	1	2	3	2	2	1	1	3	2
Male.....	17	-	-	1	2	2	1	2	1	-	1	1
Female.....	8	-	1	-	-	1	1	-	-	1	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	-	-	1	-	-	1	1	-	-
Male.....	6	-	1	-	-	1	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pedestrian involved in collision with motor vehicle (V02-V04)

Arkansas

All races, both sexes.....	5	1	1	1	2	1	2	-	-	-	-	-
Male.....	4	1	-	-	2	-	2	-	-	-	-	-
Female.....	1	-	1	1	-	1	-	-	-	-	-	-
White, both sexes.....	3	1	-	1	1	1	1	-	-	-	-	-
Male.....	3	1	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Black, both sexes.....	2	-	1	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	16	24	33	34	36	33	17	26	7	2	-	1
Male.....	12	15	20	24	22	13	8	16	6	2	-	1
Female.....	4	9	13	10	14	20	9	10	1	-	-	-
White, both sexes.....	13	21	28	20	28	22	13	20	5	1	-	1
Male.....	10	12	19	16	18	8	7	12	4	1	-	1
Female.....	3	9	9	4	10	14	6	8	1	-	-	-
Black, both sexes.....	2	2	3	4	1	2	-	-	1	1	-	-
Male.....	1	2	1	3	-	2	-	-	1	1	-	-
Female.....	1	-	2	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	10	7	8	4	6	1	-	-	-
Male.....	1	1	-	5	4	2	1	4	1	-	-	-
Female.....	-	-	1	5	3	6	3	2	-	-	-	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pedestrian involved in collision with motor vehicle (V02-V04)

Nebraska

All races, both sexes.....	1	-	-	1	4	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	4	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	1	4	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	4	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	-	2	2	2	1	1	2	3	-	-	-	-
Male.....	-	1	2	2	-	-	2	1	-	-	-	-
Female.....	-	1	-	-	1	1	-	2	-	-	-	-
White, both sexes.....	-	2	2	1	-	1	2	3	-	-	-	-
Male.....	-	1	2	1	-	-	2	1	-	-	-	-
Female.....	-	1	-	-	-	1	-	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pedestrian involved in collision with motor vehicle (V02-V04)

New Hampshire

All races, both sexes.....	-	-	-	-	2	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	2	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	11	4	1	6	4	6	5	3	-	-	-	1
Male.....	7	4	1	5	3	3	3	1	-	-	-	-
Female.....	4	-	-	1	1	3	2	2	-	-	-	1
White, both sexes.....	9	2	1	5	4	5	4	3	-	-	-	1
Male.....	6	2	1	4	3	3	3	1	-	-	-	-
Female.....	3	-	-	1	1	2	1	2	-	-	-	1
Black, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pedestrian involved in collision with motor vehicle (V02-V04)

Vermont

All races, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	6	4	3	1	2	1	6	2	-	1	-	-
Male.....	5	3	1	1	1	-	4	-	-	-	-	-
Female.....	1	1	2	-	1	1	2	2	-	1	-	-
White, both sexes.....	4	3	2	1	2	1	5	-	-	1	-	-
Male.....	3	3	-	1	1	-	3	-	-	-	-	-
Female.....	1	-	2	-	1	1	2	-	-	1	-	-
Black, both sexes.....	2	1	1	-	-	-	-	1	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
Arkansas												
All races, both sexes.....	34	-	-	-	-	3	2	1	8	6	2	4
Male.....	30	-	-	-	-	3	2	1	8	4	2	3
Female.....	4	-	-	-	-	-	-	-	-	2	-	1
White, both sexes.....	32	-	-	-	-	3	2	1	8	5	1	4
Male.....	28	-	-	-	-	3	2	1	8	3	1	3
Female.....	4	-	-	-	-	-	-	-	-	2	-	1
Black, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-
Male.....	2	-	-	-	-	-	-	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	318	-	-	1	2	15	50	30	34	41	41	31
Male.....	297	-	-	1	1	15	50	30	29	38	37	29
Female.....	21	-	-	-	1	-	-	-	5	3	4	2
White, both sexes.....	286	-	-	1	1	13	41	24	30	38	38	29
Male.....	266	-	-	1	-	13	41	24	25	36	34	27
Female.....	20	-	-	-	1	-	-	-	5	2	4	2
Black, both sexes.....	17	-	-	-	1	1	3	4	2	2	1	1
Male.....	17	-	-	-	1	1	3	4	2	2	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	1	6	2	1	1	2	1
Male.....	13	-	-	-	-	1	6	2	1	-	2	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)

Ohio

All races, both sexes.....	16	8	2	4	1	-	-	-	-	-	-	-
Male.....	13	7	1	4	1	-	-	-	-	-	-	-
Female.....	3	1	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	16	8	2	4	1	-	-	-	-	-	-	-
Male.....	13	7	1	4	1	-	-	-	-	-	-	-
Female.....	3	1	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	4	-	1	-	1	-	1	-	-	-	-	-
Male.....	3	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	-	-	-
White, both sexes.....	4	-	1	-	-	-	1	-	-	-	-	-
Male.....	3	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-







































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)

Maine

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Maine (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Maryland

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Maryland (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)

New Hampshire

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for New Hampshire categories (All races, White, Black, American Indian, Asian or Pacific Islander).

New Jersey

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for New Jersey categories (All races, White, Black, American Indian, Asian or Pacific Islander).

























































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Motorcyclist involved in collision with railway train (V25,V35)

North Carolina

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for North Carolina (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

North Dakota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for North Dakota (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).















































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)

New Hampshire

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for New Hampshire (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

New Jersey

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for New Jersey (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).























































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57, V60-V61,V66-V67,V70-V71,V76-V77)

Arkansas

All races, both sexes.....	60	-	-	-	-	11	12	4	5	4	5	4
Male.....	45	-	-	-	-	9	11	3	4	3	4	2
Female.....	15	-	-	-	-	2	1	1	1	1	1	2
White, both sexes.....	48	-	-	-	-	9	8	4	4	3	4	3
Male.....	34	-	-	-	-	7	7	3	3	3	3	1
Female.....	14	-	-	-	-	2	1	1	1	-	1	2
Black, both sexes.....	12	-	-	-	-	2	4	-	1	1	1	1
Male.....	11	-	-	-	-	2	4	-	1	-	1	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	379	1	5	3	6	85	62	39	27	31	27	24
Male.....	275	-	3	-	2	64	50	29	21	25	24	14
Female.....	104	1	2	3	4	21	12	10	6	6	3	10
White, both sexes.....	315	1	5	3	4	70	52	34	22	26	24	19
Male.....	225	-	3	-	1	50	42	25	19	20	22	9
Female.....	90	1	2	3	3	20	10	9	3	6	2	10
Black, both sexes.....	36	-	-	-	1	7	4	3	2	2	3	4
Male.....	30	-	-	-	1	6	3	3	2	2	2	4
Female.....	6	-	-	-	-	1	1	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	-	-	-	1	8	6	2	2	3	-	1
Male.....	20	-	-	-	-	8	5	1	-	3	-	1
Female.....	7	-	-	-	1	-	1	1	2	-	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57, V60-V61,V66-V67,V70-V71,V76-V77)

Maine

All races, both sexes.....	50	1	-	-	1	16	8	4	1	1	2	2
Male.....	31	1	-	-	-	8	6	2	1	1	1	-
Female.....	19	-	-	-	1	8	2	2	-	-	1	2
White, both sexes.....	49	1	-	-	1	16	8	4	1	1	2	2
Male.....	30	1	-	-	-	8	6	2	1	1	1	-
Female.....	19	-	-	-	1	8	2	2	-	-	1	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	63	-	1	2	-	14	12	5	2	4	5	5
Male.....	43	-	-	1	-	9	10	5	1	3	2	2
Female.....	20	-	1	1	-	5	2	-	1	1	3	3
White, both sexes.....	34	-	-	-	-	8	7	2	1	3	5	4
Male.....	23	-	-	-	-	5	5	2	1	2	2	2
Female.....	11	-	-	-	-	3	2	-	-	1	3	2
Black, both sexes.....	25	-	1	2	-	5	4	3	1	1	-	1
Male.....	17	-	-	1	-	4	4	3	-	1	-	-
Female.....	8	-	1	1	-	1	-	-	1	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57, V60-V61,V66-V67,V70-V71,V76-V77)

South Dakota

All races, both sexes.....	39	-	-	-	2	9	4	2	2	1	2	2
Male.....	28	-	-	-	2	5	4	1	2	1	2	2
Female.....	11	-	-	-	-	4	-	1	-	-	-	-
White, both sexes.....	28	-	-	-	1	4	3	1	2	1	2	1
Male.....	21	-	-	-	1	3	3	-	2	1	2	1
Female.....	7	-	-	-	-	1	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	11	-	-	-	1	5	1	1	-	-	-	1
Male.....	7	-	-	-	1	2	1	1	-	-	-	1
Female.....	4	-	-	-	-	3	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	307	-	2	6	5	50	57	32	21	22	24	30
Male.....	217	-	1	3	3	36	37	24	15	15	19	24
Female.....	90	-	1	3	2	14	20	8	6	7	5	6
White, both sexes.....	271	-	2	2	2	48	51	30	16	21	22	27
Male.....	194	-	1	1	1	35	33	22	12	14	18	22
Female.....	77	-	1	1	1	13	18	8	4	7	4	5
Black, both sexes.....	34	-	-	4	3	2	5	2	4	1	2	3
Male.....	22	-	-	2	2	1	3	2	3	1	1	2
Female.....	12	-	-	2	1	1	2	-	1	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-









































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

Arkansas

All races, both sexes.....	176	2	1	1	4	17	31	13	12	8	18	11
Male.....	110	1	1	1	1	7	21	7	7	7	14	9
Female.....	66	1	-	-	3	10	10	6	5	1	4	2
White, both sexes.....	149	1	1	1	4	14	26	9	9	6	15	11
Male.....	92	1	1	1	1	5	17	4	5	5	12	9
Female.....	57	-	-	-	3	9	9	5	4	1	3	2
Black, both sexes.....	24	1	-	-	-	2	5	3	3	1	3	-
Male.....	16	-	-	-	-	1	4	3	2	1	2	-
Female.....	8	1	-	-	1	1	1	-	1	-	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-
Male.....	2	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	859	2	10	13	13	111	109	62	55	56	64	51
Male.....	545	2	7	8	8	77	75	46	32	40	46	29
Female.....	314	-	3	5	5	34	34	16	23	16	18	22
White, both sexes.....	705	2	6	10	11	93	93	47	43	48	57	39
Male.....	449	2	4	7	7	64	63	36	26	36	41	23
Female.....	256	-	2	3	4	29	30	11	17	12	16	16
Black, both sexes.....	57	-	2	1	2	3	5	8	7	4	4	2
Male.....	33	-	2	-	1	3	3	5	3	1	2	-
Female.....	24	-	-	1	1	-	2	3	4	3	2	2
American Indian 1/, both sexes.....	8	-	-	-	-	2	1	-	1	-	1	-
Male.....	7	-	-	-	-	1	1	-	1	-	1	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	89	-	2	2	-	13	10	7	4	4	2	10
Male.....	56	-	1	1	-	9	8	5	2	3	2	6
Female.....	33	-	1	1	-	4	2	2	2	1	-	4

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

Maine

All races, both sexes.....	80	-	-	-	1	4	5	2	2	3	13	6
Male.....	45	-	-	-	1	2	3	1	1	1	10	2
Female.....	35	-	-	-	-	2	2	1	1	2	3	4
White, both sexes.....	79	-	-	-	1	4	4	2	2	3	13	6
Male.....	45	-	-	-	1	2	3	1	1	1	10	2
Female.....	34	-	-	-	-	2	1	1	1	2	3	4
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	201	1	2	3	1	24	22	25	16	11	16	11
Male.....	127	1	-	3	1	15	17	18	12	8	11	6
Female.....	74	-	2	-	-	9	5	7	4	3	5	5
White, both sexes.....	140	-	1	2	1	17	13	15	7	7	9	8
Male.....	92	-	-	2	1	9	9	13	6	6	8	5
Female.....	48	-	1	-	-	8	4	2	1	1	1	3
Black, both sexes.....	56	1	1	1	-	7	8	10	9	3	7	2
Male.....	32	1	-	1	-	6	7	5	6	2	3	-
Female.....	24	-	1	-	-	1	1	5	3	1	4	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	1	-	1
Male.....	3	-	-	-	-	-	1	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

Massachusetts

All races, both sexes.....	40	-	-	-	-	1	7	2	3	2	3	3
Male.....	26	-	-	-	-	-	5	2	2	1	2	2
Female.....	14	-	-	-	-	1	2	-	1	1	1	1
White, both sexes.....	37	-	-	-	-	1	7	2	2	2	2	3
Male.....	24	-	-	-	-	-	5	2	2	1	1	2
Female.....	13	-	-	-	-	1	2	-	-	1	1	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Michigan

All races, both sexes.....	277	3	2	1	3	41	33	24	13	22	15	15
Male.....	172	3	-	-	1	26	27	16	10	15	8	9
Female.....	105	-	2	1	2	15	6	8	3	7	7	6
White, both sexes.....	236	2	2	1	3	37	25	16	11	20	11	14
Male.....	144	2	-	-	1	23	22	10	8	14	5	9
Female.....	92	-	2	1	2	14	3	6	3	6	6	5
Black, both sexes.....	30	1	-	-	-	3	6	4	2	1	4	1
Male.....	22	1	-	-	-	3	3	4	2	-	3	-
Female.....	8	-	-	-	-	-	3	-	-	1	1	1
American Indian 1/, both sexes.....	6	-	-	-	-	-	2	1	-	-	-	-
Male.....	3	-	-	-	-	-	2	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	1	-	3	-	1	-	-
Male.....	3	-	-	-	-	-	-	2	-	1	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

Missouri

All races, both sexes.....	444	1	5	7	10	61	55	34	23	28	36	23
Male.....	252	-	3	2	5	36	33	26	16	16	20	13
Female.....	192	1	2	5	5	25	22	8	7	12	16	10
White, both sexes.....	401	1	5	6	10	56	48	27	17	27	31	17
Male.....	228	-	3	2	5	33	30	20	11	16	17	11
Female.....	173	1	2	4	5	23	18	7	6	11	14	6
Black, both sexes.....	39	-	-	1	-	4	6	7	6	1	5	4
Male.....	23	-	-	-	-	2	3	6	5	-	3	2
Female.....	16	-	-	1	-	2	3	1	1	1	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	1	-	-	-	-	2
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	2

Montana

All races, both sexes.....	67	-	1	1	1	10	7	5	1	4	3	5
Male.....	42	-	1	1	-	7	4	2	1	4	1	3
Female.....	25	-	-	-	1	3	3	3	-	-	2	2
White, both sexes.....	49	-	1	-	1	6	4	3	1	3	2	5
Male.....	32	-	1	-	-	3	3	1	1	3	1	3
Female.....	17	-	-	-	1	3	1	2	-	-	1	2
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	16	-	-	1	-	3	2	2	-	1	1	-
Male.....	9	-	-	1	-	3	1	1	-	1	-	-
Female.....	7	-	-	-	-	-	1	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

New Mexico

All races, both sexes.....	116	1	1	2	6	17	15	8	5	5	9	5
Male.....	68	-	-	1	5	9	9	7	1	4	5	4
Female.....	48	1	1	1	1	8	6	1	4	1	4	1
White, both sexes.....	90	-	1	1	4	13	10	5	4	2	8	4
Male.....	53	-	-	1	3	6	6	4	1	2	5	3
Female.....	37	-	1	-	1	7	4	1	3	-	3	1
Black, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	24	1	-	1	2	4	4	3	1	3	1	1
Male.....	15	-	-	-	2	3	3	3	-	2	-	1
Female.....	9	1	-	1	-	1	1	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	338	2	5	3	3	47	29	19	27	16	22	29
Male.....	187	2	1	1	2	25	19	15	20	6	11	18
Female.....	151	-	4	2	1	22	10	4	7	10	11	11
White, both sexes.....	296	1	4	3	2	42	27	15	22	11	20	24
Male.....	160	1	1	1	1	22	18	11	17	3	11	15
Female.....	136	-	3	2	1	20	9	4	5	8	9	9
Black, both sexes.....	34	1	1	-	1	3	2	3	5	3	2	5
Male.....	22	1	-	-	1	2	1	3	3	2	-	3
Female.....	12	-	1	-	-	1	1	-	2	1	2	2
American Indian 1/, both sexes.....	2	-	-	-	-	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	1	-	2	-	-
Male.....	4	-	-	-	-	-	-	1	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

Oregon

All races, both sexes.....	144	-	-	-	3	21	15	5	12	5	2	12
Male.....	81	-	-	-	-	16	9	4	8	3	2	10
Female.....	63	-	-	-	3	5	6	1	4	2	-	2
White, both sexes.....	128	-	-	-	3	18	13	4	9	3	2	11
Male.....	75	-	-	-	-	14	9	3	7	1	2	10
Female.....	53	-	-	-	3	4	4	1	2	2	-	1
Black, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	2	-	-	1	1	-	1
Male.....	4	-	-	-	-	2	-	-	1	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	2	1	2	1	-	-
Male.....	2	-	-	-	-	-	-	1	-	1	-	-
Female.....	7	-	-	-	-	-	2	-	2	-	-	-

Pennsylvania

All races, both sexes.....	248	-	3	3	6	27	32	23	9	15	20	19
Male.....	151	-	2	1	1	20	20	16	6	11	11	14
Female.....	97	-	1	2	5	7	12	7	3	4	9	5
White, both sexes.....	213	-	2	2	4	25	25	19	8	13	13	17
Male.....	129	-	1	-	-	18	15	13	6	10	8	12
Female.....	84	-	1	2	4	7	10	6	2	3	5	5
Black, both sexes.....	28	-	1	-	1	2	6	4	1	2	5	2
Male.....	18	-	1	-	1	2	4	3	-	1	2	2
Female.....	10	-	-	-	-	-	2	1	1	1	3	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	1	-	1	-	-	-	2	-
Male.....	3	-	-	1	-	-	1	-	-	-	1	-
Female.....	2	-	-	-	1	-	-	-	-	-	1	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

Arkansas

All races, both sexes.....	8	4	12	1	13	7	4	4	5	-	-	-
Male.....	5	3	7	1	6	5	-	3	4	-	-	-
Female.....	3	1	5	-	7	2	4	1	1	-	-	-
White, both sexes.....	7	3	12	1	12	6	3	4	4	-	-	-
Male.....	4	3	7	1	6	4	-	3	3	-	-	-
Female.....	3	-	5	-	6	2	3	1	1	-	-	-
Black, both sexes.....	1	1	-	-	1	1	1	-	1	-	-	-
Male.....	1	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	1	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	53	47	45	29	25	46	38	22	6	-	-	2
Male.....	34	24	25	20	14	25	17	11	3	-	-	2
Female.....	19	23	20	9	11	21	21	11	3	-	-	-
White, both sexes.....	39	40	38	18	24	35	33	22	5	-	-	2
Male.....	26	20	21	13	13	19	13	11	2	-	-	2
Female.....	13	20	17	5	11	16	20	11	3	-	-	-
Black, both sexes.....	8	1	2	2	-	5	-	-	1	-	-	-
Male.....	6	1	2	1	-	2	-	-	1	-	-	-
Female.....	2	-	-	1	-	3	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	6	5	9	1	5	4	-	-	-	-	-
Male.....	1	3	2	6	1	3	3	-	-	-	-	-
Female.....	4	3	3	3	-	2	1	-	-	-	-	-































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

New Mexico

All races, both sexes.....	4	8	5	3	8	6	2	3	1	1	-	1
Male.....	2	5	2	3	4	4	1	-	1	1	-	-
Female.....	2	3	3	-	4	2	1	3	-	-	-	1
White, both sexes.....	4	7	4	3	7	5	2	3	1	1	-	1
Male.....	2	4	2	3	4	4	1	-	1	1	-	-
Female.....	2	3	2	-	3	1	1	3	-	-	-	1
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	16	15	15	12	12	34	23	5	3	-	-	1
Male.....	10	8	7	7	4	17	8	4	1	-	-	1
Female.....	6	7	8	5	8	17	15	1	2	-	-	-
White, both sexes.....	15	12	14	10	10	32	23	5	3	-	-	1
Male.....	9	6	6	6	2	16	8	4	1	-	-	1
Female.....	6	6	8	4	8	16	15	1	2	-	-	-
Black, both sexes.....	-	3	1	2	1	1	-	-	-	-	-	-
Male.....	-	2	1	1	1	1	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-







































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)

Iowa

Table with 13 columns: Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years. Rows include All races, White, Black, American Indian 1/, and Asian or Pacific Islander 2/.

Kansas

Table with 13 columns: Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years. Rows include All races, White, Black, American Indian 1/, and Asian or Pacific Islander 2/.















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)

New Hampshire

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for New Hampshire categories: All races, both sexes; White, both sexes; Black, both sexes; American Indian 1/, both sexes; Asian or Pacific Islander 2/, both sexes.

New Jersey

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for New Jersey categories: All races, both sexes; White, both sexes; Black, both sexes; American Indian 1/, both sexes; Asian or Pacific Islander 2/, both sexes.





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)

Wisconsin

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Wisconsin data including All races, White, Black, American Indian, and Asian or Pacific Islander, each split by sex.

Wyoming

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Wyoming data including All races, White, Black, American Indian, and Asian or Pacific Islander, each split by sex.

































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)

Arkansas

All races, both sexes.....	84	-	1	-	5	13	13	9	6	4	8	4
Male.....	61	-	-	-	1	9	11	7	6	3	5	2
Female.....	23	-	1	-	4	4	2	2	-	1	3	2
White, both sexes.....	65	-	-	-	3	11	10	6	5	4	6	3
Male.....	47	-	-	-	1	7	8	4	5	3	4	2
Female.....	18	-	-	-	2	4	2	2	-	1	2	1
Black, both sexes.....	16	-	1	-	2	2	3	2	1	-	1	1
Male.....	11	-	-	-	-	2	3	2	1	-	-	-
Female.....	5	-	1	-	2	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	1	-
Male.....	3	-	-	-	-	-	-	1	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	396	3	9	11	11	63	61	46	40	33	18	34
Male.....	269	1	6	6	8	43	47	36	23	22	14	21
Female.....	127	2	3	5	3	20	14	10	17	11	4	13
White, both sexes.....	346	3	7	8	10	57	52	40	38	29	18	28
Male.....	235	1	4	3	8	40	40	32	22	18	14	18
Female.....	111	2	3	5	2	17	12	8	16	11	4	10
Black, both sexes.....	24	-	2	2	1	2	4	3	1	2	-	3
Male.....	19	-	2	2	-	1	3	3	-	2	-	2
Female.....	5	-	-	-	1	1	1	-	1	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	1	-	3	4	3	1	2	-	3
Male.....	14	-	-	1	-	1	4	1	1	2	-	1
Female.....	10	-	-	-	-	2	-	2	-	-	-	2





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)

Minnesota

All races, both sexes.....	104	1	2	2	6	20	19	6	7	3	13	6
Male.....	79	1	1	1	2	14	19	5	5	1	11	5
Female.....	25	-	1	1	4	6	-	1	2	2	2	1
White, both sexes.....	94	1	1	2	6	19	19	5	6	3	9	4
Male.....	70	1	-	1	2	13	19	4	4	1	8	3
Female.....	24	-	1	1	4	6	-	1	2	2	1	1
Black, both sexes.....	3	-	-	-	-	1	-	1	-	-	1	-
Male.....	3	-	-	-	-	1	-	1	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	1	-	3	-
Male.....	3	-	-	-	-	-	-	-	1	-	2	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	-	-	-	-	2
Male.....	3	-	1	-	-	-	-	-	-	-	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Mississippi

All races, both sexes.....	159	-	1	2	5	26	17	11	13	17	15	11
Male.....	102	-	1	-	2	13	14	9	7	8	13	7
Female.....	57	-	-	2	3	13	3	2	6	9	2	4
White, both sexes.....	105	-	1	1	3	19	11	4	11	9	9	8
Male.....	65	-	1	-	1	11	9	3	5	5	7	5
Female.....	40	-	-	1	2	8	2	1	6	4	2	3
Black, both sexes.....	51	-	-	1	2	7	6	7	1	7	6	3
Male.....	35	-	-	-	1	2	5	6	1	3	6	2
Female.....	16	-	-	1	1	5	1	1	-	4	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)

South Dakota

All races, both sexes.....	59	-	1	1	4	14	5	6	5	5	5	3
Male.....	45	-	1	-	-	11	3	5	2	5	5	3
Female.....	14	-	-	1	4	3	2	1	3	-	-	-
White, both sexes.....	37	-	1	1	4	10	3	1	2	2	2	3
Male.....	28	-	1	-	-	8	2	1	1	2	2	3
Female.....	9	-	-	1	4	2	1	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	21	-	-	-	-	4	2	4	3	3	3	-
Male.....	16	-	-	-	-	3	1	3	1	3	3	-
Female.....	5	-	-	-	-	1	1	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	150	-	-	3	2	31	17	19	15	21	10	10
Male.....	104	-	-	2	1	22	13	11	10	13	8	8
Female.....	46	-	-	1	1	9	4	8	5	8	2	2
White, both sexes.....	136	-	-	3	1	27	15	19	15	19	6	9
Male.....	96	-	-	2	1	20	12	11	10	12	5	7
Female.....	40	-	-	1	-	7	3	8	5	7	1	2
Black, both sexes.....	11	-	-	-	1	3	2	-	-	1	3	1
Male.....	6	-	-	-	-	2	1	-	-	-	2	1
Female.....	5	-	-	-	1	1	1	-	-	1	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)

Arkansas

All races, both sexes.....	3	6	2	2	5	-	1	2	-	-	-	-
Male.....	3	5	1	2	3	-	1	2	-	-	-	-
Female.....	-	1	1	-	2	-	-	-	-	-	-	-
White, both sexes.....	1	5	2	2	5	-	1	1	-	-	-	-
Male.....	1	4	1	2	3	-	1	1	-	-	-	-
Female.....	-	1	1	-	2	-	-	-	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	22	9	12	4	8	6	3	-	1	-	-	2
Male.....	14	6	6	3	4	3	3	-	1	-	-	2
Female.....	8	3	6	1	4	3	-	-	-	-	-	-
White, both sexes.....	19	7	12	4	5	5	2	-	1	-	-	1
Male.....	11	5	6	3	3	3	2	-	1	-	-	1
Female.....	8	2	6	1	2	2	-	-	-	-	-	-
Black, both sexes.....	2	1	-	-	-	-	1	-	-	-	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	3	1	-	-	-	-	-	1
Male.....	1	-	-	-	1	-	-	-	-	-	-	1
Female.....	-	1	-	-	2	1	-	-	-	-	-	-











































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

United States

All races, both sexes.....	15,830	45	209	198	272	2,019	2,008	1,252	1,143	1,122	1,211	1,085
Male.....	10,361	23	113	113	156	1,295	1,479	898	818	776	783	733
Female.....	5,469	22	96	85	116	724	529	354	325	346	428	352
White, both sexes.....	13,184	25	155	141	207	1,740	1,646	984	926	896	995	875
Male.....	8,601	12	80	74	119	1,118	1,213	707	665	621	650	601
Female.....	4,583	13	75	67	88	622	433	277	261	275	345	274
Black, both sexes.....	1,935	14	38	46	41	200	262	203	158	172	157	159
Male.....	1,315	7	23	31	25	127	195	148	110	120	102	101
Female.....	620	7	15	15	16	73	67	55	48	52	55	58
American Indian 1/, both sexes.....	341	3	8	2	16	39	49	31	33	30	34	25
Male.....	223	1	5	1	7	24	40	24	23	19	16	17
Female.....	118	2	3	1	9	15	9	7	10	11	18	8
Asian or Pacific Islander 2/, both sexes.....	370	3	8	9	8	40	51	34	26	24	25	26
Male.....	222	3	5	7	5	26	31	19	20	16	15	14
Female.....	148	-	3	2	3	14	20	15	6	8	10	12

Alabama

All races, both sexes.....	725	-	13	11	13	93	89	67	59	73	49	44
Male.....	459	-	4	6	7	53	61	47	42	44	26	28
Female.....	266	-	9	5	6	40	28	20	17	29	23	16
White, both sexes.....	569	-	11	7	7	79	66	45	47	58	41	30
Male.....	363	-	4	4	4	47	45	33	33	37	22	20
Female.....	206	-	7	3	3	32	21	12	14	21	19	10
Black, both sexes.....	150	-	2	3	5	14	22	20	12	14	8	14
Male.....	93	-	-	1	2	6	16	13	9	7	4	8
Female.....	57	-	2	2	3	8	6	7	3	7	4	6
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	1	-	1	2	-	-	-	-
Male.....	3	-	-	1	1	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
Arkansas												
All races, both sexes.....	268	-	6	3	3	39	41	25	18	20	16	14
Male.....	183	-	5	2	-	26	32	17	12	15	8	10
Female.....	85	-	1	1	3	13	9	8	6	5	8	4
White, both sexes.....	225	-	4	3	3	36	34	21	15	16	12	10
Male.....	150	-	3	2	-	25	26	14	9	12	5	7
Female.....	75	-	1	1	3	11	8	7	6	4	7	3
Black, both sexes.....	36	-	1	-	-	3	7	3	2	3	4	3
Male.....	28	-	1	-	-	1	6	2	2	3	3	2
Female.....	8	-	-	-	-	2	1	1	-	-	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	-	-	-	1	1	-	-	1
Male.....	4	-	1	-	-	-	-	1	1	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,586	4	16	19	24	219	244	131	116	113	124	115
Male.....	1,075	1	9	12	14	137	189	93	83	81	88	81
Female.....	511	3	7	7	10	82	55	38	33	32	36	34
White, both sexes.....	1,347	2	12	15	20	190	206	110	94	94	106	96
Male.....	910	-	7	9	13	117	157	79	70	66	75	68
Female.....	437	2	5	6	7	73	49	31	24	28	31	28
Black, both sexes.....	102	2	1	2	1	11	19	6	11	12	8	9
Male.....	72	1	-	2	-	6	16	6	5	12	6	3
Female.....	30	1	1	-	1	5	3	-	6	-	2	6
American Indian 1/, both sexes.....	28	-	1	-	-	2	5	6	-	1	2	4
Male.....	19	-	-	-	-	2	4	4	-	-	1	4
Female.....	9	-	1	-	-	-	1	2	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	109	-	2	2	3	16	14	9	11	6	8	6
Male.....	74	-	2	1	1	12	12	4	8	3	6	6
Female.....	35	-	-	1	2	4	2	5	3	3	2	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Florida

All races, both sexes.....	349	-	5	4	6	21	36	24	23	22	26	21
Male.....	211	-	1	1	1	15	29	18	16	13	15	15
Female.....	138	-	4	3	5	6	7	6	7	9	11	6
White, both sexes.....	276	-	5	1	5	15	23	17	21	17	22	14
Male.....	164	-	1	-	-	11	19	13	14	11	11	11
Female.....	112	-	4	1	5	4	4	4	7	6	11	3
Black, both sexes.....	66	-	-	2	-	6	12	7	2	5	4	6
Male.....	42	-	-	1	-	4	9	5	2	2	4	4
Female.....	24	-	-	1	-	2	3	2	-	3	-	2
American Indian 1/, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	1

Georgia

All races, both sexes.....	916	6	18	18	20	117	102	83	72	64	82	73
Male.....	596	4	11	8	11	76	68	58	53	44	52	55
Female.....	320	2	7	10	9	41	34	25	19	20	30	18
White, both sexes.....	686	3	15	13	16	95	74	61	51	47	55	55
Male.....	443	2	9	6	9	59	53	43	39	30	32	42
Female.....	243	1	6	7	7	36	21	18	12	17	23	13
Black, both sexes.....	212	2	2	5	4	21	24	21	21	17	26	16
Male.....	142	1	2	2	2	16	13	14	14	14	19	11
Female.....	70	1	-	3	2	5	11	7	7	3	7	5
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	1	1	-	-	1	4	1	-	-	-	1
Male.....	9	1	-	-	-	1	2	1	-	-	-	1
Female.....	6	-	1	-	-	-	2	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Illinois

All races, both sexes.....	499	4	3	4	12	71	53	51	34	34	42	34
Male.....	312	1	1	2	6	44	40	38	25	21	27	19
Female.....	187	3	2	2	6	27	13	13	9	13	15	15
White, both sexes.....	449	3	2	4	11	67	51	43	29	29	38	29
Male.....	276	1	-	2	6	41	39	31	21	18	23	16
Female.....	173	2	2	2	5	26	12	12	8	11	15	13
Black, both sexes.....	43	1	1	-	1	3	2	7	5	5	4	5
Male.....	33	-	1	-	-	3	1	7	4	3	4	3
Female.....	10	1	-	-	1	-	1	-	1	2	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	1	-	1	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	1	-	1	-	-	-	-

Indiana

All races, both sexes.....	452	1	5	7	7	69	59	41	24	25	27	31
Male.....	282	-	3	1	4	40	40	29	19	18	20	21
Female.....	170	1	2	6	3	29	19	12	5	7	7	10
White, both sexes.....	426	-	5	5	7	68	57	39	23	24	22	29
Male.....	265	-	3	-	4	39	39	29	18	17	15	20
Female.....	161	-	2	5	3	29	18	10	5	7	7	9
Black, both sexes.....	22	1	-	2	-	1	1	1	1	1	4	1
Male.....	16	-	-	1	-	1	1	-	1	1	4	1
Female.....	6	1	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Kentucky

All races, both sexes.....	460	-	5	2	5	68	53	23	47	37	48	29
Male.....	302	-	-	-	2	40	42	14	33	25	34	19
Female.....	158	-	5	2	3	28	11	9	14	12	14	10
White, both sexes.....	443	-	4	1	5	66	51	20	45	36	46	28
Male.....	293	-	-	-	2	39	40	14	32	24	33	18
Female.....	150	-	4	1	3	27	11	6	13	12	13	10
Black, both sexes.....	13	-	1	1	-	2	1	2	2	1	1	1
Male.....	7	-	-	-	-	1	1	-	1	1	1	1
Female.....	6	-	1	1	-	1	-	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	1	-	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-

Louisiana

All races, both sexes.....	569	3	10	8	12	87	70	47	45	34	41	43
Male.....	373	1	5	5	8	50	54	38	36	26	25	30
Female.....	196	2	5	3	4	37	16	9	9	8	16	13
White, both sexes.....	394	1	7	4	8	64	51	26	32	20	26	32
Male.....	252	1	4	3	5	39	39	18	28	14	14	22
Female.....	142	-	3	1	3	25	12	8	4	6	12	10
Black, both sexes.....	167	2	3	4	3	19	18	21	13	14	14	11
Male.....	116	-	1	2	2	9	14	20	8	12	10	8
Female.....	51	2	2	2	1	10	4	1	5	2	4	3
American Indian 1/, both sexes.....	3	-	-	-	-	2	1	-	-	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	2	-	-	-	-	1	-
Male.....	3	-	-	-	1	1	-	-	-	-	1	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Massachusetts

All races, both sexes.....	371	1	1	3	2	49	45	37	25	31	24	20
Male.....	245	1	-	3	1	36	32	27	17	20	14	14
Female.....	126	-	1	-	1	13	13	10	8	11	10	6
White, both sexes.....	335	1	-	2	2	44	41	33	25	26	21	16
Male.....	222	1	-	2	1	32	30	23	17	17	12	12
Female.....	113	-	-	-	1	12	11	10	8	9	9	4
Black, both sexes.....	26	-	1	1	-	3	3	3	-	4	2	3
Male.....	19	-	-	1	-	3	2	3	-	3	2	2
Female.....	7	-	1	-	-	-	1	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	2	1	1	-	1	1	1
Male.....	4	-	-	-	-	1	-	1	-	-	-	-
Female.....	6	-	-	-	-	1	1	-	-	1	1	1

Michigan

All races, both sexes.....	671	5	7	10	17	89	65	37	46	53	47	52
Male.....	446	2	4	7	13	60	46	28	32	39	27	32
Female.....	225	3	3	3	4	29	19	9	14	14	20	20
White, both sexes.....	538	2	4	6	12	79	54	28	30	41	41	35
Male.....	358	1	3	3	9	53	37	21	23	30	23	23
Female.....	180	1	1	3	3	26	17	7	7	11	18	12
Black, both sexes.....	119	2	3	4	5	8	11	7	14	11	6	15
Male.....	83	1	1	4	4	5	9	6	9	8	4	9
Female.....	36	1	2	-	1	3	2	1	5	3	2	6
American Indian 1/, both sexes.....	9	1	-	-	-	1	-	1	2	1	-	1
Male.....	4	-	-	-	-	1	-	1	-	1	-	-
Female.....	5	1	-	-	-	-	-	-	2	-	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	1	-	1	-	-	-	1
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	-	-	-	1





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Nebraska

All races, both sexes.....	28	-	1	2	1	1	4	1	5	1	-	2
Male.....	15	-	-	1	-	-	2	1	3	1	-	1
Female.....	13	-	1	1	1	1	2	-	2	-	-	1
White, both sexes.....	27	-	1	2	1	-	4	1	5	1	-	2
Male.....	15	-	-	1	-	-	2	1	3	1	-	1
Female.....	12	-	1	1	1	-	2	-	2	-	-	1
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	211	1	3	1	3	22	30	11	12	15	20	17
Male.....	133	-	2	1	2	15	22	8	7	7	12	13
Female.....	78	1	1	-	1	7	8	3	5	8	8	4
White, both sexes.....	179	-	3	-	2	22	24	10	11	11	18	14
Male.....	116	-	2	-	1	15	19	7	6	5	12	11
Female.....	63	-	1	-	1	7	5	3	5	6	6	3
Black, both sexes.....	12	-	-	1	1	-	1	-	1	2	-	3
Male.....	8	-	-	1	1	-	-	-	1	2	-	2
Female.....	4	-	-	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	5	1	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	-	5	-	-	2	2	-
Male.....	7	-	-	-	-	-	3	-	-	-	-	-
Female.....	8	-	-	-	-	-	2	-	-	2	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
New Hampshire												
All races, both sexes.....	58	-	1	1	-	1	11	6	6	6	2	3
Male.....	36	-	1	-	-	1	8	3	3	3	1	2
Female.....	22	-	-	1	-	-	3	3	3	3	1	1
White, both sexes.....	57	-	1	1	-	1	11	6	6	6	1	3
Male.....	35	-	1	-	-	1	8	3	3	3	-	2
Female.....	22	-	-	1	-	-	3	3	3	3	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	408	2	2	3	4	35	41	25	33	26	28	23
Male.....	277	2	2	1	3	24	31	17	28	21	19	14
Female.....	131	-	-	2	1	11	10	8	5	5	9	9
White, both sexes.....	329	-	1	1	4	31	29	19	26	18	21	18
Male.....	226	-	1	-	3	22	22	13	21	16	17	11
Female.....	103	-	-	1	1	9	7	6	5	2	4	7
Black, both sexes.....	59	2	1	1	-	3	12	4	6	6	6	1
Male.....	39	2	1	-	-	1	9	3	6	3	2	1
Female.....	20	-	-	1	-	2	3	1	-	3	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	1	-	1	-	2	1	2	1	4
Male.....	12	-	-	1	-	1	-	1	1	2	-	2
Female.....	8	-	-	-	-	-	-	1	-	-	1	2



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
New Mexico												
All races, both sexes.....	55	-	-	1	2	9	7	1	6	4	3	3
Male.....	33	-	-	1	-	6	4	1	6	2	2	2
Female.....	22	-	-	-	2	3	3	-	-	2	1	1
White, both sexes.....	45	-	-	1	-	7	5	-	6	4	3	2
Male.....	29	-	-	1	-	6	3	-	6	2	2	1
Female.....	16	-	-	-	-	1	2	-	-	2	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	10	-	-	-	2	2	2	1	-	-	-	1
Male.....	4	-	-	-	-	-	1	1	-	-	-	1
Female.....	6	-	-	-	2	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	703	-	9	6	9	90	91	51	37	36	47	38
Male.....	454	-	7	6	4	52	69	39	23	31	34	26
Female.....	249	-	2	-	5	38	22	12	14	5	13	12
White, both sexes.....	551	-	4	2	6	76	66	36	24	27	33	32
Male.....	359	-	4	2	4	43	54	31	16	22	24	23
Female.....	192	-	-	-	2	33	12	5	8	5	9	9
Black, both sexes.....	118	-	4	4	3	12	21	12	9	7	9	5
Male.....	79	-	3	4	-	9	14	7	6	7	6	3
Female.....	39	-	1	-	3	3	7	5	3	-	3	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	33	-	1	-	-	2	4	3	3	2	5	1
Male.....	16	-	-	-	-	-	1	1	1	2	4	-
Female.....	17	-	1	-	-	2	3	2	2	-	1	1



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Ohio

All races, both sexes.....	896	2	8	15	23	104	105	56	87	60	83	71
Male.....	561	1	6	11	16	60	75	38	60	40	52	49
Female.....	335	1	2	4	7	44	30	18	27	20	31	22
White, both sexes.....	799	1	6	11	16	97	95	45	76	50	72	64
Male.....	499	-	4	8	11	55	65	31	54	32	47	47
Female.....	300	1	2	3	5	42	30	14	22	18	25	17
Black, both sexes.....	94	1	2	3	7	7	10	11	11	10	11	6
Male.....	61	1	2	2	5	5	10	7	6	8	5	2
Female.....	33	-	-	1	2	2	-	4	5	2	6	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	-	-	-	-	1
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1

Oklahoma

All races, both sexes.....	558	2	9	5	8	81	62	47	37	36	45	39
Male.....	358	1	3	2	3	50	46	36	18	27	37	18
Female.....	200	1	6	3	5	31	16	11	19	9	8	21
White, both sexes.....	450	2	7	5	6	67	49	33	28	26	38	30
Male.....	293	1	2	2	3	42	37	25	13	20	33	14
Female.....	157	1	5	3	3	25	12	8	15	6	5	16
Black, both sexes.....	32	-	1	-	-	5	-	7	1	5	1	6
Male.....	20	-	1	-	-	3	-	4	1	3	1	3
Female.....	12	-	-	-	-	2	-	3	-	2	-	3
American Indian 1/, both sexes.....	67	-	1	-	1	9	11	4	8	5	6	2
Male.....	40	-	-	-	-	5	9	4	4	4	3	1
Female.....	27	-	1	-	1	4	2	-	4	1	3	1
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	1	-	2	3	-	-	-	1
Male.....	5	-	-	-	-	-	-	3	-	-	-	-
Female.....	4	-	-	-	1	-	2	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Oregon

All races, both sexes.....	66	-	2	1	2	5	5	3	6	-	5	8
Male.....	39	-	2	-	1	4	4	1	5	-	4	3
Female.....	27	-	-	1	1	1	1	2	1	-	1	5
White, both sexes.....	64	-	2	1	2	5	5	2	6	-	5	7
Male.....	38	-	2	-	1	4	4	1	5	-	4	2
Female.....	26	-	-	1	1	1	1	1	1	-	1	5
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	1,077	1	9	13	16	150	151	74	61	72	74	65
Male.....	718	-	4	9	8	101	106	56	44	53	46	44
Female.....	359	1	5	4	8	49	45	18	17	19	28	21
White, both sexes.....	1,016	1	8	11	15	143	136	73	58	69	66	61
Male.....	678	-	4	7	7	97	97	55	43	50	44	41
Female.....	338	1	4	4	8	46	39	18	15	19	22	20
Black, both sexes.....	56	-	1	2	1	7	14	1	2	2	8	4
Male.....	38	-	-	2	1	4	9	1	1	2	2	3
Female.....	18	-	1	-	-	3	5	-	1	-	6	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	1	-	1	1	-	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-
Female.....	3	-	-	-	-	-	1	-	1	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Texas

All races, both sexes.....	537	1	17	9	9	47	62	43	35	48	45	30
Male.....	365	-	9	4	6	27	50	31	30	35	28	22
Female.....	172	1	8	5	3	20	12	12	5	13	17	8
White, both sexes.....	465	1	15	7	7	40	54	37	30	40	39	26
Male.....	316	-	8	2	5	23	43	26	26	29	25	20
Female.....	149	1	7	5	2	17	11	11	4	11	14	6
Black, both sexes.....	62	-	2	1	2	5	7	5	4	7	6	2
Male.....	43	-	1	1	1	3	6	4	3	5	3	2
Female.....	19	-	1	-	1	2	1	1	1	2	3	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	9	-	-	1	-	2	1	1	1	1	-	1
Male.....	6	-	-	1	-	1	1	1	1	1	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	-	1

Utah

All races, both sexes.....	175	-	6	2	4	34	26	10	10	7	8	8
Male.....	103	-	2	2	1	22	15	9	7	4	5	5
Female.....	72	-	4	-	3	12	11	1	3	3	3	3
White, both sexes.....	159	-	4	2	4	34	20	8	10	5	8	7
Male.....	92	-	1	2	1	22	12	7	7	2	5	4
Female.....	67	-	3	-	3	12	8	1	3	3	3	3
Black, both sexes.....	3	-	-	-	-	-	1	1	-	1	-	-
Male.....	2	-	-	-	-	-	-	1	-	1	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	1	-	-	-	3	1	-	-	-	-
Male.....	5	-	1	-	-	-	3	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	-	-	-	2	-	-	1	-	1
Male.....	4	-	-	-	-	-	-	-	-	1	-	1
Female.....	3	-	1	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
Vermont												
All races, both sexes.....	41	-	2	-	-	6	6	3	4	2	5	2
Male.....	24	-	-	-	-	3	3	3	3	1	3	1
Female.....	17	-	2	-	-	3	3	-	1	1	2	1
White, both sexes.....	41	-	2	-	-	6	6	3	4	2	5	2
Male.....	24	-	-	-	-	3	3	3	3	1	3	1
Female.....	17	-	2	-	-	3	3	-	1	1	2	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	443	2	2	4	7	67	68	34	23	27	35	29
Male.....	315	2	2	2	4	44	58	25	15	20	25	24
Female.....	128	-	-	2	3	23	10	9	8	7	10	5
White, both sexes.....	341	1	1	3	6	53	50	22	19	18	31	21
Male.....	234	1	1	2	3	35	42	15	11	14	22	19
Female.....	107	-	-	1	3	18	8	7	8	4	9	2
Black, both sexes.....	89	-	1	1	-	13	16	11	4	7	3	8
Male.....	69	-	1	-	-	8	14	10	4	4	2	5
Female.....	20	-	-	1	-	5	2	1	-	3	1	3
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	-	-	1	-	2	1	-	2	1	-
Male.....	11	1	-	-	1	-	2	-	-	2	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Alaska

All races, both sexes.....	7	4	2	5	2	1	3	-	-	-	-	-
Male.....	5	3	2	2	2	-	2	-	-	-	-	-
Female.....	2	1	-	3	-	1	1	-	-	-	-	-
White, both sexes.....	3	2	1	4	2	-	3	-	-	-	-	-
Male.....	2	1	1	1	2	-	2	-	-	-	-	-
Female.....	1	1	-	3	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	2	1	1	-	1	-	-	-	-	-	-
Male.....	3	2	1	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	58	30	24	30	26	33	32	10	7	-	-	1
Male.....	38	16	13	22	14	18	15	6	4	-	-	1
Female.....	20	14	11	8	12	15	17	4	3	-	-	-
White, both sexes.....	45	26	23	27	26	33	29	9	7	-	-	1
Male.....	28	13	13	20	14	18	13	5	4	-	-	1
Female.....	17	13	10	7	12	15	16	4	3	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	12	3	-	1	-	-	2	1	-	-	-	-
Male.....	10	3	-	1	-	-	2	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Arkansas

All races, both sexes.....	17	10	7	11	8	11	8	9	2	-	-	-
Male.....	12	8	3	8	6	6	5	7	1	-	-	-
Female.....	5	2	4	3	2	5	3	2	1	-	-	-
White, both sexes.....	15	9	7	9	4	9	7	9	2	-	-	-
Male.....	11	7	3	7	2	4	5	7	1	-	-	-
Female.....	4	2	4	2	2	5	2	2	1	-	-	-
Black, both sexes.....	2	1	-	1	4	2	-	-	-	-	-	-
Male.....	1	1	-	-	4	2	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

California

All races, both sexes.....	97	75	50	57	46	52	43	26	11	4	-	-
Male.....	62	59	32	38	23	33	18	15	5	2	-	-
Female.....	35	16	18	19	23	19	25	11	6	2	-	-
White, both sexes.....	88	67	39	43	42	48	39	22	10	4	-	-
Male.....	57	53	27	29	20	29	14	14	4	2	-	-
Female.....	31	14	12	14	22	19	25	8	6	2	-	-
Black, both sexes.....	7	3	4	4	-	1	-	1	-	-	-	-
Male.....	4	3	2	4	-	1	-	1	-	-	-	-
Female.....	3	-	2	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	2	2	-	1	-	-	-	-	-	-
Male.....	-	2	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	2	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	5	8	4	2	4	3	1	-	-	-
Male.....	1	1	3	4	3	2	4	-	1	-	-	-
Female.....	1	2	2	4	1	-	-	3	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Florida

All races, both sexes.....	22	23	12	18	16	22	26	12	7	-	-	3
Male.....	18	15	7	9	6	7	11	7	4	-	-	3
Female.....	4	8	5	9	10	15	15	5	3	-	-	-
White, both sexes.....	17	17	9	15	13	21	23	12	6	-	-	3
Male.....	14	10	6	7	5	7	11	7	3	-	-	3
Female.....	3	7	3	8	8	14	12	5	3	-	-	-
Black, both sexes.....	4	5	2	3	3	1	3	-	1	-	-	-
Male.....	3	4	-	2	1	-	-	-	1	-	-	-
Female.....	1	1	2	1	2	1	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	55	37	27	30	30	35	28	14	5	-	-	-
Male.....	35	25	18	23	19	14	15	6	1	-	-	-
Female.....	20	12	9	7	11	21	13	8	4	-	-	-
White, both sexes.....	33	27	23	23	25	31	22	12	5	-	-	-
Male.....	21	18	15	19	17	12	12	4	1	-	-	-
Female.....	12	9	8	4	8	19	10	8	4	-	-	-
Black, both sexes.....	19	10	4	6	2	4	6	2	-	-	-	-
Male.....	13	7	3	3	1	2	3	2	-	-	-	-
Female.....	6	3	1	3	1	2	3	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	3	-	-	-	-	-	-	-
Male.....	1	-	-	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	2	-	-	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Maine

All races, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	11	15	14	7	11	8	14	4	1	-	1	-
Male.....	8	12	10	3	6	2	6	1	-	-	-	-
Female.....	3	3	4	4	5	6	8	3	1	-	1	-
White, both sexes.....	5	11	10	4	8	6	13	4	-	-	1	-
Male.....	5	9	7	1	3	1	5	1	-	-	-	-
Female.....	-	2	3	3	5	5	8	3	-	-	1	-
Black, both sexes.....	5	4	4	3	3	1	1	-	-	-	-	-
Male.....	2	3	3	2	3	1	1	-	-	-	-	-
Female.....	3	1	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Massachusetts

All races, both sexes.....	25	18	11	10	15	20	19	12	2	1	-	-
Male.....	19	12	7	6	9	10	9	7	1	-	-	-
Female.....	6	6	4	4	6	10	10	5	1	1	-	-
White, both sexes.....	21	16	11	9	14	20	18	12	2	1	-	-
Male.....	17	11	7	5	9	10	8	7	1	-	-	-
Female.....	4	5	4	4	5	10	10	5	1	1	-	-
Black, both sexes.....	4	1	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	43	26	30	26	26	29	34	19	10	-	-	-
Male.....	28	21	24	14	19	16	17	13	4	-	-	-
Female.....	15	5	6	12	7	13	17	6	6	-	-	-
White, both sexes.....	36	22	24	21	23	26	28	16	10	-	-	-
Male.....	24	17	18	11	17	15	15	11	4	-	-	-
Female.....	12	5	6	10	6	11	13	5	6	-	-	-
Black, both sexes.....	7	4	5	4	2	3	5	3	-	-	-	-
Male.....	4	4	5	3	2	1	2	2	-	-	-	-
Female.....	3	-	-	1	-	2	3	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Nebraska

All races, both sexes.....	1	1	1	1	1	1	1	1	1	1	-	-
Male.....	1	1	-	1	-	1	-	1	1	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	1	-	-
White, both sexes.....	1	1	1	1	1	1	1	1	1	1	-	-
Male.....	1	1	-	1	-	1	-	1	1	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	19	11	10	9	8	10	8	1	-	-	-	-
Male.....	14	6	5	4	6	5	4	-	-	-	-	-
Female.....	5	5	5	5	2	5	4	1	-	-	-	-
White, both sexes.....	14	9	9	9	7	8	7	1	-	-	-	-
Male.....	11	6	5	4	6	3	3	-	-	-	-	-
Female.....	3	3	4	5	1	5	4	1	-	-	-	-
Black, both sexes.....	-	1	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	1	-	-	-	-	-	-
Male.....	3	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

New Hampshire

All races, both sexes.....	2	6	2	3	2	3	2	1	-	-	-	-
Male.....	-	5	-	2	2	3	2	-	-	-	-	-
Female.....	2	1	2	1	-	-	-	1	-	-	-	-
White, both sexes.....	2	6	2	3	2	3	2	1	-	-	-	-
Male.....	-	5	-	2	2	3	2	-	-	-	-	-
Female.....	2	1	2	1	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	19	25	21	12	27	33	27	17	2	1	-	2
Male.....	14	16	11	8	16	23	14	9	2	-	-	2
Female.....	5	9	10	4	11	10	13	8	-	1	-	-
White, both sexes.....	16	21	16	8	25	27	27	17	1	1	-	2
Male.....	12	13	9	6	16	18	14	9	1	-	-	2
Female.....	4	8	7	2	9	9	13	8	-	1	-	-
Black, both sexes.....	3	3	4	2	1	3	-	-	1	-	-	-
Male.....	2	3	2	-	-	3	-	-	1	-	-	-
Female.....	1	-	2	2	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	1	3	-	-	-	-	-	-
Male.....	-	-	-	2	-	2	-	-	-	-	-	-
Female.....	-	1	1	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

New Mexico

All races, both sexes.....	4	2	4	-	4	2	2	1	-	-	-	-
Male.....	1	1	2	-	3	-	2	-	-	-	-	-
Female.....	3	1	2	-	1	2	-	1	-	-	-	-
White, both sexes.....	4	1	3	-	4	2	2	1	-	-	-	-
Male.....	1	-	2	-	3	-	2	-	-	-	-	-
Female.....	3	1	1	-	1	2	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	43	32	28	41	33	39	40	26	5	1	-	1
Male.....	25	21	16	20	16	26	19	17	2	-	-	1
Female.....	18	11	12	21	17	13	21	9	3	1	-	-
White, both sexes.....	35	26	24	33	28	34	34	24	5	1	-	1
Male.....	18	16	14	16	14	23	17	15	2	-	-	1
Female.....	17	10	10	17	14	11	17	9	3	1	-	-
Black, both sexes.....	4	5	4	8	2	3	5	1	-	-	-	-
Male.....	3	4	2	4	1	3	2	1	-	-	-	-
Female.....	1	1	2	4	1	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	3	2	1	1	-	-	-	-
Male.....	4	1	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	2	2	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Oregon

All races, both sexes.....	6	3	3	3	2	4	3	3	2	-	-	-
Male.....	4	-	3	3	2	-	1	1	1	-	-	-
Female.....	2	3	-	-	-	4	2	2	1	-	-	-
White, both sexes.....	6	3	3	3	2	4	3	3	2	-	-	-
Male.....	4	-	3	3	2	-	1	1	1	-	-	-
Female.....	2	3	-	-	-	4	2	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	54	43	39	44	40	66	50	33	21	1	-	-
Male.....	39	31	29	26	28	34	22	23	14	1	-	-
Female.....	15	12	10	18	12	32	28	10	7	-	-	-
White, both sexes.....	51	38	39	42	38	63	50	32	21	1	-	-
Male.....	36	26	29	24	27	32	22	22	14	1	-	-
Female.....	15	12	10	18	11	31	28	10	7	-	-	-
Black, both sexes.....	2	5	-	2	1	3	-	1	-	-	-	-
Male.....	2	5	-	2	1	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Streetcar accidents (V82.2-V82.9)

Alaska

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Alaska (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Arizona

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Arizona (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Streetcar accidents (V82.2-V82.9)

Iowa

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Iowa (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

Kansas

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Kansas (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Streetcar accidents (V82.2-V82.9)

New Hampshire

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for New Hampshire categories (All races, White, Black, American Indian, Asian or Pacific Islander).

New Jersey

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for New Jersey categories (All races, White, Black, American Indian, Asian or Pacific Islander).

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Streetcar accidents (V82.2-V82.9)

New Mexico

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for New Mexico (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).

New York

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for New York (All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/).





















































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Arkansas

All races, both sexes.....	10	-	-	-	-	-	2	1	-	-	3	1
Male.....	8	-	-	-	-	-	1	1	-	-	2	1
Female.....	2	-	-	-	-	-	1	-	-	-	1	-
White, both sexes.....	9	-	-	-	-	-	2	1	-	-	3	1
Male.....	7	-	-	-	-	-	1	1	-	-	2	1
Female.....	2	-	-	-	-	-	1	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	83	-	1	4	1	3	9	1	7	7	7	11
Male.....	66	-	1	3	-	3	7	1	5	6	5	10
Female.....	17	-	-	1	1	-	2	-	2	1	2	1
White, both sexes.....	75	-	1	4	1	3	9	1	6	7	7	8
Male.....	60	-	1	3	-	3	7	1	5	6	5	8
Female.....	15	-	-	1	1	-	2	-	1	1	2	-
Black, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	3
Male.....	5	-	-	-	-	-	-	-	-	-	-	2
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-





























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Delaware

Table with 13 columns (Age groups) and rows for Delaware: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 13 columns (Age groups) and rows for Dist. of Columbia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Iowa

Table with 13 columns (Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated) and 13 rows for Iowa (All races, White, Black, American Indian, Asian or Pacific Islander).

Kansas

Table with 13 columns (Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated) and 13 rows for Kansas (All races, White, Black, American Indian, Asian or Pacific Islander).





































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Wisconsin

Table with 13 columns (Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated) and rows for All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/.

Wyoming

Table with 13 columns (Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated) and rows for All races, White, Black, American Indian 1/, Asian or Pacific Islander 2/.





















































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Air and space transport accidents (V95-V97)												
Nebraska												
All races, both sexes.....	4	-	-	-	-	-	-	-	-	-	2	1
Male.....	4	-	-	-	-	-	-	-	-	-	2	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	4	-	-	-	-	-	-	-	-	-	2	1
Male.....	4	-	-	-	-	-	-	-	-	-	2	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	13	-	-	-	-	1	-	1	2	1	3	2
Male.....	9	-	-	-	-	1	-	1	-	1	2	2
Female.....	4	-	-	-	-	-	-	-	2	-	1	-
White, both sexes.....	12	-	-	-	-	1	-	1	1	1	3	2
Male.....	9	-	-	-	-	1	-	1	-	1	2	2
Female.....	3	-	-	-	-	-	-	-	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-





















































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified transport accidents and their sequelae (V98-V99,Y85)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	11	11	6	2	2	-	4	1	1	-	-	-
Male.....	9	9	4	1	2	-	1	1	-	-	-	-
Female.....	2	2	2	1	-	-	3	-	1	-	-	-
White, both sexes.....	10	9	5	2	1	-	2	1	1	-	-	-
Male.....	8	7	4	1	1	-	-	1	-	-	-	-
Female.....	2	2	1	1	-	-	2	-	1	-	-	-
Black, both sexes.....	1	1	1	-	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	1	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Falls (W00-W19)												
Arkansas												
All races, both sexes.....	169	-	-	-	-	1	3	2	5	1	1	4
Male.....	91	-	-	-	-	1	3	2	5	1	1	3
Female.....	78	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	161	-	-	-	-	1	3	2	4	1	1	3
Male.....	85	-	-	-	-	1	3	2	4	1	1	2
Female.....	76	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	8	-	-	-	-	-	-	-	1	-	-	1
Male.....	6	-	-	-	-	-	-	-	1	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,470	1	4	1	2	6	20	13	19	31	49	61
Male.....	796	-	2	1	1	6	19	11	16	25	41	47
Female.....	674	1	2	-	1	-	1	2	3	6	8	14
White, both sexes.....	1,303	1	2	1	-	6	18	13	18	26	42	52
Male.....	705	-	1	1	-	6	18	11	15	20	38	42
Female.....	598	1	1	-	-	-	-	2	3	6	4	10
Black, both sexes.....	50	-	-	-	1	-	-	-	-	2	4	6
Male.....	28	-	-	-	1	-	-	-	-	2	1	3
Female.....	22	-	-	-	-	-	-	-	-	-	3	3
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	1	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	111	-	2	-	1	-	2	-	1	3	2	2
Male.....	60	-	1	-	-	-	1	-	1	3	2	1
Female.....	51	-	1	-	1	-	1	-	-	-	-	1

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Falls (W00-W19)												
Nebraska												
All races, both sexes.....	186	-	1	1	-	1	3	1	1	4	2	2
Male.....	97	-	1	-	-	-	3	1	1	4	2	2
Female.....	89	-	-	1	-	1	-	-	-	-	-	-
White, both sexes.....	184	-	1	1	-	1	3	1	1	3	2	2
Male.....	95	-	1	-	-	-	3	1	1	3	2	2
Female.....	89	-	-	1	-	1	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	91	1	-	1	-	-	2	2	1	1	3	4
Male.....	49	1	-	-	-	-	2	2	-	1	3	3
Female.....	42	-	-	1	-	-	-	-	1	-	-	1
White, both sexes.....	80	-	-	-	-	-	2	2	-	1	2	3
Male.....	41	-	-	-	-	-	2	2	-	1	2	2
Female.....	39	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	7	1	-	-	-	-	-	-	-	-	-	1
Male.....	6	1	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-





























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Falls (W00-W19)

Alaska

All races, both sexes.....	-	-	2	1	-	1	1	-	1	-	-	-
Male.....	-	-	2	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
White, both sexes.....	-	-	2	1	-	1	1	-	1	-	-	-
Male.....	-	-	2	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	17	8	12	28	26	67	96	88	60	21	1	-
Male.....	13	6	8	16	12	31	43	47	19	12	-	-
Female.....	4	2	4	12	14	36	53	41	41	9	1	-
White, both sexes.....	14	6	8	25	25	67	92	86	60	19	1	-
Male.....	11	5	6	14	11	31	42	46	19	12	-	-
Female.....	3	1	2	11	14	36	50	40	41	7	1	-
Black, both sexes.....	-	-	1	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	3	2	3	3	1	-	2	2	-	1	-	-
Male.....	2	1	2	2	1	-	-	1	-	-	-	-
Female.....	1	1	1	1	-	-	2	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Falls (W00-W19)

Arkansas

All races, both sexes.....	6	5	4	10	13	19	35	37	17	6	-	-
Male.....	6	3	1	6	9	8	13	18	8	3	-	-
Female.....	-	2	3	4	4	11	22	19	9	3	-	-
White, both sexes.....	6	5	4	9	13	19	34	36	14	6	-	-
Male.....	6	3	1	6	9	8	12	17	6	3	-	-
Female.....	-	2	3	3	4	11	22	19	8	3	-	-
Black, both sexes.....	-	-	-	1	-	-	1	1	3	-	-	-
Male.....	-	-	-	-	-	-	1	1	2	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	51	57	59	65	115	176	261	251	160	61	7	-
Male.....	41	39	39	43	69	96	122	105	56	17	-	-
Female.....	10	18	20	22	46	80	139	146	104	44	7	-
White, both sexes.....	43	49	54	52	97	155	239	230	143	55	7	-
Male.....	35	34	36	34	60	84	109	98	47	16	-	-
Female.....	8	15	18	18	37	71	130	132	96	39	7	-
Black, both sexes.....	5	4	3	1	8	4	4	2	4	2	-	-
Male.....	3	3	2	1	4	2	2	2	2	-	-	-
Female.....	2	1	1	-	4	2	2	-	2	2	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	-	2	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	2	10	10	17	16	19	13	4	-	-
Male.....	3	2	1	7	5	10	10	5	7	1	-	-
Female.....	-	2	1	3	5	7	6	14	6	3	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Falls (W00-W19)

Maine

All races, both sexes.....	4	2	3	3	11	11	13	12	14	6	2	-
Male.....	3	2	2	1	10	6	4	6	3	1	-	-
Female.....	1	-	1	2	1	5	9	6	11	5	2	-
White, both sexes.....	4	2	3	3	11	10	13	12	14	6	2	-
Male.....	3	2	2	1	10	6	4	6	3	1	-	-
Female.....	1	-	1	2	1	4	9	6	11	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Maryland

All races, both sexes.....	13	7	12	12	22	39	45	39	26	11	-	-
Male.....	8	7	7	7	13	25	25	16	13	6	-	-
Female.....	5	-	5	5	9	14	20	23	13	5	-	-
White, both sexes.....	9	5	11	8	15	33	41	34	24	10	-	-
Male.....	4	5	6	4	9	21	23	14	13	5	-	-
Female.....	5	-	5	4	6	12	18	20	11	5	-	-
Black, both sexes.....	4	2	1	3	6	5	4	4	1	1	-	-
Male.....	4	2	1	2	3	3	2	2	-	1	-	-
Female.....	-	-	-	1	3	2	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	-	1	-	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Falls (W00-W19)

Massachusetts

All races, both sexes.....	6	12	7	13	16	36	31	36	22	10	-	-
Male.....	5	11	5	8	10	18	19	15	10	4	-	-
Female.....	1	1	2	5	6	18	12	21	12	6	-	-
White, both sexes.....	6	11	6	11	16	35	31	35	22	10	-	-
Male.....	5	10	4	7	10	18	19	14	10	4	-	-
Female.....	1	1	2	4	6	17	12	21	12	6	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	-	1	-	1	-	-	-	-
Male.....	-	1	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Michigan

All races, both sexes.....	23	14	20	25	38	64	90	97	51	27	6	-
Male.....	19	9	14	15	20	33	45	39	17	8	1	-
Female.....	4	5	6	10	18	31	45	58	34	19	5	-
White, both sexes.....	18	13	18	22	36	61	87	94	46	26	6	-
Male.....	14	9	12	14	18	32	43	38	15	8	1	-
Female.....	4	4	6	8	18	29	44	56	31	18	5	-
Black, both sexes.....	5	1	2	3	2	2	1	3	5	1	-	-
Male.....	5	-	2	1	2	1	1	1	2	-	-	-
Female.....	-	1	-	2	-	1	-	2	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Falls (W00-W19)

New Mexico

All races, both sexes.....	13	3	11	12	21	30	41	35	29	9	-	-
Male.....	7	2	7	7	12	16	21	14	7	4	-	-
Female.....	6	1	4	5	9	14	20	21	22	5	-	-
White, both sexes.....	12	2	11	11	20	27	40	32	27	9	-	-
Male.....	7	1	7	7	12	14	20	11	7	4	-	-
Female.....	5	1	4	4	8	13	20	21	20	5	-	-
Black, both sexes.....	-	1	-	1	1	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	3	1	2	2	-	-	-
Male.....	-	-	-	-	-	2	1	2	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	24	36	46	44	84	120	173	174	105	39	1	-
Male.....	20	22	32	29	53	65	87	82	39	10	-	-
Female.....	4	14	14	15	31	55	86	92	66	29	1	-
White, both sexes.....	18	26	37	38	71	107	165	164	99	36	1	-
Male.....	14	15	26	26	46	60	81	77	36	7	-	-
Female.....	4	11	11	12	25	47	84	87	63	29	1	-
Black, both sexes.....	5	7	8	4	10	9	4	8	1	3	-	-
Male.....	5	4	5	2	5	2	3	3	-	3	-	-
Female.....	-	3	3	2	5	7	1	5	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	1	2	3	4	4	2	4	-	-	-
Male.....	1	3	1	1	2	3	3	2	3	-	-	-
Female.....	-	-	-	1	1	1	1	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Falls (W00-W19)

Ohio

All races, both sexes.....	27	25	14	32	53	80	124	123	83	21	4	-
Male.....	19	19	11	21	36	44	53	50	27	6	2	-
Female.....	8	6	3	11	17	36	71	73	56	15	2	-
White, both sexes.....	22	23	14	29	50	76	120	121	81	21	4	-
Male.....	15	18	11	19	33	42	50	50	27	6	2	-
Female.....	7	5	3	10	17	34	70	71	54	15	2	-
Black, both sexes.....	4	2	-	3	3	4	4	2	2	-	-	-
Male.....	3	1	-	2	3	2	3	-	-	-	-	-
Female.....	1	1	-	1	-	2	1	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	2	4	8	12	18	33	23	23	14	6	1	-
Male.....	2	3	6	7	9	15	12	10	5	3	-	-
Female.....	-	1	2	5	9	18	11	13	9	3	1	-
White, both sexes.....	1	4	7	11	17	30	22	23	13	6	1	-
Male.....	1	3	5	7	8	15	11	10	4	3	-	-
Female.....	-	1	2	4	9	15	11	13	9	3	1	-
Black, both sexes.....	-	-	1	-	1	-	-	-	1	-	-	-
Male.....	-	-	1	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	2	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Falls (W00-W19)

Oregon

All races, both sexes.....	5	4	9	13	18	42	75	71	57	31	6	-
Male.....	3	2	7	9	11	19	37	26	19	9	1	-
Female.....	2	2	2	4	7	23	38	45	38	22	5	-
White, both sexes.....	5	4	9	12	18	40	69	68	56	30	6	-
Male.....	3	2	7	8	11	18	33	25	19	9	1	-
Female.....	2	2	2	4	7	22	36	43	37	21	5	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	2	1	1	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	4	1	-	1	-	-
Male.....	-	-	-	-	-	1	3	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-

Pennsylvania

All races, both sexes.....	25	19	20	35	66	110	137	136	87	42	6	-
Male.....	15	14	14	16	40	66	64	56	33	13	-	-
Female.....	10	5	6	19	26	44	73	80	54	29	6	-
White, both sexes.....	22	17	20	30	62	106	134	131	83	42	5	-
Male.....	12	13	14	13	37	64	64	52	32	13	-	-
Female.....	10	4	6	17	25	42	70	79	51	29	5	-
Black, both sexes.....	3	2	-	5	3	4	2	5	3	-	1	-
Male.....	3	1	-	3	3	2	-	4	1	-	-	-
Female.....	-	1	-	2	-	2	2	1	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	1	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Falls (W00-W19)

Texas

All races, both sexes.....	31	47	23	54	65	108	157	122	82	29	3	-
Male.....	22	33	15	38	40	55	78	49	26	9	-	-
Female.....	9	14	8	16	25	53	79	73	56	20	3	-
White, both sexes.....	27	41	20	48	61	101	154	119	76	27	3	-
Male.....	19	29	12	34	38	51	78	47	22	8	-	-
Female.....	8	12	8	14	23	50	76	72	54	19	3	-
Black, both sexes.....	3	6	3	4	1	6	3	2	5	2	-	-
Male.....	2	4	3	3	-	3	-	1	4	1	-	-
Female.....	1	2	-	1	1	3	3	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	2	3	1	-	1	1	-	-	-
Male.....	1	-	-	1	2	1	-	1	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	1	-	-	-

Utah

All races, both sexes.....	-	6	7	4	10	14	17	25	8	4	1	-
Male.....	-	4	5	2	6	8	10	12	5	-	1	-
Female.....	-	2	2	2	4	6	7	13	3	4	-	-
White, both sexes.....	-	5	6	4	9	14	16	25	8	4	1	-
Male.....	-	3	4	2	5	8	10	12	5	-	1	-
Female.....	-	2	2	2	4	6	6	13	3	4	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Falls (W00-W19)

Vermont

All races, both sexes.....	4	2	2	-	4	6	8	21	19	3	-	-
Male.....	2	2	1	-	2	2	2	6	10	2	-	-
Female.....	2	-	1	-	2	4	6	15	9	1	-	-
White, both sexes.....	4	2	2	-	4	6	8	21	19	3	-	-
Male.....	2	2	1	-	2	2	2	6	10	2	-	-
Female.....	2	-	1	-	2	4	6	15	9	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	10	15	4	12	27	42	44	68	39	7	4	-
Male.....	6	13	3	9	17	25	24	33	17	2	1	-
Female.....	4	2	1	3	10	17	20	35	22	5	3	-
White, both sexes.....	7	12	4	11	24	35	43	64	34	6	4	-
Male.....	4	10	3	8	16	20	23	32	15	1	1	-
Female.....	3	2	1	3	8	15	20	32	19	5	3	-
Black, both sexes.....	3	2	-	1	3	4	1	2	5	1	-	-
Male.....	2	2	-	1	1	3	1	-	2	1	-	-
Female.....	1	-	-	-	2	1	-	2	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	3	-	2	-	-	-	-
Male.....	-	1	-	-	-	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Fall on same level (W00-W09,W18)												
Arkansas												
All races, both sexes.....	49	-	-	-	-	-	-	1	-	-	-	2
Male.....	24	-	-	-	-	-	-	1	-	-	-	1
Female.....	25	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	47	-	-	-	-	-	-	1	-	-	-	2
Male.....	22	-	-	-	-	-	-	1	-	-	-	1
Female.....	25	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	709	-	1	-	1	1	8	2	8	6	11	18
Male.....	347	-	1	-	-	1	8	2	7	3	9	14
Female.....	362	-	-	-	1	-	-	-	1	3	2	4
White, both sexes.....	648	-	1	-	-	1	8	2	7	6	9	16
Male.....	315	-	1	-	-	1	8	2	6	3	8	12
Female.....	333	-	-	-	-	-	-	-	1	3	1	4
Black, both sexes.....	17	-	-	-	-	-	-	-	-	-	2	2
Male.....	9	-	-	-	-	-	-	-	-	-	1	2
Female.....	8	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	40	-	-	-	1	-	-	-	1	-	-	-
Male.....	21	-	-	-	-	-	-	-	1	-	-	-
Female.....	19	-	-	-	1	-	-	-	-	-	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Fall on same level (W00-W09,W18)												
Nebraska												
All races, both sexes.....	58	-	1	1	-	-	-	-	1	1	-	-
Male.....	27	-	1	-	-	-	-	-	1	1	-	-
Female.....	31	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	57	-	1	1	-	-	-	-	1	1	-	-
Male.....	26	-	1	-	-	-	-	-	1	1	-	-
Female.....	31	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	32	1	-	1	-	-	-	-	1	1	1	2
Male.....	16	1	-	-	-	-	-	-	-	1	1	2
Female.....	16	-	-	1	-	-	-	-	1	-	-	-
White, both sexes.....	25	-	-	-	-	-	-	-	-	1	1	1
Male.....	12	-	-	-	-	-	-	-	-	1	1	1
Female.....	13	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	4	1	-	-	-	-	-	-	-	-	-	1
Male.....	3	1	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fall on same level (W00-W09,W18)

Alaska

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	4	2	1	8	3	22	12	14	10	4	-	-
Male.....	2	2	-	5	1	10	6	6	3	1	-	-
Female.....	2	-	1	3	2	12	6	8	7	3	-	-
White, both sexes.....	3	2	1	7	3	22	11	14	10	3	-	-
Male.....	1	2	-	4	1	10	6	6	3	1	-	-
Female.....	2	-	1	3	2	12	5	8	7	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fall on same level (W00-W09,W18)

Arkansas

All races, both sexes.....	-	-	-	3	7	6	10	12	7	1	-	-
Male.....	-	-	-	1	6	3	3	5	3	1	-	-
Female.....	-	-	-	2	1	3	7	7	4	-	-	-
White, both sexes.....	-	-	-	3	7	6	9	12	6	1	-	-
Male.....	-	-	-	1	6	3	2	5	2	1	-	-
Female.....	-	-	-	2	1	3	7	7	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	27	23	23	24	51	82	136	149	101	32	5	-
Male.....	20	11	15	13	33	42	59	61	38	10	-	-
Female.....	7	12	8	11	18	40	77	88	63	22	5	-
White, both sexes.....	25	21	21	18	47	74	122	139	95	31	5	-
Male.....	19	10	14	10	31	40	50	57	33	10	-	-
Female.....	6	11	7	8	16	34	72	82	62	21	5	-
Black, both sexes.....	1	1	2	1	1	2	3	-	2	-	-	-
Male.....	-	-	1	1	-	1	2	-	1	-	-	-
Female.....	1	1	1	-	1	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	-	2	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	3	3	6	9	10	4	1	-	-
Male.....	1	1	-	1	2	1	6	4	4	-	-	-
Female.....	-	-	-	2	1	5	3	6	-	1	-	-

























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Fall from one level to another (W10-W17)												
Arkansas												
All races, both sexes.....	32	-	-	-	-	1	3	-	4	1	1	1
Male.....	24	-	-	-	-	1	3	-	4	1	1	1
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	32	-	-	-	-	1	3	-	4	1	1	1
Male.....	24	-	-	-	-	1	3	-	4	1	1	1
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	256	1	2	1	1	5	11	5	8	16	22	20
Male.....	194	-	1	1	1	5	10	5	6	15	18	16
Female.....	62	1	1	-	-	-	1	-	2	1	4	4
White, both sexes.....	219	1	-	1	-	5	9	5	8	12	18	19
Male.....	168	-	-	1	-	5	9	5	6	11	17	15
Female.....	51	1	-	-	-	-	-	-	2	1	1	4
Black, both sexes.....	10	-	-	-	1	-	-	-	-	2	2	-
Male.....	6	-	-	-	1	-	-	-	-	2	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	25	-	2	-	-	-	2	-	-	2	1	-
Male.....	19	-	1	-	-	-	1	-	-	2	1	-
Female.....	6	-	1	-	-	-	1	-	-	-	-	-

























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fall from one level to another (W10-W17)

Arkansas

All races, both sexes.....	3	1	1	2	4	1	5	3	-	1	-	-
Male.....	3	-	1	2	3	-	2	2	-	-	-	-
Female.....	-	1	-	-	1	1	3	1	-	1	-	-
White, both sexes.....	3	1	1	2	4	1	5	3	-	1	-	-
Male.....	3	-	1	2	3	-	2	2	-	-	-	-
Female.....	-	1	-	-	1	1	3	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	9	13	16	24	20	27	33	17	5	-	-	-
Male.....	7	12	12	20	11	21	21	12	-	-	-	-
Female.....	2	1	4	4	9	6	12	5	5	-	-	-
White, both sexes.....	7	11	15	20	17	21	33	13	4	-	-	-
Male.....	6	10	11	16	10	15	21	10	-	-	-	-
Female.....	1	1	4	4	7	6	12	3	4	-	-	-
Black, both sexes.....	1	1	-	-	1	1	-	1	-	-	-	-
Male.....	-	1	-	-	-	1	-	1	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	4	2	5	-	3	1	-	-	-
Male.....	1	1	1	4	1	5	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	2	1	-	-	-































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fall from one level to another (W10-W17)

New Mexico

All races, both sexes.....	1	-	3	4	2	6	3	2	-	-	-	-
Male.....	1	-	3	2	1	3	2	1	-	-	-	-
Female.....	-	-	-	2	1	3	1	1	-	-	-	-
White, both sexes.....	1	-	3	3	1	6	3	2	-	-	-	-
Male.....	1	-	3	2	1	3	2	1	-	-	-	-
Female.....	-	-	-	1	-	3	1	1	-	-	-	-
Black, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	8	13	9	20	18	29	32	22	13	6	-	-
Male.....	6	8	8	17	11	17	17	16	8	-	-	-
Female.....	2	5	1	3	7	12	15	6	5	6	-	-
White, both sexes.....	7	10	9	20	15	27	31	21	13	6	-	-
Male.....	5	5	8	17	10	16	17	15	8	-	-	-
Female.....	2	5	1	3	5	11	14	6	5	6	-	-
Black, both sexes.....	-	2	-	-	2	1	-	1	-	-	-	-
Male.....	-	2	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	1	1	-	-	-	-	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fall from one level to another (W10-W17)

Oregon

All races, both sexes.....	3	1	5	4	4	11	8	7	2	1	1	-
Male.....	3	-	5	3	4	5	5	3	2	-	-	-
Female.....	-	1	-	1	-	6	3	4	-	1	1	-
White, both sexes.....	3	1	5	4	4	11	7	6	2	1	1	-
Male.....	3	-	5	3	4	5	5	2	2	-	-	-
Female.....	-	1	-	1	-	6	2	4	-	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	13	10	13	15	21	38	31	25	17	9	1	-
Male.....	8	8	11	8	14	24	16	13	9	2	-	-
Female.....	5	2	2	7	7	14	15	12	8	7	1	-
White, both sexes.....	12	9	13	13	21	36	29	23	17	9	1	-
Male.....	7	8	11	7	14	23	16	12	9	2	-	-
Female.....	5	1	2	6	7	13	13	11	8	7	1	-
Black, both sexes.....	1	1	-	2	-	2	1	2	-	-	-	-
Male.....	1	-	-	1	-	1	-	1	-	-	-	-
Female.....	-	1	-	1	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fall from one level to another (W10-W17)

Texas

All races, both sexes.....	10	10	4	8	12	18	21	6	7	3	-	-
Male.....	5	9	4	7	9	8	14	2	4	1	-	-
Female.....	5	1	-	1	3	10	7	4	3	2	-	-
White, both sexes.....	10	10	4	8	12	18	20	5	6	1	-	-
Male.....	5	9	4	7	9	8	14	1	3	-	-	-
Female.....	5	1	-	1	3	10	6	4	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	1	1	2	-	-
Male.....	-	-	-	-	-	-	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	-	2	2	1	5	1	7	5	2	1	-	-
Male.....	-	2	2	1	4	1	4	3	1	-	-	-
Female.....	-	-	-	-	1	-	3	2	1	1	-	-
White, both sexes.....	-	2	2	1	4	1	6	5	2	1	-	-
Male.....	-	2	2	1	3	1	4	3	1	-	-	-
Female.....	-	-	-	-	1	-	2	2	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fall from one level to another (W10-W17)

Vermont

All races, both sexes.....	4	1	-	-	1	3	-	2	1	-	-	-
Male.....	2	1	-	-	1	1	-	-	1	-	-	-
Female.....	2	-	-	-	-	2	-	2	-	-	-	-
White, both sexes.....	4	1	-	-	1	3	-	2	1	-	-	-
Male.....	2	1	-	-	1	1	-	-	1	-	-	-
Female.....	2	-	-	-	-	2	-	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	7	11	1	4	10	7	9	6	4	-	-	-
Male.....	5	10	1	4	6	5	6	5	2	-	-	-
Female.....	2	1	-	-	4	2	3	1	2	-	-	-
White, both sexes.....	4	10	1	4	9	5	9	5	4	-	-	-
Male.....	3	9	1	4	6	4	6	5	2	-	-	-
Female.....	1	1	-	-	3	1	3	-	2	-	-	-
Black, both sexes.....	3	1	-	-	1	1	-	1	-	-	-	-
Male.....	2	1	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-





































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Unspecified fall (W19)

Arkansas

All races, both sexes.....	3	4	3	5	2	12	20	22	10	4	-	-
Male.....	3	3	-	3	-	5	8	11	5	2	-	-
Female.....	-	1	3	2	2	7	12	11	5	2	-	-
White, both sexes.....	3	4	3	4	2	12	20	21	8	4	-	-
Male.....	3	3	-	3	-	5	8	10	4	2	-	-
Female.....	-	1	3	1	2	7	12	11	4	2	-	-
Black, both sexes.....	-	-	-	1	-	-	-	1	2	-	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	15	21	20	17	44	67	92	85	54	29	2	-
Male.....	14	16	12	10	25	33	42	32	18	7	-	-
Female.....	1	5	8	7	19	34	50	53	36	22	2	-
White, both sexes.....	11	17	18	14	33	60	84	78	44	24	2	-
Male.....	10	14	11	8	19	29	38	31	14	6	-	-
Female.....	1	3	7	6	14	31	46	47	30	18	2	-
Black, both sexes.....	3	2	1	-	6	1	1	1	2	2	-	-
Male.....	3	2	1	-	4	-	-	1	1	-	-	-
Female.....	-	-	-	-	2	1	1	-	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	3	5	6	7	6	8	3	-	-
Male.....	1	-	-	2	2	4	4	-	3	1	-	-
Female.....	-	2	1	1	3	2	3	6	5	2	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Unspecified fall (W19)

Maine

All races, both sexes.....	2	-	1	-	5	3	5	6	4	2	1	-
Male.....	2	-	1	-	4	1	2	3	2	1	-	-
Female.....	-	-	-	-	1	2	3	3	2	1	1	-
White, both sexes.....	2	-	1	-	5	3	5	6	4	2	1	-
Male.....	2	-	1	-	4	1	2	3	2	1	-	-
Female.....	-	-	-	-	1	2	3	3	2	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	6	2	7	6	11	28	28	20	18	9	-	-
Male.....	3	2	5	3	5	17	16	7	8	5	-	-
Female.....	3	-	2	3	6	11	12	13	10	4	-	-
White, both sexes.....	3	2	6	3	8	24	26	18	17	8	-	-
Male.....	-	2	4	-	4	14	15	7	8	4	-	-
Female.....	3	-	2	3	4	10	11	11	9	4	-	-
Black, both sexes.....	3	-	1	2	3	3	2	1	1	1	-	-
Male.....	3	-	1	2	1	2	1	-	-	1	-	-
Female.....	-	-	-	-	2	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	1	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

Unspecified fall (W19)

Massachusetts

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include All races, both sexes; White, both sexes; Black, both sexes; American Indian 1/, both sexes; and Asian or Pacific Islander 2/, both sexes, with male and female sub-categories.

Michigan

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include All races, both sexes; White, both sexes; Black, both sexes; American Indian 1/, both sexes; and Asian or Pacific Islander 2/, both sexes, with male and female sub-categories.









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Unspecified fall (W19)

New Mexico

All races, both sexes.....	2	1	2	2	1	5	3	2	1	-	-	-
Male.....	-	1	-	2	-	3	2	1	-	-	-	-
Female.....	2	-	2	-	1	2	1	1	1	-	-	-
White, both sexes.....	1	-	2	2	1	5	3	1	1	-	-	-
Male.....	-	-	-	2	-	3	2	-	-	-	-	-
Female.....	1	-	2	-	1	2	1	1	1	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	11	16	25	17	48	70	110	122	69	20	1	-
Male.....	10	11	17	9	30	37	52	55	25	7	-	-
Female.....	1	5	8	8	18	33	58	67	44	13	1	-
White, both sexes.....	9	12	18	12	41	60	104	114	66	18	1	-
Male.....	8	9	11	7	27	33	46	51	24	5	-	-
Female.....	1	3	7	5	14	27	58	63	42	13	1	-
Black, both sexes.....	2	4	6	3	6	7	3	6	-	2	-	-
Male.....	2	2	5	1	2	2	3	2	-	2	-	-
Female.....	-	2	1	2	4	5	-	4	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	1	3	3	2	2	-	-	-
Male.....	-	-	1	1	1	2	3	2	1	-	-	-
Female.....	-	-	-	1	-	1	-	-	1	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Unspecified fall (W19)

Ohio

All races, both sexes.....	11	10	4	15	25	45	85	72	58	12	4	-
Male.....	8	7	3	8	17	20	36	30	17	4	2	-
Female.....	3	3	1	7	8	25	49	42	41	8	2	-
White, both sexes.....	7	9	4	14	24	43	83	71	58	12	4	-
Male.....	4	6	3	7	16	20	34	30	17	4	2	-
Female.....	3	3	1	7	8	23	49	41	41	8	2	-
Black, both sexes.....	3	1	-	1	1	2	2	1	-	-	-	-
Male.....	3	1	-	1	1	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	2	2	4	9	15	27	16	19	11	4	1	-
Male.....	2	2	3	5	7	13	8	8	4	1	-	-
Female.....	-	-	1	4	8	14	8	11	7	3	1	-
White, both sexes.....	1	2	3	8	14	25	16	19	11	4	1	-
Male.....	1	2	2	5	6	13	8	8	4	1	-	-
Female.....	-	-	1	3	8	12	8	11	7	3	1	-
Black, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Unspecified fall (W19)

Oregon

All races, both sexes.....	-	2	3	5	1	7	14	17	13	12	1	-
Male.....	-	1	1	3	1	4	7	7	4	6	1	-
Female.....	-	1	2	2	-	3	7	10	9	6	-	-
White, both sexes.....	-	2	3	4	1	7	12	17	13	12	1	-
Male.....	-	1	1	2	1	4	5	7	4	6	1	-
Female.....	-	1	2	2	-	3	7	10	9	6	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	8	6	2	12	24	38	64	45	40	13	-	-
Male.....	4	4	1	3	13	20	27	19	14	4	-	-
Female.....	4	2	1	9	11	18	37	26	26	9	-	-
White, both sexes.....	7	6	2	9	21	37	63	44	36	13	-	-
Male.....	3	4	1	1	11	20	27	18	13	4	-	-
Female.....	4	2	1	8	10	17	36	26	23	9	-	-
Black, both sexes.....	1	-	-	3	2	1	1	1	3	-	-	-
Male.....	1	-	-	2	2	-	-	1	1	-	-	-
Female.....	-	-	-	1	-	1	1	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Unspecified fall (W19)

Vermont

All races, both sexes.....	-	1	1	-	1	1	3	6	5	-	-	-
Male.....	-	1	1	-	-	-	1	2	1	-	-	-
Female.....	-	-	-	-	1	1	2	4	4	-	-	-
White, both sexes.....	-	1	1	-	1	1	3	6	5	-	-	-
Male.....	-	1	1	-	-	-	1	2	1	-	-	-
Female.....	-	-	-	-	1	1	2	4	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1	2	-	3	8	21	17	29	16	3	3	-
Male.....	-	1	-	2	7	10	8	8	7	1	1	-
Female.....	1	1	-	1	1	11	9	21	9	2	2	-
White, both sexes.....	1	2	-	3	7	18	17	28	15	3	3	-
Male.....	-	1	-	2	6	8	8	8	7	1	1	-
Female.....	1	1	-	1	1	10	9	20	8	2	2	-
Black, both sexes.....	-	-	-	-	1	2	-	-	1	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-



