

VITAL STATISTICS REPORT



Hospital Discharge Survey Data

(HRA) 75-1120 VOL. 23, NO. 7 SUPPLEMENT (3) OCTOBER 17, 1974 FROM THE

NATIONAL CENTER FOR HEALTH STATISTICS

Surgery in Short-Stay Hospitals: United States, 1972

This report shows the estimated number of discharged inpatients for whom surgical operations or procedures were performed at non-Federal shortstay hospitals during 1972. These estimates exclude newborn infants. Frequency and rates of surgical operations are presented by surgical classes and for selected operations and procedures.

The estimates of patients with surgery and frequency of surgical operations are based on information collected by the Hospital Discharge Survey (HDS), which is a continuous nationwide survey conducted by the National Center for Health Statistics (NCHS). Survey data are abstracted from the face

sheets of sampled medical records of inpatients discharged from a national sample of short-stay hospitals. (See Technical Notes for a description of the survey and definitions of terms used in this report).

The data on surgical operations are grouped by the surgical classes of the Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA), with some modifications. A maximum of three surgical operations or procedures are coded for each medical record in the sample.

An estimated 31.6 million inpatients, excluding newborn infants, were discharged from non-Federal short-stay hospitals during 1972 (table 1). By sex,

Table 1. Number of inpatients discharged from short-stay hospitals with and without surgery and percent with surgery, by age, sex, and geographic region: United States, 1972

Characteristic	A11 discharges	Without surgery	With surgery	Percent with surgery
	Number in thousands			
Total ¹	31,627	18,984	12,643	40.0
AGE Under 15 years	4,174 13,331 7,488 6,634	2,251 7,618 4,387 4,727	1,923 5,712 3,101 1,907	46.1 42.9 41.4 28.7
Female	18,996	11,361	7,635	40.2
GEOGRAPHIC REGION Northeast North Central South West	7,120 9,434 10,179 4,894	4,015 5,656 6,577 2,736	3,105 3,778 3,602 2,158	43.6 40.0 35.4 44.1

¹Includes inpatients discharged for whom sex was not stated.

Table 2. Number and percent distribution of inpatients discharged from short-stay hospitals with one or more operations, by age and sex: United States, 1972

[Excludes newborn infants and Federal hospitals]


Age and sex	All discharges with surgery	One operation	Two operations	Three operations
4	Number in thousands			
Total ¹	12,643	8,947	2,703	993
AGE			·	
Under 15 years	1,923 5,712	1,535	339 1,201	49 471
45-64 years	3,101	4,040 2,012	765	324
65 years and over	1,907	1,360	399	148
SEX Male	4 005	2 644	1 005	205
Female	4,995 7,635		1,025 1,674	325 667
	Percent distribution			
Total ¹	100.0	70.8	21.4	7.9
AGE				
Under 15 years	100.0	79.8	17.6	2.6
45-64 years	100.0 100.0	70.7	21.0 24.7	8.3 10.5
65 years and over	100.0	71.3	20.9	7.8
SEX				
Male Female	100.0 100.0	73.0 69.3	20.5 21.9	6.5 8.7

¹Includes inpatients discharged for whom sex was not stated.

Table 3. Number and rate of all-listed surgical operations for inpatients discharged from short-stay hospitals, by age and sex: United States, 1972

Age	Both sexes ¹	Male	Female	
	Number in thousands			
Total	17,333	6,671	10,644	
Under 15 years	2,361 7,856 4,514 2,602		982 5,610 2,703 1,349	
	Rate per 100,000 population			
Total	8,487.2	6,771.4	10,068.2	
Under 15 years	4,170.4 9,194.1 10,685.3 13,059.5	4,767.0 5,420.2 9,007.6 15,059.1	3,538.2 12,711.4 12,177.1 11,603.1	

¹Includes inpatient data for which sex was not stated.



the discharges included 12.6 million males and 19.0 million females. Of the patients discharged, approximately 12.6 million had one or more surgical operations during their hospitalization, including 5.0 million males and 7.6 million females.

At least one surgical operation was performed for 40.0 percent of the patients hospitalized. The percent of patients with surgery decreased with each successive age group from 46.1 percent for patients under 15 years of age to 28.7 percent for patients 65 years and over. The proportion of patients with surgery was about the same for both sexes, 39.7 percent for males and 40.2 percent for females. By geographic region, the percent of patients with surgery varied from 35.4 percent in the South Region to 44.1 percent in the West Region.

The number and percent distribution of discharges with surgery, according to the number of operations per patient, are shown for each age group and sex in table 2. One operation was performed for 70.8 percent of the patients, two operations for 21.4 percent, and three or more operations for 7.9 percent. By age group, the percent with only one operation was highest (79.8 percent) for patients under 15 years and lowest (64.9 percent) for patients age 45-64 years. The proportion of patients with three or more operations ranged from 2.6 percent for under 15 years to 10.5

percent for age group 45-64 years. A larger percentage of females than males with surgery underwent multiple operations.

An estimated 17.3 million surgical operations and procedures were listed for the 12.6 million inpatients with surgery (table 3). The corresponding rate per 100,000 persons in the civilian noninstitutionalized population was 8,487.2. The rates were 6,771.4 for males and 10,068.2 for females. The number of all listed operations per 100,000 population increased for males with each successive age group, but for females the rates decreased for the age groups over 15-44 years.

Comparing the number of operations (table 3) with the number of discharges with surgery (table 2) indicates that in 1972 there was an average of 1.4 listed operations per discharge with surgery. By age, operations per discharge with surgery varied from 1.2 operations for those under 15 years to 1.5 operations for those in the age group 45-64.

The number of operations performed for inpatients of short-stay hospitals during 1972 and the corresponding rates per 100,000 population are shown in tables 4 and 5 for the surgery classes of the ICDA and for selected surgical operations, by sex and for patients aged 15 years and over. The classes with the largest frequencies were gynecological surgery (3.2 million operations), abdominal surgery (2.6 million operations), and orthopedic surgery (2.2 million operations). These were also the leading surgery classes for females. For males the largest numbers of operations were accounted for by abdominal surgery, orthopedic surgery, and urological surgery.

The surgical operations and procedures presented in tables 4 and 5 were selected because of their large frequencies. The estimated numbers of selected operations per 100,000 population were largest for tonsillectomy with or without adenoidectomy (449.0); dilation and curettage of uterus, diagnostic (424.0); and hysterectomy (317.6). For ages 15 years and over the rates were largest for dilation and curettage, diagnostic (583.6); hysterectomy (438.1); and cholecystectomy (269.6).

An estimated 2.4 million operations were performed during 1972 for inpatients under age 15 years. The corresponding rate was 4,170.4 operations per 100,000 population. About half (50.3 percent) of the operations for this age group were accounted for by tonsillectomy with or without adenoidectomy, myringotomy, repair of inguinal hernia, appendectomy, and closed reduction of fracture without fixation (figure 1).

Table 4. Number of all-listed operations for inpatients discharged from short-stay hospitals, by surgery class and selected operations, sex, and age: United States, 1972

Surgery class, operation, and ICDA codes	All-listed operations	Male	Female	15 years and over
	N	umber in t	housands:	
All operations ²	17,333	6,671	10,644	14,973
Neurosurgery01-05	261	134	127	233
Ophthalmology06-14	604	279	323	494
Extraction of lens14.4-14.6	260	109	150	257
Otorhinolaryngology16-21	1,816	908	906	820
Myringotomy17.0	184	107	77	13
Tonsillectomy with or without adenoidectomy21.1-21.2	917	420	496	238
Operations on thyroid, parathyroid thymus and adrenals22-23	78	18	60	75
Thyroidectomy22.1-22.2	65	12	53	64
Vascular and cardiac surgery24-30	641	371	268	596
Excision and ligation of varicose veins 24.4	100	26	74	100
Thoracic surgery32-35	235	147	88	222
Abdominal surgery38-48	2,640	1,355	1,282	2,315
Repair of inguinal hernia38.2-38.3	510	461	48	386
Appendectomy 341.1	331	170	160	224
Cholecystectomy43.5	399	94	304	398
Resection of small intestine or color47.4-47.6	129	57	71	125
Proctological surgery50-52	544	300	244	534
Local excision and destruction of lesion of rectum and anus50.2-51.2	127	66	61	124
Hemorrhoidectomy51.3	218	116	102	218
Urological surgery54-61	1,380	990	389	1,117
Dilation of urethra57.5	191	69	122	137
Prostatectomy58.1-58.3	231	231		231
Breast surgery65	332	16	315	328
Mastectomy65.2-65.6	292	13	279	290
Gynecological surgery67-72	3,232		3,232	3,209
Oophorectomy; salpingo oophorectomy67.2-67.5	378		378	377
Ligation and division of fallopian tubes (bilateral)68.5	258		258	257
Hysterectomy69.1-69.5	649		649	647
Dilation and curettage of uterus, diagnostic70.3	866	·	866	861
Obstetrical procedures ⁴ 74-78	1,022	·	1,022	1,013
Cesarian section77.0	227		227	226
Dilation and curettage after delivery or abortion78.1	275		275	274
Repair of laceration78.2-78.3	176		176	174
Orthopedic surgery80-90	2,221	1,137	1,081	1,942
Excision of bone, partial80.4	137	51	86	127
Closed reduction of fracture without fixation82.0	329	173	156	224
Reduction of fracture with fixation82.2	269	115	153	251
Excision of intervertebral cartilage (prolapsed disk)86.4	147	87	60	147
Operations on muscles, tendons, fascia, and bursa88-89	312	163	148	257
Plastic surgery92-94	968	502	464	811
Oral and maxillofacial surgery95-98	158	88	69	129
Dental surgery99	368	152	215	328
BiopsyA1-A2	834	271	561	806

¹Includes data for sex not stated.
²Includes operations not listed in table.
³Limited to estimated number of appendectomies excluding those performed incidental to other abdominal surgery.

4Excludes certain obstetrical procedures (ICDA codes 75.0-75.6 and 75.9) for inducing or assisting delivery.

Table 5. Rates of all-listed operations for impatients discharged from short-stay hospitals, by surgery class and selected operations, sex, and age: United States, 1972

				
Surgery class, operation, and ICDA codes	All-listed operations ¹	Male	Female	15 years and over
	Rate per 100,000 population		ion	
All operations ²	8,487.2	6,771.4	10,068.2	10,142.7
Neurosurgery01-05	127.9	136.0	120.1	157.9
Ophthalmology06-14	295.7	283.6	305.7	334.8
Extraction of lens14.4-14.6	127.1	110.9	142.0	174.0
Otorhinolaryngology16-21	889.1	922.2	856.5	555.3
Myringotomy17.0	90.3	108.6	73.1	8.9
Tonsillectomy with or without adenoidectomy21.1-21.2	449.0	426.7	468.7	161.3
Operations on thyroid, parathyroid thymus and adrenals22-23	38.4	18.4	56.9	50.8
Thyroidectomy22.1-22.2	31.7	12.3	49.8	43.2
Vascular and cardiac surgery24-30	313.8	377.1	253.3	403.7
Excision and ligation of varicose veins24.4	49.1	26.4	70.2	67.8
Thoracic surgery32-35	115.0	149.1	83.0	150.3
Abdominal surgery38-48	1,292.7	1,375.1	1,212.4	1,568.1
Repair of inguinal hernia38.2-38.3	249.9	467.6	45.6	261.3
Appendectomy ³ 41.1	161.8	172.5	151.4	151.5
Cholecystectomy43.5	195.2	95.6	287.2	269.6
Resection of small intestine or colon47.4-47.6	63.2	58.3	67.6	84.6
Proctological surgery50-52	266.5	304.3	230.4	361.8
Local excision and destruction of lesion of rectum				
and anus50.2-51.2	62.3	67.4	57.3	84.0
Hemorrhoidectomy51.3	106.9	117.4	96.8	147.6
Urological surgery54-61	675.5	1,005.4	368.1	756.9
Dilation of urethra57.5	93.6	69.9	115.7	93.1
Prostatectomy58.1-58.3	113.1	234.5		156.4
Breast surgery65	162.5	16.5	297.8	222.4
Mastectomy65.2-65.6	143.1	12.9	263.8	196.6
Gynecological surgery67-72	1,582.4	• • •	3,056.9	2,173.6
Oophorectomy; salpingo-oophorectomy67.2-67.5	185.2		357.8	255.2
Ligation and division of fallopian tubes (bilateral)68.5	126.2	•••	243.7	174.0
Hysterectomy69.1-69.5	317.6	• • •	613.6	438.1
Dilation and curettage of uterus, diagnostic70.3	424.0		819.2	583.6
Obstetrical procedures74-78	500.3		966.5	686.2
Cesarian section77.0	110.9	•••	214.3	152.8
Dilation and curettage after delivery or abortion78.1	134.7	•••	260.3	185.5
Repair of laceration78.2-78.3	86.0	• • •	116.2	117.9
Orthopedic surgery80-90	1,087.5	1,154.6	1,022.2	1,315.2
Excision of bone, partial80.4	67.1	51.7	81.3	85.8
Closed redudtion of fracture without fixation82.0	161.2	175.7	147.4	151.6
Reduction of fracture with fixation82.2	131.5	116.6	144.6	169.8
Excision of intervertebral cartilage (prolapsed disk)86.4	72.2	88.7	56.5	99.5
Operations on muscles, tendons, fascia, and bursa88-89	152.6	165.7	140.0	174.1
Plastic surgery92-94	473.9	509.9	439.0	549.6
Oral and maxillofacial surgery95-98	77.2	89.3	65.3	87.5
Dental surgery99	180.2	154.6	203.3	222.4
BiopsyA1-A2	1 200.2	13.00		

 $^{^1}$ Includes data for sex not stated. 2 Includes operations not listed in table. 3 Limited to estimated number of appendectomies excluding those performed incidental to other abdominal surgery.

4Excludes certain obstetrical procedures (ICDA codes 75.0-75.6 and 75.9) for inducing or assisting delivery.

Technical Notes

SOURCE OF DATA. The Hospital Discharge Survey collects, on a sample basis, data on inpatients discharged from noninstitutional short-stay hospitals located in the 50 States and the District of Columbia. This report excludes data for newborn infants and discharges from Federal hospitals. Information in this report is based on a sample of about 225,000 abstracts of medical records of patients discharged from a national sample of 424 short-stay hospitals that participated in the survey in 1972.

SURGERY CODING AND ESTIMATES, A maximum of three operations recorded on abstracts of sampled medical records for 1972 were coded per sample discharge according to the section of the ICDA on Surgical Operations, Diagnostic and Other Therapeutic Procedures, with some modifications by HDS directives. The estimates in this report pertain to alllisted operations (up to and including three operations per discharge). Operations shown in this report are exclusive of certain obstetrical procedures, diagnostic endoscopy and radiography, radiotherapy, and certain other treatments not generally considered as surgery. SAMPLING ERRORS. The estimates presented are subject to sampling error. The standard errors computed for the estimates of the number of operations are shown in table I.

ROUNDING. Due to rounding, detailed figures within tables may not add to totals. Rates presented were computed from unrounded numbers.

DEFINITIONS. Short-stay hospitals are general and short-term special hospitals that have six beds or more for inpatient use and an average length of stay of less than 30 days.

A *patient* or *inpatient* is a person who is formally admitted to the inpatient service of a short-stay hospital for observation, care, diagnosis, or treatment. Newborn infants admitted to the hospital by birth are excluded in this report.

A *discharge* is the formal release of an inpatient by a hospital, that is, the termination of a period of hospitalization by death or by disposition to place of residence, nursing home, or another hospital.

Operation(s) is one or more surgical operations, procedures, or special treatments entered by the physician on the medical record of patients discharged from short-stay hospitals.

All-listed or listed operations are the aggregate of up to three individually coded operations, procedures, and special treatments for each medical record in the survey sample.

Surgery or operation rate is the ratio of the number of all-listed operations to the number of persons in the civilian noninstitutionalized population as of July 1, 1972.

Table I. Approximate standard errors of estimated numbers of operations

Estimated number of operations	Standard error	Estimated number of operations	Standard error
10,000	1,550	500,000	21,000
20,000	2,300	1,000,00	40,000
50,000	3,800	5,000,000	195,000
100,000	6,000	10,000,000-	390,000
200,000	10,000	20,000,000-	780,000

SYMBOLS USED IN TABLES	
Data not available	
Category not applicable	• • •
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

GPO 882 • 177

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE Public Health Service

HEALTH RESOURCES ADMINISTRATION 5600 Fishers Lane Rockville, Maryland 20852

OFFICAL BUSINESS
Penalty for Private Use, \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF H.E.W

H E W 396



FIRST CLASS MAIL